The Journal of

Membrane Biology

An international journal for studies on the structure, function and genesis of biomembranes

Volumes 141–150 1994–1996

Editorial Board

W.R. Loewenstein, Woods Hole, Editor-in-Chief

Q. Al-Awqati, Columbia
B.P. Bean, Harvard
G. Blobel, Rockefeller
D. Branton, Harvard
D. Engelman, Yale
J. Handler, Johns Hopkins
A. Helenius, Yale
A.E. Hill, Cambridge
W.L. Hubbell, California, L.A.
P.L. Jørgensen, Copenhagen
R.B. Kelly, California, S.F.
A. Klug, Cambridge
E.A.C. MacRobbie, Cambridge
H.M. McConnell, Stanford
S. McLaughlin, SUNY, Stony Brook
M. Milanick, Missouri, Columbia
J.S. Morrow, Yale
H. Murer, Zurich
G.E. Palade, California, S.D.
H. Reuter, Bern
B. Sakmann, Max-Planck, Heidelberg
R.W. Schekman, California, Berkeley
S.G. Schultz, Texas
C.L. Slayman, Yale
K.R. Spring, N.I.H.
C.F. Stevens, Salk Insititute
W. Stoeckenius, California, S.F.
H.H. Ussing, Copenhagen
G. Yellen, Harvard

C.H. Fay, Assistant to the Editor

Springer

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Printed in the United States

© 1996 Springer-Verlag New York, Inc.

Author Index—Volumes 141—150

Abrami, L., Capurro, C., Ibarra, C., Parisi, M., Buhler, J.-M., Ripoche, P.: Distribution of mRNA Encoding the FA-CHIP Water Channel in Amphibian Tissues: Effects of Salt Adaptation 143:199

Abramson, R.G., *see* Leal–Pinto, E., et al. 146:123

Abriel, H., Katz, U., Kucera, P.: Ion Transport across the Early Chick Embryo: II. Characterization and pH Sensitivity of the Transembryonic Short-Circuit Current 141:159

Abriel, H., *see* Kucera, P., et al. 141:149

Ackermann, A., *see* Letz, B., et al. 148:127

Adler, J., *see* Cui, C. 150:143

Adler, J., *see* Cui, C., et al. 144:31

Adragna, N.C., Lauf, P.K.: Quinine and Quinidine Inhibit and Reveal Heterogeneity of K–Cl Cotransport in Low K Sheep Erythrocytes 142:195

Aflalo, C., *see* Gheber, L., et al. 147:83

Aguillar, L., *see* Fine, D.M., et al. 145:129

Ahern, G.P., *see* Laver, D.R., et al. 147:7

Alder, G.M., *see* Bashford, C.L., et al. 150:37

Alder, G.M., *see* Korchev, Y.E., et al. 143:143; 147:233

Alekseev, S.I., Ziskin, M.C.: Two Types of A-Channels in Lymnaea Neurons 146:327

Alexandrov, A.A., *see* Andjus, P.R., et al. 142:43

Aliante, M., *see* Fini, C., et al. 142:137

Almeida, M.T., Ramalho–Santos, J., Oliveira, C.R., Pedroso de Lima, M.C.: Parameters Affecting Fusion between Liposomes and Synaptosomes. Role of Proteins, Lipid Peroxidation, pH and Temperature 142:217

Almonte, C., *see* Levitan, I., et al. 147:283

Alper, S.L., *see* Chernova, M.N., et al. 148:203

Alper, S.L., *see* Brugnara, C., et al. 147:71

Ambudkar, I.S., *see* Lockwich, T.P. et al. 141:289; 148:277

Ambudkar, S.V., *see* Lockwich, T.P., et al. 148:277

Amiel, C., *see* Clerici, C., et al. 147:295

Anagnostopoulos, T., *see* Belachgar, F., et al. 143:123

Anderson, B.D., *see* Xiang, T.-X. 148:157

Anderton, P.J., *see* Le Dain, A.C., et al. 141:239

Andjus, P.R., Kataev, A.A., Alexandrov, A.A., Vucelic, D., Berestovsky, G.N.: D_2O-Induced Ion Channel Activation in *Characeae* at Low Ionic Strength 142:43

Angelides, K.J., *see* Hicks, B.W. 144:231

Angelides, K.J., *see* Smith, P.R. et al. 147:195

Angelo, S., Devés, R.: Amino Acid Transport System y^+L of Human Erythrocytes: Specificity and Cation Dependence of the Translocation Step 141:183

Apell, H.-J., *see* Bühler, R. 145:165

Arenstein, I.R., Caruso–Neves, C., Onuchic, L.F., Lopes, A.G.: Mechanisms of Cell Volume Regulation in the Proximal Segment of the Malpighian Tubule of *Rhodnius neglectus* 146:47

Argent, B.E., *see* Sohma, Y., et al. 141:69

Argent, B.E., *see* Verdon, B., et al. 147:173

Arias, I.M., *see* Leveille–Webster, C.R. 143:89

Arispe, N., De Mazancourt, P., Kojas, E.: Direct Control of a Large Conductance K^+-Selective Channel by G-Proteins in Adrenal Chromaffin Granule Membranes 147:109

Armsby, C.C., *see* Brugnara, C., et al. 147:71

Arnold, W.M., *see* Sukhorukov, V.L., et al. 142:77

Arreola, J., Melvin, J.E., Begenisich, T.: Inhibition of Ca^{2+}-Dependent Cl^- Channels from Secretory Epithelial Cells by Low Internal pH 147:95

Arruda, J.A.L., *see* Bernardo, A.A., et al. 145:67

Ashford, M.L.J., *see* Reale, V., et al. 141:101; 142:299; 145:267

Atwater, I., *see* Bordin, S., et al. 148:177

Atwater, I., *see* Mears, D., et al. 146:163

Atwater, I., *see* Rojas, E., et al. 143:65

Au, L., *see* Zadunaisky, J.A., et al. 143:207

Awayda, M.S., *see* Benos, D.J., et al. 143:1

Awayda, M.S., *see* Ismailov, I.I., et al. 149:123

Bakhramov, A., *see* Korchev, Y.E., et al. 143:143

Balasubramanian, S., Lynch, J.W., Barry, P.H.: The Permeation of Organic Cations through cAMP-Gated Channels in Mammalian Olfactory Receptor Neurons 146:177

Baldwin, S.A., *see* Sviderskaya, E.V., et al. 149:133

Bamberg, E., *see* Eisenrauch, A., et al. 145:151

Barhoumi, R., *see* Burghardt, R.C., et al. 148:243

Barker, J.L., *see* Liu, Q.Y., et al. 145:279

Barnard, J.A., *see* Ghishan, F.K., et al. 144:267

Barry, P.H., *see* Balasubramanian, S., et al. 146:177

Bartling, C., *see* Rae, J.L., et al. 150:89

Bashford, C.L., Alder, G.M., Fulford, L.G., Korchev, Y.E., Kovacs, E., MacKinnon, A., Pederzolli, C., Pasternak, C.A.: Pore Formation by *S. aureus* α-Toxin in Liposomes and Planar Lipid Bilayers: Effects of Nonelectrolytes 150:37

Bashford, C.L., *see* Korchev, Y.E., et al. 143:143; 147:233

Bashford, C.L., *see* Rostovtseva, T.K., et al. 141:83

Bastani, B., *see* Brunette, M.G., et al. 145:285

Bastani, B., *see* Soleimani, M., et al. 144:209

Bastide, B., Jarry–Guichard, T., Briand, J.P., Délèze, J., Gros, D.: Effect of Antipeptide Antibodies Directed Against Three Domains of Connexin43 on the Gap Junctional Permeability of Cultured Heart Cells 150:243

Bastide, B., *see* Hervé, J.C., et al. 149:179

Bastide, B., *see* Pluciennik, F., et al. 149:169

Bates, J., *see* Kaji, D.M., et al. 149:49

Bauer, C.K., *see* Corrette, B.J., et al. 150:185

Beck, J.S., *see* Park, K.-P., et al. 141:193

Begenisich, T., *see* Arreola, J., et al. 147:95

Beilby, M.J., Walker, N.A.: Modeling the Current–Voltage Characteristics of *Chara* Membranes: I. The Effect of ATP Removal and Zero Turgor 149:89

Belachgar, F., Hulin, P., Planelles, G., Anagnostopoulos, T.: Differential Regulation of Membrane Potential and Conductance via Intra- and Extracellular pH in Fused Proximal Tubular Cells of Frog Kidney 143:123

Belton, C.M., *see* Fatherazi, S., et al. 142:181

Bennett, N., *see* Serre, V., et al. 146:145

Benos, D.J., Awayda, M.S., Ismailov, I.I., Johnson, J.P.: Structure and Function of Amiloride-Sensitive Na^+ Channels 143:1

Benos, D.J., *see* Ismailov, I.I., et al. 149:123

Benos, D.J., *see* Smith, P.R. et al. 147:195

Benos, D.J., *see* Stoner, L.C., et al. 144:147

Bens, M., *see* Wu, M.S., et al. 142:323

Benz, I., Kohlhardt, M.: Distinct Modes of Blockade in Cardiac ATP-Sensitive K^+ Channels Suggest Multiple Targets for Inhibitory Drug Molecules 142:309

Benz, I., *see* Haverkampf, K., et al. 146:85

Berdiev, B.K., *see* Ismailov, I.I., et al. 149:123

Berestovsky, G.N., *see* Andjus, P.R., et al. 142:43

Bernardo, A.A., Kear, F.T., Stim, J.A., Qiu, Y.Y., Ruiz, O.S., Weidman, H., Arruda, J.A.L.: Renal Cortical Basolateral Na^+/HCO^-_3 Cotransporter III. Evidence for a Regulatory Protein in the Inhibitory Effect of Protein Kinase A 145:67

Bertrán, G., Kotsias, B.A.: Chloride Currents in Skeletal Muscles of *Bufo arenarum* 149:249

Bezanilla, F., *see* Zampighi, G.A., et al. 148:65

Bezprozvanny, I., Ehrlich, B.E.: The Inositol 1,4,5-Trisphosphate ($InsP_3$) Receptor 145:205

Biber, J., *see* Fucentese, M., et al. 144:43
Bidet, M., *see* Tauc, M., et al. 150:255
Bilbaut, A., Chorvatova, A., Ojeda, C., Rougier, O.: The Transient Outward Current of Isolated Bovine Adrenal Zona Fasciculata Cells: Comparison between Standard and Perforated Patch Recording Methods 149:233
Binder, H.J., *see* Rajendran, V.M. 141:51
Birnir, B., Everitt, A.B., Gage, P.W.: Characteristics of $GABA_A$ Channels in Rat Dentate Gyrus 142:93
Birnir, B., Tierney, M.L., Pillai, N.P., Cox, G.B., Gage, P.W.: Rapid Desensitization of $\alpha_1\beta_1$ $GABA_A$ Receptors Expressed in Sf9 Cells under Optimized Conditions 148:193
Blachly–Dyson, E., *see* Zizi, M., et al. 144:121
Blackmon, D.L., *see* Fine, D.M., et al. 145:129
Blandino, J.K.W., Viglione, M.P., Bradley, W.A., Oie, H.K., Kim, Y.I.: Voltage-Dependent Sodium Channels in Human Small-Cell Lung Cancer Cells: Role in Action Potentials and Inhibition by Lambert–Eaton Syndrome IgG 143:153
Blank, M.E., *see* Hoefner, D.M., et al. 141:91
Blatt, M.R., *see* Meharg, A.A. 145:49
Blaustein, M.P., *see* Eisenrauch, A., et al. 145:151
Blot–Chabaud, M., *see* Coutry, N., et al. 145:99
Bojesen, E., *see* Bojesen, I.N. 142:113; 149:257
Bojesen, I.N., Bojesen, E.: Different Arachidonate and Palmitate Binding Capacities of the Human Red Cell Membrane 142:113
Bojesen, I.N., Bojesen, E.: Specificities of Red Cell Membrane Sites Transporting Three Long Chain Fatty Acids 149:257
Bolivar, J.J., *see* Contreras, R.G., et al. 145:305
Bolliger, U., *see* Verrey, F., et al. 145:193
Bonvalet, J.P., *see* Coutry, N., et al. 145:99
Bookstein, C., *see* Soleimani, M., et al. 144:209
Boorer, K.J., *see* Zampighi, G.A., et al. 148:65
Bootcov, M.R., *see* Martin, D.K., et al. 147:305
Bordin, S., Boschero, A.C., Carneiro, E.M., Atwater, I.: Ionic Mechanisms Involved in the Regulation of Insulin Secretion by Muscarinic Agonists 148:177
Boschero, A.C., *see* Bordin, S., et al. 148:177
Boucher, A., *see* Tabcharani, J.A., et al. 142:241; 142:255
Boulpaep, E.L., *see* Korbmacher, C., et al. 146:29
Bourguet, J., *see* Calamita, G., et al. 143:267
Bourguet, J., *see* Parisi, M., et al. 143:237
Bowen, J.A., *see* Burghardt, R.C., et al. 148:243
Bowler, J.M., McLaughlin, C.W., Butt, A.G., Purves, R.D., Macknight, A.D.C.: Effects of Voltage Clamping on Epithelial Cell Composition in Toad Urinary Bladder Studied with X-ray Microanalysis 145:175
Bowler, J.M., *see* Butt, A.G., et al. 142:9
Boyd, C.A.R., *see* Meredith, D. 145:L1
Bradford, A.L., *see* Ismailov, I.I., et al. 149:123
Bradley, W.A., *see* Blandino, J.K.W., et al. 143:153
Brand, J.G., *see* Feigin, A.M., et al. 149:41
Braun, C., *see* Plattner, H., et al. 142:229
Bregante, M., *see* Menestrina, G., et al. 149:113
Breit, S.N., *see* Martin, D.K., et al. 147:305
Brennan, C., *see* Fanger, G.R., et al. 144:71
Breyer, M., *see* Ghishan, F.K., et al. 144:267
Briand, J.P., *see* Bastide, B., et al. 150:243
Brochiero, E., *see* Crowe, W.E., et al. 144:81
Brock, T.A., *see* White, C.R. 142:171
Brock, T.G., Nagaprakash, K., Margolis, D.I., Smolen, J.E.: Modeling Degranulation with Liposomes: Effect of Lipid Composition on Membrane Fusion 141:139
Brown, D., *see* Sabolíc, I., et al. 143:165
Brown, P.D., *see* Douglas, I.J. 150:209
Brown, P.D., *see* Park, K.-P., et al. 141:193
Brüdern, A., *see* Thiel, G., et al. 149:9
Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L.: Ca^{2+}-Activated K^+ Channels of Human and Rabbit Erythrocytes Display Distinctive Patterns of Inhibition by Venom Peptide Toxins 147:71
Brunette, M.G., Bastani, B., Leclerc, M., Narbaitz, R.: Detection of Different Adenosine Triphosphatases in Human Placental Brush Border Membranes 145:285
Buckler, K.J., *see* Peers, C. 144:1
Buhler, J.-M., *see* Abrami, L., et al. 143:199
Bühler, R., Apell, H.-J.: Sequential Potassium Binding at the Extracellular Side of the Na,K-Pump 145:165
Bullock, J.O., Kolen, E.R.: Ion Selectivity of Colicin E1: III. Anion Permeability 144:131
Burghardt, R.C., Barhoumi, R., Sewall, T.C., Bowen, J.A.: Cyclic AMP Induces Rapid Increases in Gap Junction Permeability and Changes in the Cellular Distribution of Connexin43 148:243
Bursell, J.D.H., *see* Lewis, R.A., et al. 149:103
Bustamante, J.O., Hanover, J.A., Liepins, A.: The Ion Channel Behavior of the Nuclear Pore Complex 146:239
Bustamante, J.O., Liepins, A., Prendergast, R.A., Hanover, J.A., Oberleithner, H.: Patch Clamp and Atomic Force Microscopy Demonstrate TATA-Binding Protein (TBP) Interactions with the Nuclear Pore Complex 146:263
Bustamante, J.O., Oberleithner, H., Hanover, J.A., Liepins, A.: Patch Clamp Detection of Transcription Factor Translocation Along the Nuclear Pore Complex Channel 146:253
Butt, A.G., McLaughlin, C.W., Bowler, J.M., Purves, R.D., Macknight, A.D.C.: Cell Cl and Transepithelial Na Transport in Toad Urinary Bladder 142:9
Butt, A.G., *see* Bowler, J.M., et al. 145:175
Butterweck, A., Gergs, U., Elfgang, C., Willecke, K., Traub, O.: Immunochemical Characterization of the Gap Junction Protein Connexin-45 in Mouse Kidney and Transfected Human HeLa Cells 141: 247
Buyse, G., *see* Szücs, G., et al. 149:189
Calamita, G., Mola, M.G., Gounon, P., Jouve, M., Bourguet, J., Svelto, M.: Aquaporin-CHIP-Related Protein in Frog Urinary Bladder: Localization by Confocal Microscopy 143:267
Calamita, G., *see* Parisi, M., et al. 143:237
Camici, O., Corazzi, L.: Import of Phosphatidylethanolamine for the Assembly of Rat Brain Mitochondrial Membranes 148:169
Campbell, T.J., *see* Martin, D.K., et al. 147:305
Candia, O.A., Zamudio, A.C.: Chloride-Activated Water Permeability in the Frog Corneal Epithelium 143:259
Canessa, C.M., *see* Letz, B., et al. 148:127
Canessa, M., Romero, J.R., Lawrence, C., Nagel, R.L., Fabry, M.E.: Rate of Activation and Deactivation of K:Cl Cotransport by Changes in Cell Volume in Hemoglobin SS, CC and AA Red Cells 142:349
Cannistraro, S., *see* Fini, C., et al. 142:137
Capurro, C., *see* Abrami, L., et al. 143:199
Cardona, S., *see* Zadunaisky, J.A., et al. 143:207
Carneiro, E.M., *see* Bordin, S., et al. 148:177
Carré, D.A., Civan, M.M.: cGMP Modulates Transport across the Ciliary Epithelium 146:293
Caruso–Neves, C., *see* Arenstein, I.R., et al. 146:47
Cash, D.J., Serfözö, P., Zinn, K.: Use of $^{82}Br^-$ Radiotracer to Study Transmembrane Halide Flux: The Effect of a Tranquilizing Drug, Chlordiazepoxide on Channel Opening of a $GABA_A$ Receptor 145: 257
Cereijido, M., *see* Contreras, R.G., et al. 145:295; 145:305
Cereijido, M., *see* Talavera, D., et al. 143:219
Chan, C.W.M., *see* Zhou, X.-L., et al. 144:199
Chan, H.C., Zhou, W.L., Wong, P.Y.D.: Extracellular ATP Activates

Both Ca^{2+}- and cAMP-Dependent Cl^- Conductances in Rat Epididymal Cells 147:185
Chandy, G., *see* Zampighi, G.A., et al. 148:65
Chang, E.B., *see* Soleimani, M., et al. 144:209
Chang, H.M., Reitstetter, R., Gruener, R.: Lipid-Ion Channel Interactions: Increasing Phospholipid Headgroup Size but not Ordering Acyl Chains Alters Reconstituted Channel Behavior 145:13
Chang, H.M., Reitstetter, R., Mason, R.P., Gruener, R.: Attenuation of Channel Kinetics and Conductance by Cholesterol: An Interpretation Using Structural Stress as a Unifying Concept 143:51
Chatton, J.-Y., *see* Kovbasnjuk, O., et al. 148:223
Chatton, J.-Y., Spring, K.R.: Reply to: Sodium Concentration of Lateral Intercellular Space 147:106
Chatton, J.-Y., Spring, K.R.: The Sodium Concentration of the Lateral Intercellular Spaces of MDCK Cells: A Microspectrofluorimetric Study 144:11
Chauthaiwale, J., *see* Lockwich, T., et al. 148:277
Chehin, R.N., Rintoul, M.R., Morero, R.D., Farias, R.N.: Differential Effect of Triiodothyronine and Thyroxine on Liposomes Containing Cholesterol: Physiological Speculations 147:217
Chehin, R.N., *see* Farías, R.N., et al. 143:135
Chen, X.-Z., *see* Coady, M.J., et al. 149:1
Chernomordik, L., Kozlov, M.M., Zimmerberg, J.: Lipids in Biological Membrane Fusion 146:1
Chernova, M.N., Jarolim, P., Palek, J., Alper, S.L.: Overexpression of AE1 Prague, but not of AE1 SAO, Inhibits Wild-Type AE1 Trafficking in *Xenopus Oocytes* 148:203
Cherny, V.V., *see* Decoursey, T.E. 141:203
Cherubini, E., *see* Martina, M., et al. 142:209
Cheung, M., *see* Fischbarg, J., et al. 143:177
Chorvatova, A., *see* Bilbaut, A., et al. 149:233
Chraïbi, A., Guinamard, R., Teulon, J.: Effects of Internal pH on the Nonselective Cation Channel from the Mouse Collecting Tubule 148:83
Christian, E.P., Spence, K.T., Togo, J.A., Dargis, P.G., Patel, J.: Calcium-Dependent Enhancement of Depletion -Activated Calcium Current in Jurkat T Lymphocytes 150:63
Ciani, S., *see* Ribalet, B. 142:395
Civan, M.M., *see* Carré, D.A. 146:293
Civan, M.M., *see* Coca–Prados, M., et al. 150:197
Clark, D.C., *see* Ladha, S., et al. 142:223
Clauss, W., *see* Weber, W.-M., et al. 148:263
Clay, J.R.: Quaternary Ammonium Ion Blockade of I_K in Nerve Axons Revisited. Open Channel Block *vs.* State Independent Block 147:23
Clerici, C., Couette, S., Loiseau, A., Herman, P., Amiel, C.: Evidence for Na–K–Cl Cotransport in Alveolar Epithelial Cells: Effect of Phorbol Ester and Osmotic Stress 147:295
Cluzeaud, F., *see* Wu, M.S., et al. 142:323
Coady, M.J., Chen, X.-Z., Lapointe, J.-Y.: rBAT is an Amino Acid Exchanger with Variable Stoichiometry 149:1
Coady, M.J., *see* Huang, H., et al. 143:29
Coca–Prados, M., Sánchez–Torres, J., Peterson–Yantorno, K., Civan, M.M.: Association of ClC-3 Channel with Cl^- Transport by Human Nonpigmented Ciliary Epithelial Cells 150:197
Colombini, M., *see* Zizi, M., et al. 144:121
Contreras, R.G., Lázaro, A., Bolivar, J.J., Flores–Maldonado, C., Sánchez, S.H., González–Mariscal, L., García–Villegas, M.R., Valdés, J., Cereijido, M.: A Novel Type of Cell–Cell Cooperation Between Epithelial Cells 145:305
Contreras, R.G., Lázaro, A., Mújica, A., González–Mariscal, L., Valdés, J., García–Villegas, M.R., Cereijido, M.: Ouabain Resistance of the Epithelial Cell Line (Ma104) is not Due to Lack of Affinity of its Pumps for the Drug 145:295
Contreras, R.G., *see* Talavera, D., et al. 143:219
Cook, D.I., *see* Hayashi, T., et al. 144:157
Cook, D.I., *see* Komwatana, P., et al. 150:133
Cooper, C.E., *see* Sharpe, M.A., et al. 141:21
Coraboeuf, E., *see* Lefevre, T., et al. 147:147
Corazzi, L., *see* Camici, O. 148:169
Corazzi, L., *see* Rakowska, M., et al. 142:35
Corbett, A.M., *see* Kramer, J.W. 144:217
Corrette, B.J., Bauer, C.K., Schwarz, J.R.: An Inactivating Inward-Rectifying K Current Present in Prolactin Cells from the Pituitary of Lactating Rats 150:185
Couette, S., *see* Clerici, C., et al. 147:295
Coulombe, A., *see* Lefevre, T., et al. 147:147
Coutry, N., Farman, N., Bonvalet, J.P., Blot–Chabaud, M.: Synergistic Action of Vasopressin and Aldosterone on Basolateral Na^+–K^+–ATPase in the Cortical Collecting Duct 145:99
Couture, P., Hulbert, A.J.: Membrane Fatty Acid Composition of Tissues is Related to Body Mass of Mammals 148:27
Cox, G.B., *see* Birnir, B., et al. 148:193
Cox, G.B., *see* Sunstrom, N.A., et al. 150:127
Cragoe, E.J., Jr., *see* Zadunaisky, J.A., et al. 143:207
Cremaschi, D., Porta, C.: Hydrochlorothiazide Enhances the Apical Cl^- Backflux in Rabbit Gallbladder Epithelium: Radiochemical Analysis 141:29
Cremaschi, D., Vallin, P., Porta, C.: Hydrochlorothiazide Action on the Apical Cl^-, Ca^{2+} and K^+ Conductances in Rabbit Gallbladder Epithelium. Presence of an Apamin-Sensitive, Ca^{2+}-Activated K^+ Conductance 147:159
Crest, M., *see* Brugnara, C., et al. 147:71
Crowe, W.E., Ehrenfeld, J., Brochiero, E., Wills, N.K.: Apical Membrane Sodium and Chloride Entry During Osmotic Swelling of Renal (A6) Epithelial Cells 144:81
Cui, C., Adler, J.: Effect of Mutation of Potassium-Efflux System, *KefA*, on Mechanosensitive Channels in the Cytoplasmic Membrane of *Escherichia coli* 150:143
Cui, C., Smith, D.O., Adler, J.: Characterization of Mechanosensitive Channels in *Escherichia coli* Cytoplasmic Membrane by Whole-Cell Patch Clamp Recording 144:31
Cukierman, S., *see* Renganathan, M., et al. 144:59
Czeglédy, F., *see* Fischbarg, J., et al. 143:177
Dalla Serra, M., *see* Menestrina, G., et al. 149:113
Dargis, P.G., *see* Christian, E.P., et al. 150:63
Davidson, R.M., *see* Gofa, A. 149:211
Davies, J.M., Sanders, D.: ATP, pH and Mg^{2+} Modulate a Cation Current in *Beta vulgaris* Vacuoles: A Possible Shunt Conductance for the Vacuolar H^+-ATPase 145:75
Davies, J.M., Sanders, D., Gradmann, D.: Reaction Kinetics of the Vacuolar H^+-Pumping ATPase in *Beta vulgaris* 150:231
Davis, B.M., *see* Hoefner, D.M., et al. 141:91
De Boer, A.H., *see* Wegner, L.H., et al. 142:363
De Franceschi, L., *see* Brugnara, C., et al. 147:71
De Greef, C., *see* Viana, F., et al. 145:87
De Mazancourt, P., *see* Arispe, N., et al. 147:109
DeBin, J.A., Wood, M.R., Pfenninger, K.H., Strichartz, G.R.: A Chloride Channel Reconstituted from Fetal Rat Brain Growth Cones 141:7
Decoursey, T.E., Cherny, V.V.: Voltage-Activated Hydrogen Ion Currents 141:203
Decrouy, A., Juteau, M., Rousseau, E.: Examination of the Role of Phosphorylation and Phospholamban in the Regulation of the Cardiac Sarcoplasmic Reticulum of Cl^- Channel 146:315
Delage, B., *see* Hervé, J.C., et al. 149:179
Delbono, O., O'Rourke, K.S., Ettinger, W.H.: Excitation-Calcium Release Uncoupling in Aged Single Human Skeletal Muscle Fibers 148:211

Delbono, O.: Ca^{2+} Modulation of Sarcoplasmic Reticulum Ca^{2+} Release in Rat Skeletal Muscle Fibers 146:91
Délèze, J., *see* Bastide, B., et al. 150:243
Délèze, J., *see* Hervé, J.C., et al. 149:179
Délèze, J., *see* Pluciennik, F., et al. 149:169
Delius, M., *see* Gambihler, S., et al. 141:267
DelRaso, N.J., Huang, Y., Lu, L.: Effects of Chlorotrifluoroethylene Oligomer Fatty Acids on Recombinant GABA Receptors Expressed in *Xenopus* Oocytes 149:33
Devés, R., *see* Angelo, S. 141:183
Diedrich, D.F., *see* Hoefner, D.M., et al. 141:91
Dinudom, A., *see* Komwatana, P., et al. 150:133
Djuzenova, C.S., *see* Sukhorukov, V.L., et al. 142:77
Dodane, V., Kachar, B.: Identification of Isoforms of G Proteins and PKC that Colocalize with Tight Junctions 149:199
Donowitz, M., *see* Tai, Y.-H., et al. 149:71
Douglas, I.J., Brown, P.D.: Regulatory Volume Increase in Rat Lacrimal Gland Acinar Cells 150:209
Douglas, I.J., *see* Park, K.-P., et al. 141:193
Driessen, A.J.M.: How Proteins Cross the Bacterial Cytoplasmic Membrane 142:145
Droogmans, G., *see* Szücs, G., et al. 149:189
Droogmans, G., *see* Viana, F., et al. 145:87
Dulhunty, A.F., *see* Laver, D.R., et al. 147:7
Eager, K.R., *see* Laver, D.R., et al. 147:7
Ebihara, L., *see* Steiner, E. 150:153
Echevarría, M., *see* Gutiérrez, A.M., et al. 143:189
Eddlestone, G.T., *see* Ribalet, B. 148:111
Eder, C., Fischer, H.-G., Hadding, U., Heinemann, U.: Properties of Voltage-Gated Potassium Currents of Microglia Differentiated with Granulocyte/Macrophage Colony-Stimulating Factor 147:137
Edwardson, J.M., Marciniak, S.J.: Molecular Mechanisms in Exocytosis 146:113
Eggermont, J., *see* Szücs, G., et al. 149:189
Eggermont, J., *see* Viana, F., et al. 145:87
Ehrenfeld, J., *see* Crowe, W.E., et al. 144:81
Ehrlich, B.E., *see* Bezprozvanny, I. 145:205
Eisenberg, R.S.: Computing the Field in Proteins and Channels 150:1
Eisenrauch, A., Juhaszova, M., Ellis–Davies, G.C.R., Kaplan, J.H., Bamberg, E., Blaustein, M.P.: Electrical Currents Generated by a Partially Purified Na/Ca Exchanger from Lobster Muscle Reconstituted into Liposomes and Adsorbed on Black Lipid Membranes: Activation by Photolysis of Caged Ca^{2+} 145:151
Elfgang, C., *see* Butterweck, A., et al. 141:247
Ellis–Davies, G.C.R., *see* Eisenrauch, A., et al. 145:151
Ellwart, J.W., *see* Gambihler, S., et al. 141:267
Eng, J.W.L., *see* Tabcharani, J.A., et al. 142:241; 142:255
Engbretson, B.G., *see* Stoner, L.C., et al. 144:147
Ettinger, W.H., *see* Delbono, O., et al. 148:211
Everitt, A.B., *see* Birnir, B., et al. 142:93
Ewart, G., *see* Sunstrom, N.A., et al. 150:127
Fabry, M.E., *see* Canessa, M., et al. 142:349
Fanger, G.R., Brennan, C., Henderson, L.P., Gardner, P.D., Maue, R.A.: Differential Expression of Sodium Channels and Nicotinic Acetylcholine Receptor Channels in nnr Variants of the PC12 Pheochromocytoma Cell Line 144:71
Farías, R.N., Chehin, R.N., Rintoul, M.R., Morero, R.D.: Differential Effect of Triiodothyronine and Thyroxine on the Liposomal Membrane in Liquid-Crystalline and Gel State 143:135
Farias, R.N., *see* Chehin, R.N., et al. 147:217
Farman, N., *see* Coutry, N., et al. 145:99
Fatherazi, S., Izutsu, K.T., Wellner, R.B., Belton, C.M.: Hypotonically Activated Chloride Current in HSG Cells 142:181
Feigin, A.M., Takemoto, J.Y., Wangspa, R., Teeter, J.H., Brand, J.G.: Properties of Voltage-Gated Ion Channels Formed by Syringomycin E in Planar Lipid Bilayers 149:41
Fernandez, R., Malnic, G.: Secretion of HCO_3^-/OH^- in Cortical Distal Tubule of the Rat 143:227
Filipovic, D., Hayslett, J.P.: Correlation of Open Cell-Attached and Excised Patch Clamp Techniques 148:79
Findlay, G.P., *see* Garrill, A., et al. 142:381
Fine, D.M., Lo, C.F., Aguillar, L., Blackmon, D.L., Montrose, M.H.: Cellular Chloride Depletion Inhibits cAMP-Activated Electrogenic Chloride Fluxes in HT29-18-C_1 Cells 145:129
Fini, C., Thuong, V.D., Aliante, M., Floridi, A., Cannistraro, S.: Reconstitution of 5′-Nucleotidase of Bull Seminal Plasma in Spin-Labeled Liposomes 142:137
Fiorentino, R., *see* Talavera, D., et al. 143:219
Fisahn, J., Lucas, W.J.: Spatial Organization of Transport Domains and Subdomain Formation in the Plasma Membrane of *Chara corallina* 147:275
Fischbarg, J., Li, J., Cheung, M., Czegledy, F., Iserovich, P., Kuang, K.: Predictive Evidence for a Porin-Type β-Barrel Fold in CHIP28 and Other Members of the MIP Family. A Restricted-Pore Model Common to Water Channels and Facilitators 143:177
Fischbarg, J., *see* Hernández, J.A., et al. 149:57
Fischer, H.-G., *see* Eder, C., et al. 147:137
Fisher, E., *see* Zadunaisky, J.A., et al. 143:207
Flick, J., *see* Tai, Y.-H., et al. 149:71
Flores–Maldonado, C., *see* Contreras, R.G., et al. 145:305
Floridi, A., *see* Fini, C., et al. 142:137
Fong, P., Jentsch, T.J.: Molecular Basis of Epithelial Cl Channels 144:189
Forte, M., *see* Zizi, M., et al. 144:121
Fournier,F., *see* Humez, S., et al. 147:207
French, P.W., *see* Martin, D.K., et al. 147:305
French, R.J., *see* Zamponi, G.W. 147:1
Friauf, W.S., *see* Kovbasnjuk, O., et al. 148:223
Frömter, E., *see* Korbmacher, C., et al. 146:29
Fucentese, M., Winterhalter, K., Murer, H., Biber, J.: Functional Expression of Rat Renal Na/P_i-Cotransport (NaPi-2) in Sf9 Cells by the Baculovirus System 144:43
Fulford, L.G., *see* Bashford, C.L., et al. 150:37
Fuller, C.M., *see* Ismailov, I.I., et al. 149:123
Furtula, V., *see* Svetek, J., et al. 143:19
Gage, P.W., *see* Birnir, B., et al. 142:93; 148:193
Gage, P.W., *see* Ju, Y.-K., et al. 145:119
Gage, P.W., *see* Sunstrom, N.A., et al. 150:127
Gambale, F., *see* Menestrina, G., et al. 149:113
Gambihler, S., Delius, M., Ellwart, J.W.: Permeabilization of the Plasma Membrane of L1210 Mouse Leukemia Cells Using Lithotripter Shock Waves 141:267
Garber, S.S., *see* Levitan, I., et al. 147:283
García–Villegas, M.R., *see* Contreras, R.G., et al. 145:295; 145:305
García–Villegas, M.R., *see* Talavera, D., et al. 143:219
Gardner, P.D., *see* Fanger, G.R., et al. 144:71
Garrill, A., Tyerman, S.D., Findlay, G.P.: Ion Channels in the Plasma Membrane of Protoplasts from the Halophytic Angiosperm *Zostera muelleri* 142:381
Gautier, P., *see* Tourneur, Y., et al. 142:337
Gergs, U., *see* Butterweck, A., et al. 141:247
Gesteland, R.C., *see* Pun, R.Y.K., et al. 142:103
Ghazi, A., *see* Lefevre, T., et al. 147:147
Gheber, L., Priel, Z., Aflalo, C., Shoshan–Barmatz, V.: Extracellular ATP Binding Proteins as Potential Receptors in Mucociliary Epithelium: Characterization Using [^{32}P]3′-O-(4-Benzoyl)benzoyl ATP, a Photoaffinity Label 147:83
Ghishan, F.K., Knobel, S., Barnard, J.A., Breyer, M.: Expression of a

Novel Sodium–Hydrogen Exchanger in the Gastrointestinal Tract and Kidney 144:267
Gleason, F.K., *see* Lii, T., et al. 150:27
Gobin, R., *see* Parisi, M., et al. 143:237
Godoy, C.M.G., *see* Renganathan, M., et al. 144:59
Gofa, A., Davidson, R.M.: NaF Potentiates a K^+-Selective Ion Channel in G292 Osteoblastic Cells 149:211
González–Mariscal, L., *see* Contreras, R.G., et al. 145:295; 145:305
González–Mariscal, L., *see* Talavera, D., et al. 143:219
González–Sepúlveda, M., Núñez, M.T.: Arginyl Residues Are Involved in the Transport of Fe^{2+} through the Plasma Membrane of the Mammalian Reticulocyte 141:225
González, E., *see* Gutiérrez, A.M., et al. 143:189
González, E., *see* Sofía Hernández, C., et al. 148:233
Goodenough, D.A., *see* Goshroy, S., et al. 146:15
Goshroy, S., Goodenough, D.A., Sosinsky, G.E.: Preparation, Characterization, and Structure of Half Gap Junctional Layers Split with Urea and EGTA 146:15
Gounon, P., *see* Calamita, G., et al. 143:267
Goyzueta, J.D., *see* Kaji, D.M., et al. 149:49
Gradmann, D., *see* Davies, J.M., et al. 150:231
Gradmann, D., *see* Thiel, G., et al. 149:9
Gray, M.A., *see* Shindo, M., et al. 149:21
Gray, M.A., *see* Sohma, Y., et al. 141:69
Gray, M.A., *see* Verdon, B., et al. 147:173
Gros, D., *see* Bastide, B., et al. 150:243
Groscurth, P., *see* Verrey, F., et al. 145:193
Gruener, R., *see* Chang, H.M., et al. 143:51; 145:13
Guilbault, P., *see* Humez, S., et al. 147:207
Guinamard, R., *see* Chraïbi, A., et al. 148:83
Gutiérrez, A.M., González, E., Echevarría, M., Hernández, C.S., Whittembury, G.: The Proximal Straight Tubule (PST) Basolateral Cell Membrane Water Channel: Selectivity Characteristics 143:189
Hadding, U., *see* Eder, C., et al. 147:137
Hager, K., Hazama, A., Kwon, H.M., Loo, D.D.F., Handler, J.S., Wright, E.M.: Kinetics and Specificity of the Renal Na^+/*myo*-Inositol Cotransporter Expressed in *Xenopus* Oocytes 143:103
Hales, C.N., *see* Reale, V., et al. 141:101; 142:299; 145:267
Hall, J.E., *see* Zampighi, G.A., et al. 148:65
Handler, J.S., *see* Hager, K., et al. 143:103
Hanover, J.A., *see* Bustamante, J.O., et al. 146:239; 146:253; 146:263
Hanrahan, J.W., *see* Tabcharani, J.A., et al. 142:241; 142:255
Harris, A., *see* Sohma, Y., et al. 141:69
Harris, J.A., *see* Reuzeau, C., et al. 145:33
Harris, J.A., *see* Wan, X., 145:21
Harris, R.A., *see* Tabcharani, J.A., et al. 142:241
Haverkampf, K., Benz, I., Kohlhardt, M.: Thermodynamically Specific Gating Kinetics of Cardiac Mammalian $K^+_{(ATP)}$ Channels in a Physiological Environment Near 37°C 146:85
Hayakawa, H., *see* Koumi, S.-i., et al. 145:143
Hayashi, T., Hirono, C., Young, J.A., Cook, D.I.: The ACh-Induced Whole-Cell Currents in Sheep Parotid Secretory Cells. Do BK Channels Really Carry the ACh-Evoked Whole-Cell K^+ Current? 144:157
Hayslett, J.P., *see* Filipovic, D. 148:79
Hazama, A., *see* Hager, K., et al. 143:103
Hedrich, R., *see* Kolb, H.-A., et al. 146:273
Heilmeyer, L.M.G., *see* Shoshan-Barmatz, V., et al. 142:281
Heinemann, U., *see* Eder, C., et al. 147:137
Henderson, L.P., *see* Fanger, G.R., et al. 144:71
Hennessey, T.M., Kim, M.Y., Satir, B.H.: Lysozome Acts as a Chemorepellant and Secretagogue in *Paramecium* by Activating a Novel Receptor-Operated Ca^{++} Conductance 148:13
Herman, P., *see* Clerici, C., et al. 147:295
Hernández, C.S., *see* Gutiérrez, A.M., et al. 143:189
Hernández, J.A., Fischbarg, J., Vera, J.C.: Modeling Facilitative Sugar Transporters: Transitions Between Single and Double Ligand Occupancy of Multiconformational Channel Models Explain Anomalous Kinetics 149:57
Herness, M.S., Sun, X.-D.: Voltage-Dependent Sodium Currents Recorded from Dissociated Rat Taste Cells 146:73
Hervé, J.C., Pluciennik, F., Verrecchia, F., Bastide, B., Delage, B., Joffre, M., Délèze, J.: Influence of the Molecular Structure of Steroids on Their Ability to Interrupt Gap Junctional Communication 149:179
Hervé, J.C., *see* Pluciennik, F., et al. 149:169
Hicks, B.W., Angelides, K.J.: Tracking Movements of Lipids and Thy1 Molecules in the Plasmalemma of Living Fibroblasts by Fluorescence Video Microscopy with Nanometer Scale Precision 144:231
Hilderbrandt, J.-P.: Lysophosphatidic Acid Induces Inositol Phosphate and Calcium Signals in Exocrine Cells from the Avian Nasal Salt Gland 144:49
Hill, C.E., Pon, D.C.: The Inwardly Rectifying Potassium Current of Embryonic Chick Hepatocytes 144:249
Hinman, C.L., *see* Stevens–Truss, R., et al. 150:113
Hiraoka, M., *see* Ishihara, K. 142:55
Hirata, H., *see* Kitagawa, S., et al. 146:193
Hirayama, B.A., *see* Lostao, M.P., et al. 142:161
Hirono, C., *see* Hayashi, T., et al. 144:157
Hirota, A., *see* Momose–Sato, Y., et al. 144:167
Hirst, G.D.S., *see* Ju, Y.-K., et al. 145:119
Hladky, S.B., *see* Wang, K.-W., et al. 143:247
Ho, Y.-K., *see* Oh, U., et al. 147:241
Hoefner, D.M., Blank, M.E., Davis, B.M., Diedrich, D.F.: Band 3 Antagonists, *p*-Azidobenzylphlorizin and DIDS, Mediate Erythrocyte Shape and Flexibility Changes as Characterized by Digital Image Morphometry and Microfiltration 141:91
Hoffmann, E.K., *see* Lambert, I.H. 142:289
Hoffmann, E.K., *see* Pedersen, S.F., et al. 149:141
Holsinger, L.J., *see* Tosteson, M.T., et al. 142:117
Homann, U., Thiel, G.: Cl^- and K^+ Channel Currents during the Action Potential in *Chara*. Simultaneous Recording of Membrane Voltage and Patch Currents 141:297
Huang, H., St.-Jean, H., Coady, M.J., Lapointe, J.-Y.: Evidence for Coupling between Na^+ Pump Activity and TEA-Sensitive K^+ Currents in *Xenopus laevis* Oocytes 143:29
Huang, Y., *see* DelRaso, N.J., et al. 149:33
Hui, S.W., *see* Stoicheva, N.G. 141:177
Hulbert, A.J., *see* Couture, P. 148:27
Hulin, P., *see* Belachgar, F., et al. 143:123
Humez, S., Fournier, F., Guilbault, P.: A Voltage-Dependent and pH-Sensitive Proton Current in *Rana esculenta* Oocytes 147:207
Hurst, A.M., *see* Moreau, R., et al. 150:175
Hussain, M., Wareham, A.C.: Rundown and Reactivation of ATP-Sensitive Potassium Channels (K_{ATP}) in Mouse Skeletal Muscle 141:257
Ibarra, C., *see* Abrami, L., et al. 143:199
Ikeda, K., Wu, D., Takasaka, T.: Cellular Mechanisms in Activation of Na–K–Cl Cotransport in Nasal Gland Acinar Cells of Guinea Pigs 146:307
Ildefonse, M., *see* Serre, V., et al. 146:145
Inesi, G., Sagara, Y.: Specific Inhibitors of Intracellular Ca^{2+} Transport ATPases 141:1
Irimajiri, A., *see* Takeuchi, S. 150:47
Iserovich, P., *see* Fischbarg, J., et al. 143:177
Ishihara, K., Hiraoka, M.: Gating Mechanism of the Cloned Inward Rectifier Potassium Channel from Mouse Heart 142:55
Ismailov, I.I., Berdiev, B.K., Bradford, A.L., Awayda, M.S., Fuller,

C.M., Benos, D.J.: Associated Proteins and Renal Epithelial Na^+ Channel Function 149:123
Ismailov, I.I., *see* Benos, D.J., et al. 143:1
Izumi, F., *see* Ueno, S., et al. 148:51
Izutsu, K.T., *see* Fatherazi, S., et al. 142:181
Jacob, T.J.C., *see* Mitchell, C.H. 150:105
Jarolim, P., *see* Chernova, M.N., et al. 148:203
Jarpe, M.B., *see* Raben, D.M., et al. 142:1
Jarry–Guichard, T., *see* Bastide, B., et al. 150:243
Jazrawi, E., *see* Sviderskaya, E.V., et al. 149:133
Jentsch, T.J., *see* Fong, P. 144:189
Joffre, M., *see* Hervé, J.C., et al. 149:179
Joffre, M., *see* Pluciennik, F., et al. 149:169
Johannes, E., Sanders, D.: Lumenal Calcium Modulates Unitary Conductance and Gating of a Plant Vacuolar Calcium Release Channel 146:211
Johnson, J.P., *see* Benos, D.J., et al. 143:1
Joomun, B.S., *see* Korchev, Y.E., et al. 143:143
Jørgensen, N.K., *see* Pedersen, S.F., et al. 149:141
Jouve, M., *see* Calamita, G., et al. 143:267
Ju, Y.-K., Saint, D.A., Hirst, G.D.S., Gage, P.W.: Sodium Currents in Toad Cardiac Pacemaker Cells 145:119
Juhaszova, M., *see* Eisenrauch, A., et al. 145:151
Junankar, P.R., *see* Laver, D.R., et al. 147:7
Juteau, M., *see* Decrouy, A., et al. 146:315
Kachar, B., *see* Dodane, V. 149:199
Kaji, D.M., Bates, J., Goyzueta, J.D., Prasadan, K., Yu, H., Kumar, S.: Transfection Alters Ion Transport in MDCK Cells 149:49
Kamino, K., *see* Momose–Sato, Y., et al. 144:167
Kaplan, J.H., *see* Eisenrauch, A., et al. 145:151
Kasianowicz, J.J., *see* Korchev, Y.E., et al. 147:233
Kataev, A.A., *see* Andjus, P.R., et al. 142:43
Katsura, T., *see* Sabolíc, I., et al. 143:165
Katz, U., *see* Abriel, H., et al. 141:159
Katz, U., *see* Kucera, P., et al. 141:149
Kawamura, M., *see* Ueno, S., et al. 148:51
Kawawaki, J., *see* Kuno, M., et al. 143:115
Kaznacheyeva, E.V., *see* Naumov, A.P., et al. 148:91
Kear, F.T., *see* Bernardo, A.A., et al. 145:67
Kehl, S.J., Wong, K.: Large-Conductance Calcium-Activated Potassium Channels of Cultured Rat Melanotrophs 150:219
Kelly, M.E.M., *see* Tao, Q., et al. 141:123
Kilic, G., *see* Martina, M., et al. 142:209
Kim, D., *see* Oh, U., et al. 147:241
Kim, D., *see* Pleumsamran, A. 148:287
Kim, I.H., *see* Lockwich, T.P. et al. 141:289
Kim, M.Y., *see* Hennessey, T.M., et al. 148:13
Kim, Y.I., *see* Blandino, J.K.W., et al. 143:153
Kirk, K., *see* Lewis, R.A., et al. 149:103
Kitagawa, S., Sugaya, Y., Nishizawa, M., Hirata, H.: Relationship of Alcohol-Induced Changes in Mg^{2+}–ATPase Activity of Rabbit Intestinal Brush Border Membrane with Changes in Fluidity of Its Lipid Bilayer 146:193
Klauke, N., *see* Plattner, H., et al. 142:229
Kleene, S.J., *see* Pun, R.Y.K., et al. 142:103
Knobel, S., *see* Ghishan, F.K., et al. 144:267
Knorr, B.A., *see* Leal–Pinto, E., et al. 146:123
Koh, D.-S., Vogel, W.: Single-Channel Analysis of a Delayed Rectifier K^+ Channel in *Xenopus* Myelinated Nerve 149:221
Kohlhardt, M., *see* Benz, I. 142:309
Kohlhardt, M., *see* Haverkampf, K., et al. 146:85
Kolb, H.-A., Marten, I., Hedrich, R.: Hodgkin–Huxley Analysis of a GCAC1 Anion Channel in the Plasma Membrane of Guard Cells 146:273
Kolen, E.R., *see* Bullock, J.O. 144:131
Komwatana, P., Dinudom, A., Young, J.A., Cook, D.I.: Control of the Amiloride-Sensitive Na^+ Current in Salivary Duct Cells by Extracellular Sodium 150:133
Korbmacher, C., *see* Letz, B., et al. 148:127
Korbmacher, C., Volk, T., Segal, A.S., Boulpaep, E.L., Frömter, E.: A Calcium-Activated and Nucleotide-Sensitive Nonselective Cation Channel in M-1 Mouse Cortical Collecting Duct Cells 146:29
Korchev, Y.E., Alder, G.M., Bakhramov, A., Bashford, C.L., Joomun, B.S., Sviderskaya, E.V., Usherwood, P.N.R., Pasternak, C.A.: *Staphylococcus aureus* Alpha-Toxin-Induced Pores: Channel-like Behavior in Lipid Bilayers and Patch Clamped Cells 143:143
Korchev, Y.E., Bashford, C.L., Alder, G.M., Kasianowicz, J.J., Pasternak, C.A.: Low Conductance States of a Single Ion Channel are not 'Closed' 147:233
Korchev, Y.E., *see* Bashford, C.L., et al. 150:37
Kotsias, B.A., *see* Bertrán, G. 149:249
Koumi, S.-i., Sato, R., Hayakawa, H.: Characterization of the Acetylcholine-Sensitive Muscarinic K^+ Channel in Isolated Feline Atrial and Ventricular Myocytes 145:143
Koumi, S.-i., *see* Sato, R. 148:193
Kovacs, E., *see* Bashford, C.L., et al. 150:37
Kovbasnjuk, O., Chatton, J.-Y., Friauf, W.S., Spring, K.R.: Determination of the Na Permeability of the Tight Junctions of MDCK Cells by Fluorescence Microscopy 148:223
Kozlov, M.M., *see* Cherenomordik, L., et al. 146:1
Kramer, J.W., Corbett, A.M.: The Voltage Dependence of Depolarization-Induced Calcium Release in Isolated Skeletal Muscle Triads 144:217
Kramhøft, B., *see* Pedersen, S.F., et al. 149:141
Kraske, S.A., *see* Wachtel, R.E., et al. 145:187
Kravitz, E.A., *see* Worden, M.K., et al. 141:167
Kreman, M., *see* Zampighi, G.A., et al. 148:65
Kuang, K., *see* Fischbarg, J., et al. 143:177
Kucera, P., Abriel, H., Katz, U.: Ion Transport across the Early Chick Embryo: I. Electrical Measurements, Ionic Fluxes and Regional Heterogeneity 141:149
Kucera, P., *see* Abriel, H., et al. 141:159
Kumar, S., *see* Kaji, D.M., et al. 149:49
Kung, C., *see* Zhou, X.-L., et al. 144:199
Kuno, M., Shibata, T., Kawawaki, J., Kyogoku, I.: A Heterogeneous Electrophysiological Profile of Bone Marrow-Derived Mast Cells 143:115
Kuryshev, Y.A., *see* Naumov, A.P., et al. 148:91
Kwon, H.M., *see* Hager, K., et al. 143:103
Kyogoku, I., *see* Kuno, M., et al. 143:115
Lacaz–Vieira, F.: pH- and Voltage-Dependent Conductances in Toad Skin 148:1
Ladha, S., Mackie, A.R., Clark, D.C.: Cheek Cell Membrane Fluidity Measured by Fluorescence Recovery after Photobleaching and Steady-State Fluorescence Anisotropy 142:223
Lajeunesse, D., *see* Moreau, R., et al. 150:175
Lamb, R.A., *see* Tosteson, M.T., et al. 142:117
Lambert, I.H., Hoffmann, E.K.: Cell Swelling Activates Separate Taurine and Chloride Channels in Ehrlich Mouse Ascites Tumor Cells 142:289
Lambert, I.H., *see* Mollerup, J. 150:73
Länge, S., *see* Plattner, H., et al. 142:229
Lapointe, J.-Y., *see* Coady, M.J., et al. 149:1
Lapointe, J.-Y., *see* Huang, H., et al. 143:29
Lapointe, J.-Y., *see* Moreau, R., et al. 150:175
Laprade, R., *see* Vachon, V., et al. 148:57
Lauf, P.K., *see* Adragna, N.C. 142:195
Laver, D.R., Roden, L.D., Ahern, G.P., Eager, K.R., Junankar, P.R.,

Dulhunty, A.F.: Cytoplasmic Ca^{2+} Inhibits the Ryanodine Receptor from Cardiac Muscle 147:7
Lawrence, C., *see* Canessa, M., et al. 142:349
Lázaro, A., *see* Contreras, R.G., et al. 145:295; 145:305
Le Dain, A.C., Anderton, P.J., Martin, D.K., Millar, T.J.: A Tetraethylammonium-Insensitive Inward Rectifier K^+ Channel in Müller Cells of the Turtle (*Pseudemys scripta elegans*) Retina 141:239
Leach, K.L., *see* Raben, D.M., et al. 142:1
Leal–Pinto, E., London, R.D., Knorr, B.A., Abramson, R.G.: Reconstitution of Hepatic Uricase in Planar Lipid Bilayer Reveals a Functional Organic Anion Channel 146:123
Leclerc, M., *see* Brunette, M.G., et al. 145:285
Lee, H.C., *see* Lii, T., et al. 150:27
Lefevre, T., Coraboeuf, E., Ghazi, A., Coulombe, A.: Divalent Cation Channels Activated by Phenothiazines in Membrane of Rat Ventricular Myocytes 147:147
Letz, B., Ackermann, A., Canessa, C.M., Rossier, B.C., Korbmacher, C.: Amiloride-Sensitive Sodium Channels in Confluent M-1 Mouse Cortical Collecting Duct Cells 148:127
Lev, A.A., *see* Rostovtseva, T.K., et al. 141:83
Leveille–Webster, C.R., Arias, I.M.: The Biology of the P-Glycoproteins 143:89
Levine, S.A., *see* Tai, Y.-H., et al. 149:71
Levitan, I., Almonte, C., Mollard, P., Garber, S.S.: Modulation of a Volume-Regulated Chloride Current by F-Actin 147:283
Levitt, D.G., *see* Lii, T., et al. 150:27
Lewis, R.A., Bursell, J.D.H., Kirk, K.: Anion-Selectivity of the Swelling-Activated Osmolyte Channel in Eel Erythrocytes 149:103
Li, J., *see* Fischbarg, J., et al. 143:177
Lieberman, M., *see* Liu, S., et al. 141:59
Liebold, K.M., *see* Weber, W.-M., et al. 148:263
Liepins, A., *see* Bustamante, J.O., et al. 146:239; 146:253; 146:263
Lii, T., Lee, H.C., Gleason, F.K., Levitt, D.G.: Characterization of a Large Conductance, Cation-Selective Channel from Sea Urchin Eggs that is Sensitive to Sulfhydryl Reducing Agents 150:27
Ling, K.-Y., *see* Saimi, Y. 144:257
Liu, J., *see* Shen, Z., et al. 146:283
Liu, J., *see* Wangemann, P., et al. 147:255
Liu, P., *see* Wangemenn, P., et al. 147:263
Liu, Q.Y., Vautrin, J., Tang, K.M., Barker, J.L.: Exogenous GABA Persistently Opens Cl^- Channels in Cultured Embryonic Rat Thalamic Neurons 145:279
Liu, S., Stimers, J.R., Lieberman, M.: A Novel Cl^- Conductance in Cultured Chick Cardiac Myocytes: Role of Intracellular Ca^{2+} and cAMP 141:59
Lo, C.F., *see* Fine, D.M., et al. 145:129
Lockwich, T.P., Chauthaiwale, J., Ambudkar, S.V., Ambudkar, I.S.: Reconstitution of a Passive Ca^{2+}-Transport Pathway from the Basolateral Plasma Membrane of Rat Parotid Gland Acinar Cells 148:277
Lockwich, T.P., Kim, I.H., Ambudkar, I.S.: Temperature-Dependent Modification of Divalent Cation Flux in the Rat Parotid Gland Basolateral Membrane 141:289
Loiseau, A., *see* Clerici, C., et al. 147:295
London, R.D., *see* Leal–Pinto, E., et al. 146:123
Loo, D.D.F., *see* Hager, K., et al. 143:103
Loo, D.D.F., *see* Lostao, M.P., et al. 142:161
Loo, D.D.F., *see* Zampighi, G.A., et al. 148:65
Lopes, A.G., *see* Arenstein, I.R., et al. 146:47
Lostao, M.P., Hirayama, B.A., Loo, D.D.F., Wright, E.M.: Phenylglucosides and the Na^+/Glucose Cotransporter (SGLT1): Analysis of Interactions 142:161
Lowenstein, B., *see* Zadunaisky, J.A., et al. 143:207
Lu, L., *see* DelRaso, N.J., et al. 149:33
Lu, L., *see* Xu, B. 142:65
Lucas, W.J., *see* Fisahn, J. 147:275
Lynch, J.W., *see* Balasubramanian, S., et al. 146:177
Mackie, A.R., *see* Ladha, S., et al. 142:223
MacKinnon, A., *see* Bashford, C.L., et al. 150:37
Macknight, A.D.C., *see* Bowler, J.M., et al. 145:175
Macknight, A.D.C., *see* Butt, A.G., et al. 142:9
Madara, J.L., *see* Tai, Y.-H., et al. 149:71
Malayev, A., Nelson, D.J.: Extracellular pH Modulates the Ca^{2+} Current Activated by Depletion of Intracellular Ca^{2+} Stores in Human Macrophages 146:101
Malnic, G., *see* Fernandez, R. 143:227
Marciniak, S.J., *see* Edwardson, J.M. 146:113
Marcus, D.C., *see* Shen, Z., et al. 146:283
Marcus, D.C., *see* Wangemenn, P., et al. 147:263
Margolis, D.I., *see* Brock T.G., et al. 141:139
Marion, A., *see* Tourneur, Y., et al. 142:337
Marsolais, M., *see* Vachon, V., et al. 148:57
Marten, I., *see* Kolb, H.-A., et al. 146:273
Martin, D.K., Bootcov, M.R., Campbell, T.J., French, P.W., Breit, S.N.: Human Macrophages Contain a Stretch-Sensitive Potassium Channel that is Activated by Adherence and Cytokines 147:305
Martin, D.K., *see* Le Dain, A.C., et al. 141:239
Martin, R.J., *see* Valkanov, M.A. 148:41
Martin Euclaire, M.-F., *see* Brugnara, C., et al. 147:71
Martina, M., Kilic, G., Cherubini, E.: The Effect of Intracellular Ca^{2+} on GABA-Activated Currents in Cerebellar Granule Cells in Culture 142:209
Mason, R.P., *see* Chang, H.M., et al. 143:51
Mathias, R.T., *see* Rae, J.L., et al. 150:89
Matsumoto, G., *see* Sato, C. 147:45
Matsutani, K., *see* Momose–Sato, Y., et al. 144:167
Maue, R.A., *see* Fanger, G.R., et al. 144:71
McEwan, G.T.A., *see* Thwaites, D.T., et al. 145:245
McLaughlin, C.W., *see* Bowler, J.M., et al. 145:175
McLaughlin, C.W., *see* Butt, A.G., et al. 142:9
Mears, D., *see* Rojas, E., et al. 143:65
Mears, D., Sheppard, N.F., Jr., Atwater, I., Rojas, E.: Magnitude and Modulation of Pancreatic β-Cell Gap Junction Electrical Conductance *In Situ* 146:163
Meharg, A.A., Blatt, M.R.: NO_3^- Transport Across the Plasma Membrane of *Arabidopsis thaliana* Root Hairs: Kinetic Control by pH and Membrane Voltage 145:49
Melvin, J.E., *see* Arreola, J., et al. 147:95
Menestrina, G., Pederzolli, C., Dalla Serra, M., Bregante, M., Gambale, F.: Permeability Increase Induced by *Escherichia coli* Hemolysin A in Human Macrophages is Due to the Formation of Ionic Pores: A Patch Clamp Characterization 149:113
Meredith, D., Boyd, C.A.R.: Oligopeptide Transport by Epithelial Cells 145:1
Messer, W.S., Jr., *see* Stevens–Truss, R., et al. 150:113
Meves, H., *see* Schmitt, H. 145:233
Meyer, H., *see* Shoshan-Barmatz, V., et al. 142:281
Millar, T.J., *see* Le Dain, A.C., et al. 141:239
Mills, L.R., *see* Reuzeau, C., et al. 145:33
Milstein, S., *see* Spiegel, S. 146:225
Mironov, S.L.: Monovalent Amidiniums Block Calcium Channels in Chick Sensory Neurons 141:231
Mitchell, C.H., Jacob, T.J.C.: A Nonselective High Conductance Channel in Bovine Pigmented Ciliary Epithelial Cells 150:105
Mola, M.G., *see* Calamita, G., et al. 143:267
Mollard, P., *see* Levitan, I., et al. 147:283
Mollerup, J., Lambert, I.H.: Phosphorylation is Involved in the Regulation of the Taurine Influx via the β-System in Ehrlich Ascites Tumor Cells 150:73

Momose–Sato, Y., Sato, K., Sakai, T., Hirota, A., Matsutani, K., Kamino, K.: Evaluation of Optimal Voltage-Sensitive Dyes for Optical Monitoring of Embryonic Neural Activity 144:167
Montrose, M.H., *see* Fine, D.M., et al. 145:129
Moody, W.J., *see* Spruce, A.E. 148:255
Moreau, R., Hurst, A.M., Lapointe, J.-Y., Lajeunesse, D.: Activation of Maxi-K Channels by Parathyroid Hormone and Prostaglandin E_2 in Human Osteoblast Bone Cells 150:175
Morero, R.D., *see* Chehin, R.N., et al. 147:217
Morero, R.D., *see* Farías, R.N., et al. 143:135
Morris, C.E., *see* Reuzeau, C., et al. 145:33
Morris, C.E., *see* Wan, X., 145:21
Mozhayeva, G.N., *see* Naumov, A.P., et al. 148:91
Mújica, A., *see* Contreras, R.G., et al. 145:295
Murer, H., *see* Fucentese, M., et al. 144:43
Naftalin, R.J., Pedley, K.C.: The Sodium Concentration of Lateral Intercellular Spaces 147:105
Nagaprakash, K., *see* Brock T.G., et al. 141:139
Nagel, R.L., *see* Canessa, M., et al. 142:349
Narbaitz, R., *see* Brunette, M.G., et al. 145:285
Naumov, A.P., Kaznacheyeva, E.V., Kuryshev, Y.A., Mozhayeva, G.N.: Selectivity of ATP-Activated GTP-Dependent Ca^{2+}-Permeable Channels in Rat Macrophage Plasma Membrane 148:91
Nelson, D.J., *see* Malayev, A. 146:101
Nemec, M., *see* Svetek, J., et al. 143:19
Nilius, B., *see* Szücs, G., et al. 149:189
Nilius, B., *see* Viana, F., et al. 145:87
Nishizawa, M., *see* Kitagawa, S., et al. 146:193
Noguchi, S., *see* Ueno, S., et al. 148:51
Nothnagel, E.A., *see* Svetek, J., et al. 143:19
Núñez, M.T., *see* González–Sepúlveda, M. 141:225
O'Rourke, K.S., *see* Delbono, O., et al. 148:211
Oberleithner, H., *see* Bustamante, J.O., et al. 146:253; 146:263
Oh, U., Ho, Y.-K., Kim, D.: Modulation of the Serotonin-Activated K^+ Channel by G Protein Subunits and Nucleotides in Rat Hippocampal Neurons 147:241
Oie, H.K., *see* Blandino, J.K.W., et al. 143:153
Ojeda, C., *see* Bilbaut, A., et al. 149:233
Olesen, S.-P.: Cell Membrane Patches Are Supported by Proteoglycans 144:245
Oliveira, C.R., *see* Almeida, M.T., et al. 142:217
Onuchic, L.F., *see* Arenstein, I.R., et al. 146:47
Ozawa, T., Thévenod, F., Schulz, I.: Characterization of Two Different Ca^{2+} Uptake and IP_3-Sensitive Ca^{2+} Release Mechanisms in Microsomal Ca^{2+} Pools of Rat Pancreatic Acinar Cells 144:111
Palek, J., *see* Chernova, M.N., et al. 148:203
Paller, M.S.: Lateral Mobility of Na,K-ATPase and Membrane Lipids in Renal Cells. Importance of Cytoskeletal Integrity 142:127
Paradis, M.-J., *see* Vachon, V., et al. 148:57
Parisi, M., Pisam, M., Calamita, G., Gobin, R., Toriano, R., Bourguet, J.: Water Pathways across a Reconstituted Epithelial Barrier Formed by Caco-2 Cells: Effects of Medium Hypertonicity 143:237
Parisi, M., *see* Abrami, L., et al. 143:199
Park, J.H., Saier, M.H., Jr.: Phylogenetic, Structural and Functional Characteristics of the Na–K–Cl Cotransporter Family 149:161
Park, K.-P., Beck, J.S., Douglas, I.J., Brown, P.D.: Ca^{2+}-Activated K^+ Channels Are Involved in Regulatory Volume Decrease in Acinar Cells Isolated from the Rat Lacrimal Gland 141:193
Parnas, H., Parnas, I.: Neurotransmitter Release at Fast Synapses 142: 267
Parnas, I., *see* Parnas, H. 142:267
Pasternak, C.A., *see* Bashford, C.L., et al. 150:37
Pasternak, C.A., *see* Korchev, Y.E., et al. 143:143; 147:233
Pasternak, C.A., *see* Rostovtseva, T.K., et al. 141:83
Pasternak, C.A., *see* Sviderskaya, E.V., et al. 149:133
Patel, J., *see* Christian, E.P., et al. 150:63
Pedemonte, C.H.: Inhibition of Na^+-Pump Expression by Impairment of Protein Glycosylation is Independent of the Reduced Sodium Entry into the Cell 147:223
Pedersen, S.F., Kramhøft, B., Jørgensen, N.K., Hoffmann, E.K.: Shrinkage-Induced Activation of the Na^+/H^+ Exchanger in Ehrlich Ascites Tumor Cells: Mechanisms Involved in the Activation and a Role for the Exchanger in Cell Volume Regulation 149:141
Pederzolli, C., *see* Bashford, C.L., et al. 150:37
Pederzolli, C., *see* Menestrina, G., et al. 149:113
Pedley, K.C., *see* Naftalin, R.J. 147:105
Pedroso de Lima, M.C., *see* Almeida, M.T., et al. 142:217
Peers, C., Buckler, K.J.: Transduction of Chemostimuli by the Type I Carotid Body Cell 144:1
Persson, B.-E., *see* Xia, P., et al. 144:21
Peterson–Yantorno, K., *see* Coca–Prados, M., et al. 150:197
Pfenninger, K.H., *see* DeBin, J.A., et al. 141:7
Phipps, D.J., *see* Schumacher, P.A., et al. 145:217
Pillai, N.P., *see* Birnir, B., et al. 148:193
Pinto, L.H., *see* Tosteson, M.T., et al. 142:117
Pisam, M., *see* Parisi, M., et al. 143:237
Planelles, G., *see* Belachgar, F., et al. 143:123
Plattner, H., Braun, C., Klauke, N., Länge, S.: Veratridine Triggers Exocytosis in *Paramecium* Cells by Activating Somatic Ca Channels 142:229
Pleumsamran, A., Kim, D.: Membrane Stretch Augments the Cardiac Muscarinic K^+ Channel Activity 148:287
Pluciennik, F., *see* Hervé, J.C., et al. 149:179
Pluciennik, F., Verrecchia, F., Bastide, B., Hervé, J.C., Joffre, M., Délèze, J.: Reversible Interruption of Gap Junctional Communication by Testosterone Propionate in Cultured Sertoli Cells and Cardiac Myocytes 149:169
Pon, D.C., *see* Hill, C.E. 144:249
Ponce, A., *see* Talavera, D., et al. 143:219
Porta, C., *see* Cremaschi, D. 141:21
Porta, C., *see* Cremaschi, D., et al. 147:159
Pottosin, I.I., Schönknecht, G.: Patch Clamp Study of the Voltage-Dependent Anion Channel in the Thylakoid Membrane 148:143
Poujeol, P., *see* Tauc, M., et al. 150:255
Prasadan, K., *see* Kaji, D.M., et al. 149:49
Premkumar, A., *see* Sunstrom, N.A., et al. 150:127
Premkumar, L.S., *see* Sunstrom, N.A., et al. 150:127
Prendergast, R.A., *see* Bustamante, J.O., et al. 146:263
Priel, Z., *see* Gheber, L., et al. 147:83
Prins, H.B.A., *see* Vogelzang, S.A. 141:113; 146:59
Pun, R.Y.K., Kleene, S.J., Gesteland, R.C.: Guanine Nucleotides Modulate Steady-State Inactivation of Voltage-Gated Sodium Channels in Frog Olfactory Receptor Neurons 142:103
Purves, R.D., *see* Bowler, J.M., et al. 145:175
Purves, R.D., *see* Butt, A.G., et al. 142:9
Qiu, Y.Y., *see* Bernardo, A.A., et al. 145:67
Raben, D.M., Jarpe, M.B., Leach, K.L.: Nuclear Lipid Metabolism in NEST: Nuclear Envelope Signal Transduction 142:1
Rae, J., *see* Rae, J.L., et al. 150:89
Rae, J.L., Bartling, C., Rae, J., Mathias, R.T.: Dye Transfer Between Cells of the Lens 150:89
Rae, J.L., *see* Rich, A. 144:177
Raeymaekers, L., *see* Viana, F., et al. 145:87
Rafuse, P.E., *see* Tao, Q., et al. 141:123
Rahamimoff, R., *see* Worden, M.K., et al. 141:167
Rajendran, V.M., Binder, H.J.: Apical Membrane Cl-Butyrate Exchange: Mechanism of Short Chain Fatty Acid Stimulation of Active Chloride Absorption in Rat Distal Colon 141:51

Rakowska, M., Zborowski, J., Corazzi, L.: A Fusogenic Protein from Rat Brain Microsomal Membranes: Partial Purification and Reconstitution into Liposomes 142:35
Ramalho–Santos, J., *see* Almeida, M.T., et al. 142:217
Rao, M.C., *see* Soleimani, M., et al. 144:209
Raschke, K., *see* Wegner, L.H., et al. 142:363
Reale, V., Hales, C.N., Ashford, M.L.J.: Nucleotide Regulation of a Calcium-Activated Cation Channel in the Rat Insulinoma Cell Line, CRI-G1 141:101
Reale, V., Hales, C.N., Ashford, M.L.J.: Regulation of Calcium-Activated Nonselective Cation Channel Activity by Cyclic Nucleotides in the Rat Insulinoma Cell Line, CRI-G1 145:267
Reale, V., Hales, C.N., Ashford, M.L.J.: The Effects of Pyridine Nucleotides on the Activity of a Calcium-Activated Nonselective Cation Channel in the Rat Insulinoma Cell Line, CRI-G1 142:299
Reifarth, F.W., *see* Weber, W.-M., et al. 148:263
Reitstetter, R., *see* Chang, H.M., et al. 143:51; 145:13
Renganathan, M., Godoy, C.M.G., Cukierman, S.: Direct Modulation of Na^+ Currents by Protein Kinase C Activators in Mouse Neuroblastoma Cells 144:59
Restrepo, D., *see* Zviman, M.M., et al. 149:81
Reuzeau, C., Mills, L.R., Harris, J.A., Morris, C.E.: Discrete and Reversible Vacuole-like Dilations Induced by Osmomechanical Perturbation of Neurons 145:33
Ribalet, B., Ciani, S.: Characterization of the G Protein Coupling of a Glucagon Receptor to the K_{ATP} Channel in Insulin-Secreting Cells 142:395
Ribalet, B., Eddlestone, G.T.: Characterization of the G Protein Coupling of SRIF and β-Adrenergic Receptors to the Maxi K_{Ca} Channel in Insulin-Secreting Cells 148:111
Rich, A., Rae, J.L.: Calcium Entry in Rabbit Corneal Epithelial Cells: Evidence for a Nonvoltage Dependent Pathway 144:177
Ridout, M., *see* White, P.J. 143:37
Rintoul, M.R., *see* Chehin, R.N., et al. 147:217
Rintoul, M.R., *see* Farías, R.N., et al. 143:135
Ripoche, P., *see* Abrami, L., et al. 143:199
Roberts, D.M., *see* Zadunaisky, J.A., et al. 143:207
Roden, L.D., *see* Laver, D.R., et al. 147:7
Rojas, E., *see* Arispe, N., et al. 147:109
Rojas, E., *see* Mears, D., et al. 146:163
Rojas, E., Stokes, C.L., Mears, D., Atwater, I.: Single-Microelectrode Voltage Clamp Measurements of Pancreatic β-Cell Membrane Ionic Currents *In Situ* 143:65
Romero, J.R., *see* Canessa, M., et al. 142:349
Rosenberg, R.L., *see* Townsend, C. 147:121
Rossier, B.C., *see* Letz, B., et al. 148:127
Rostovtseva, T.K., Bashford, C.L., Lev, A.A., Pasternak, C.A.: Triton Channels Are Sensitive to Divalent Cations and Protons 141:83
Rougier, O., *see* Bilbaut, A., et al. 149:233
Rousseau, E., *see* Decrouy, A., et al. 146:315
Roy, G.: Amino Acid Current through Anion Channels in Cultured Human Glial Cells 147:35
Ruiz, O.S., *see* Bernardo, A.A., et al. 145:67
Sabolíc, I., Katsura, T., Verbavatz, J.-M., Brown, D.: The AQP2 Water Channel: Effect of Vasopressin Treatment, Microtubule Disruption, and Distribution in Neonatal Rats 143:165
Sagara, Y., *see* Inesi, G. 141:1
Saier, M.H., Jr., *see* Park, J.H. 149:161
Saimi, Y., Ling, K.-Y.: *Paramecium* Na^+ Channels Activated by Ca^{2+}–Calmodulin: Calmodulin is the Ca^{2+} Sensor in the Channel Gating Mechanism 144:257
Saimi, Y., *see* Zhou, X.-L., et al. 144:199
Saint, D.A., *see* Ju, Y.-K., et al. 145:119
Sakai, O., *see* Suzuki, M., et al. 141:43
Sakai, T., *see* Momose–Sato, Y., et al. 144:167
Sakellaropoulos, G., *see* Schumacher, P.A., et al. 145:217
Sánchez–Torres, J., *see* Coca–Prados, M., et al. 150:197
Sánchez, S.H., *see* Contreras, R.G., et al. 145:305
Sánchez, S.H., *see* Talavera, D., et al. 143:219
Sanders, D., *see* Davies, J.M. 145:75
Sanders, D., *see* Davies, J.M., et al. 150:231
Sanders, D., *see* Johannes, E. 146:211
Satir, B.H., *see* Hennessey, T.M., et al. 148:13
Sato, C., Matsumoto, G.: Sodium Channel Functioning Based on an Octagonal Structure Model 147:45
Sato, K., *see* Momose–Sato, Y., et al. 144:167
Sato, R., Koumi, S.-i.: Modulation of the Inwardly Rectifying K^+ Channel in Isolated Human Atrial Myocytes by α_1-Adrenergic Stimulation 148:185
Sato, R., *see* Koumi, S.-i., et al. 145:143
Schara, M., *see* Svetek, J., et al. 143:19
Schlichter, L.C., *see* Schumacher, P.A., et al. 145:217
Schmitt, H., Meves, H.: Modulation of Neuronal Calcium Channels by Arachidonic Acid and Related Substances 145:233
Schönknecht, G., *see* Pottosin, I.I. 148:143
Schulz, I., *see* Ozawa, T., et al. 144:111
Schumacher, P.A., Sakellaropoulos, G., Phipps, D.J., Schlichter, L.C.: Small-Conductance Chloride Channels in Human Peripheral T Lymphocytes 145:217
Schwartz, J.-L., *see* Vachon, V., et al. 148:57
Schwarz, J.R., *see* Corrette, B.J., et al. 150:185
Segal, A.S., *see* Korbmacher, C., et al. 146:29
Sellin, J., Shelat, H.: Short-Chain Fatty Acid (SCFA) Volume Regulation in Proximal and Distal Rabbit Colon is Different 150:83
Serfözö, P., *see* Cash, D.J., et al. 145:257
Serre, V., Ildefonse, M., Bennett, N.: Effects of Cysteine Modification on the Activity of the cGMP-Gated Channel from Retinal Rods 146:145
Sewall, T.C., *see* Burghardt, R.C., et al. 148:243
Sharp, G.W.G., *see* Tai, Y.-H., et al. 149:71
Sharpe, M.A., Cooper, C.E., Wrigglesworth, J.M.: Transport of K^+ and Other Cations across Phospholipid Membranes by Nonesterified Fatty Acids 141:21
Shelat, H., *see* Sellin, J. 150:83
Shen, Z., Liu, J., Marcus, D.C., Shiga, N., Wangemann, P.: DIDS Increases K^+ Secretion through an I_{sK} Channel in Apical Membrane of Vestibular Dark Cell Epithelium of Gerbil 146:283
Shen, Z., *see* Wangemenn, P., et al. 147:263
Sheppard, N.F., Jr., *see* Mears, D., et al. 146:163
Sherman, A., Xu, L., Stokes, C.L.: Estimating and Eliminating Junctional Current in Coupled Cell Populations by Leak Subtraction. A Computational Study 143:79
Shibata, T., *see* Kuno, M., et al. 143:115
Shiga, N., *see* Shen, Z., et al. 146:283
Shiga, N., *see* Wangemann, P., et al. 147:255
Shindo, M., Simmons, N.L., Gray, M.A.: Characterization of Whole Cell Chloride Conductances in a Mouse Inner Medullary Collecting Duct Cell Line mIMCD-3 149:21
Shipley, A., *see* Wangemenn, P., et al. 147:263
Shoshan–Barmatz, V., *see* Gheber, L., et al. 147:83
Shoshan–Barmatz, V., Weil, S., Meyer, H., Varsanyi, M., Heilmeyer, L.M.G.: Endogenous, Ca^{2+}-Dependent Cysteine–Protease Cleaves Specifically the Ryanodine Receptor/Ca^{2+} Release Channel in Skeletal Muscle 142:281
Simmons, N.L., *see* Shindo, M., et al. 149:21
Simmons, N.L., *see* Thwaites, D.T., et al. 145:245
Simmons, N.L., *see* Vayro, S. 150:163
Singh, G., *see* Soleimani, M., et al. 144:209

Sitsapesan, R., Williams, A.J.: The Gating of the Sheep Skeletal Sarcoplasmic Reticulum Ca^{2+}-Release Channel is Regulated by Luminal Ca^{2+} 146:133
Smith, D.O., *see* Cui, C., et al. 144:31
Smith, P.R., *see* Stoner, L.C., et al. 144:147
Smith, P.R., Stoner, L.C., Viggiano, S.C., Angelides, K.J., Benos, D.J.: Effects of Vasopressin and Aldosterone on the Lateral Mobility of Epithelial Na^+ Channels in A6 Renal Epithelial Cells 147:195
Smolen, J.E., *see* Brock T.G., et al. 141:139
Sofía Hernández, C., González, E., Whittembury, G.: The Paracellular Channel for Water Secretion in the Upper Segment of the Malpighian Tubule of *Rhodnius prolixus* 148:233
Sohma, Y., Harris, A., Wardle, C.J.C., Gray, M.A., Argent, B.E.: Maxi K^+ Channels on Human Vas Deferens Epithelial Cells 141:69
Soleimani, M., Bookstein, C., Singh, G., Rao, M.C., Chang, E.B., Bastani, B.: Differential Regulation of Na^+/H^+ Exchange and H^+-ATPase by pH and HCO_{-3} in Kidney Proximal Tubules 144:209
Sosinsky, G.E., *see* Goshroy, S., et al. 146:15
Spence, K.T., *see* Christian, E.P., et al. 150:63
Spiegel, S., Milstein, S.: Sphingolipid Metabolites: Members of a New Class of Lipid Second Messengers 146:225
Spring, K.R., *see* Chatton, J.-Y. 144:11; 147:106
Spring, K.R., *see* Kovbasnjuk, O., et al. 148:223
Spring, K.R., *see* Xia, P., et al. 144:21
Spring, K.R., *see* Zadunaisky, J.A., et al. 143:207
Spruce, A.E., Moody, W.J.: Modifications of Current Properties by Expression of a Foreign Potassium Channel Gene in *Xenopus* Embryonic Cells 148:255
St.-Jean, H., *see* Huang, H., et al. 143:29
Steiner, E., Ebihara, L.: Functional Characterization of Canine Connexin45 150:153
Stevens–Truss, R., Messer, W.S., Jr., Hinman, C.L.: Heart and T-Lymphocyte Cell Surfaces Both Exhibit Positive Cooperativity in Binding a Membrane-Lytic Toxin 150:113
Stim, J.A., *see* Bernardo, A.A., et al. 145:67
Stimers, J.R., *see* Liu, S., et al. 141:59
Stoeckel, H., Takeda, K.: Calcium Sensitivity of the Plasmalemmal Delayed Rectifier Potassium Current Suggests that Calcium Influx in Pulvinar Protoplasts from *Mimosa pudica* L. can be Revealed by Hyperpolarization 146:201
Stoicheva, N.G., Hui, S.W.: Electrically Induced Fusion of Mammalian Cells in the Presence of Polyethylene Glycol 141:177
Stokes, C.L., *see* Rojas, E., et al. 143:65
Stokes, C.L., *see* Sherman, A., et al. 143:79
Stoner, L.C., Engbretson, B.G., Viggiano, S.C., Benos, D.J., Smith, P.R.: Amiloride-Sensitive Apical Membrane Sodium Channels of Everted *Ambystoma* Collecting Tubule 144:147
Stoner, L.C., *see* Smith, P.R. et al. 147:195
Strichartz, G.R., *see* DeBin, J.A., et al. 141:7
Sugaya, Y., *see* Kitagawa, S., et al. 146:193
Sukhorukov, V.L., Djuzenova, C.S., Arnold, W.M., Zimmermann, U.: DNA, Protein, and Plasma Membrane Incorporation by Arrested Mammalian Cells 142:77
Sun, X.-D., *see* Herness, M.S. 146:73
Sunstrom, N.A., Premkumar, L.S., Premkumar, A., Ewart, G., Cox, G.B., Gage, P.W.: Ion Channels Formed by NB, an Influenza B Virus Protein 150:127
Suzuki, M., Takahashi, K., Sakai, O.: Regulation by GTP of a Ca^{2+}-Activated K^+ Channel in the Apical Membrane of Rabbit Cortical Collecting Duct Cells 141:43
Svelto, M., *see* Calamita, G., et al. 143:267
Svetek, J., Furtula, V., Nemec, M., Nothnagel, E.A., Schara, M.: Transport and Dynamics of Molecules Dissolved in Maize Root Cortex Membranes 143:19
Sviderskaya, E.V., Jazrawi, E., Baldwin, S.A., Widnell, C.C., Pasternak, C.A.: Cellular Stress Causes Accumulation of the Glucose Transporter at the Surface of Cells Independently of their Insulin Sensitivity 149:133
Sviderskaya, E.V., *see* Korchev, Y.E., et al. 143:143
Szücs, G., Buyse, G., Eggermont, J., Droogmans, G., Nilius, B.: Characterization of Volume-Activated Chloride Currents in Endothelial Cells from Bovine Pulmonary Artery 149:189
Tabcharani, J.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W.: Regulation of an Inwardly Rectifying K Channel in the T_{84} Epithelial Cell Line by Calcium, Nucleotides, and Kinases 142:255
Tabcharani, J.A., Harris, R.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W.: Basolateral K Channel Activated by Carbachol in the Epithelial Cell Line T_{84} 142:241
Tai, Y.-H., Flick, J., Levine, S.A., Madara, J.L., Sharp, G.W.G., Donowitz, M.: Regulation of Tight Junction Resistance in T_{84} Monolayers by Elevation in Intracellular Ca^{2+}: A Protein Kinase C Effect 149:71
Takahashi, K., *see* Suzuki, M., et al. 141:43
Takasaka, T., *see* Ikeda, K., et al. 146:307
Takeda, K., *see* Stoeckel, H. 146:201
Takeda, K., *see* Ueno, S., et al. 148:51
Takemoto, J.Y., *see* Feigin, A.M., et al. 149:41
Takeuchi, S., Irimajiri, A.: A Novel, Volume-Correlated Cl^- Conductance in Marginal Cells Dissociated from the Stria Vascularis of Gerbils 150:47
Talavera, D., Ponce, A., Fiorentino, R., González–Mariscal, L., Contreras, R.G., Sánchez, S.H., García–Villegas, M.R., Valdés, J., Cereijido, M.: Expression of Potassium Channels in Epithelial Cells Depends on Calcium-Activated Cell–Cell Contacts 143:219
Tang, K.M., *see* Liu, Q.Y., et al. 145:279
Tao, Q., Rafuse, P.E., Kelly, M.E.M.: Potassium Currents in Cultured Rabbit Retinal Pigment Epithelial Cells 141:123
Tauc, M., Bidet, M., Poujeol, P.: Chloride Currents Activated by Calcitonin and cAMP in Primary Cultures of Rabbit Distal Convoluted Tubule 150:255
Taylor, C.W., Traynor, D.: Calcium and Inositol Trisphophate Receptors 145:109
Teeter, J.H., *see* Feigin, A.M., et al. 149:41
Teeter, J.H., *see* Zviman, M.M., et al. 149:81
Teulon, J., *see* Chraïbi, A., et al. 148:83
Thévenod, F., *see* Ozawa, T., et al. 144:111
Thiel, G., Brüdern, A., Gradmann, D.: Small Inward Rectifying K^+ Channels in Coleoptiles: Inhibition by External Ca^{2+} and Function in Cell Elongation 149:9
Thiel, G., *see* Homann, U. 141:297
Thomas, L., *see* Zizi, M., et al. 144:121
Thuong, V.D., *see* Fini, C., et al. 142:137
Thwaites, D.T., McEwan, G.T.A., Simmons, N.L.: The Role of the Proton Electrochemical Gradient in the Transepithelial Absorption of Amino Acids by Human Intestinal Caco-2 Cell Monolayers 145:245
Tierney, M.L., *see* Birnir, B., et al. 148:193
Togo, J.A., *see* Christian, E.P., et al. 150:63
Toriano, R., *see* Parisi, M., et al. 143:237
Tosteson, M.T., Pinto, L.H., Holsinger, L.J., Lamb, R.A.: Reconstitution of the Influenza Virus M_2 Ion Channel in Lipid Bilayers 142:117
Tourneur, Y., Marion, A., Gautier, P.: SR47063, a Potent Channel Opener, Activates K_{ATP} and a Time-Dependent Current Likely Due to Potassium Accumulation 142:337
Townsend, C., Rosenberg, R.L.: Characterization of a Chloride Channel Reconstituted from Cardiac Sarcoplasmic Reticulum 147:121
Traub, O., *see* Butterweck, A., et al. 141:247
Traynor, D., *see* Taylor, C.W. 145:109
Tripathi, S., *see* Wang, K.-W., et al. 143:247

Turnheim, K., *see* Wachter, C. 150:175
Tyerman, S.D., *see* Garrill, A., et al. 142:381
Ueno, S., Takeda, K., Noguchi, S., Izumi, F., Kawamura, M.: The Expression of Na^+/K^+–ATPase β-Subunit cRNA Injected into *Xenopus* Oocytes is Affected by Coinjection with α-Subunit cRNA 148:51
Usherwood, P.N.R., *see* Korchev, Y.E., et al. 143:143
Vachon, V., Paradis, M.-J., Marsolais, M., Schwartz, J.-L., Laprade, R.: Ionic Permeabilities Induced by *Bacillus thuringiensis* in Sf9 Cells 148:57
Valdés, J., *see* Contreras, R.G., et al. 145:295
Valdés, J., *see* Contreras, R.G., et al. 145:305
Valdés, J., *see* Talavera, D., et al. 143:219
Valkanov, M.A., Martin, R.J.: A Cl Channel in *Ascaris suum* Selectivity Conducts Dicarboxylic Anion Products of Glucose Fermentation and Suggests a Role in Removal of Waste Organic Anions 148:41
Vallin, P., *see* Cremaschi, D., et al. 147:159
van Acker, K., *see* Viana, F., et al. 145:87
van Rossum, G.D.V., *see* Wadsworth, S.J. 142:21
Vandewalle, A., *see* Wu, M.S., et al. 142:323
Varsanyi, M., *see* Shoshan-Barmatz, V., et al. 142:281
Vautrin, J., *see* Liu, Q.Y., et al. 145:279
Vayro, S., Simmons, N.L.: An Effect of Ca^{2+} on the Intrinsic Cl^--Conductance of Rat Kidney Cortex Brush Border Membrane Vesicles 150:163
Vera, J.C., *see* Hernández, J.A., et al. 149:57
Verbavatz, J.-M., *see* Sabolíc, I., et al. 143:165
Verdon, B., Winpenny, J.P., Whitfield, K.J., Argent, B.E., Gray, M.A.: Volume-Activated Chloride Currents in Pancreatic Duct Cells 147:173
Verkman, A.S.: Optical Methods to Measure Membrane Transport Processes 148:99
Verrecchia, F., *see* Hervé, J.C., et al. 149:179
Verrecchia, F., *see* Pluciennik, F., et al. 149:169
Verrey, F., Groscurth, P., Bolliger, U.: Cytoskeletal Disruption in A6 Kidney Cells: Impact on Endo/exocytosis and NaCl Transport Regulation by Antidiuretic Hormone 145:193
Verrey, F.: Transcriptional Control of Sodium Transport in Tight Epithelia by Adrenal Steroids 144:93
Viana, F., van Acker, K., De Greef, C., Eggermont, J., Raeymaekers, L., Droogmans, G., Nilius, B.: Drug-Transport and Volume-Activated Chloride Channel Functions in Human Erythroleukemia Cells: Relation to Expression Level of P-Glycoprotein 145:87
Viggiano, S.C., *see* Smith, P.R. et al. 147:195
Viggiano, S.C., *see* Stoner, L.C., et al. 144:147
Viglione, M.P., *see* Blandino, J.K.W., et al. 143:153
Vogel, W., *see* Koh, D.-S. 149:221
Vogelzang, S.A., Prins, H.B.A.: Kinetic Analysis of Two Simultaneously Activated K^+ Currents in Root Cell Protoplasts of *Plantago media* L. 146:59
Vogelzang, S.A., Prins, H.B.A.: Patch Clamp Analysis of the Dominant Plasma Membrane K^+ Channel in Root Cell Protoplasts of *Plantago media* L. Its Significance for the P and K State 141:113
Volk, T., *see* Korbmacher, C., et al. 146:29
Vucelic, D., *see* Andjus, P.R., et al. 142:43
Wachtel, R.E., Kraske, S.A., Yorek, M.A.: Sodium Channels in Cultured Neuroblastoma Cells Grown in High Glucose or L-Fucose 145:187
Wachter, C., Turnheim, K.: Inhibition of High-Conductance, Calcium-Activated Potassium Channels of Rabbit Colon Epithelium by Magnesium 150:175
Wadsworth, S.J., van Rossum, G.D.V.: Role of Vacuolar Adenosine Triphosphatase in the Regulation of Cytosolic pH in Hepatocytes 142:21
Walker, N.A., *see* Beilby, M.J. 149:89
Wan, X., Harris, J.A., Morris, C.E.: Responses of Neurons to Extreme Osmomechanical Stress 145:21
Wang, K.-W., Tripathi, S., Hladky, S.B.: Ion Binding Constants for Gramicidin A Obtained from Water Permeability Measurements 143:247
Wangemann, P., Liu, J., Shen, Z., Shipley, A., Marcus, D.C.: Hypoosmotic Challenge Stimulates Transepithelial K^+ Secretion and Activates Apical I_{sK} Channel in Vestibular Dark Cells 147:263
Wangemann, P., Liu, J., Shiga, N.: The pH-Sensitivity of Transepithelial K^+ Transport in Vestibular Dark Cells 147:255
Wangemann, P., *see* Shen, Z., et al. 146:283
Wangspa, R., *see* Feigin, A.M., et al. 149:41
Wardle, C.J.C., *see* Sohma, Y., et al. 141:69
Wareham, A.C., *see* Hussain, M. 141:257
Weber, W.-M., Liebold, K.M., Reifarth, F.W., Clauss, W.: The Ca^{2+}-Induced Leak Current in *Xenopus* Oocytes is Indeed Mediated through a Cl– Channel 148:263
Wegner, L.H., De Boer, A.H., Raschke, K.: Properties of the K^+ Inward Rectifier in the Plasma Membrane of Xylem Parenchyma Cells from Barley Roots: Effects of TEA^+, Ca^{2+}, Ba^{2+}, and La^{3+} 142:363
Weidman, H., *see* Bernardo, A.A., et al. 145:67
Weil, S., *see* Shoshan-Barmatz, V., et al. 142:281
Wellner, R.B., *see* Fatherazi, S., et al. 142:181
White, C.R., Brock, T.A.: Calcium-Mobilizing Agonists Stimulate Anion Fluxes in Cultured Endothelial Cells from Human Umbilical Vein 142:171
White, P.J., Ridout, M.: The K^+ Channel in the Plasma Membrane of Rye Roots Has a Multiple Ion Residency Pore 143:37
Whitfield, K.J., *see* Verdon, B., et al. 147:173
Whittembury, G., *see* Gutiérrez, A.M., et al. 143:189
Whittembury, G., *see* Sofía Hernández, C., et al. 148:233
Widnell, C.C., *see* Sviderskaya, E.V., et al. 149:133
Willecke, K., *see* Butterweck, A., et al. 141:247
Williams, A.J., *see* Sitsapesan, R. 146:133
Willis, J.S., *see* Xu, W. 141:277
Wills, N.K., *see* Crowe, W.E., et al. 144:81
Winpenny, J.P., *see* Verdon, B., et al. 147:173
Winterhalter, K., *see* Fucentese, M., et al. 144:43
Wong, K., *see* Kehl, S.J. 150:219
Wong, P.Y.D., *see* Chan, H.C., et al. 147:185
Wood, M.R., *see* DeBin, J.A., et al. 141:7
Worden, M.K., Rahamimoff, R., Kravitz, E.A.: A Voltage-Sensitive Cation Channel Present in Clusters in Lobster Skeletal Muscle Membrane 141:167
Wrigglesworth, J.M., *see* Sharpe, M.A., et al. 141:21
Wright, E.M., *see* Hager, K., et al. 143:103
Wright, E.M., *see* Lostao, M.P., et al. 142:161
Wright, E.M., *see* Zampighi, G.A., et al. 148:65
Wu, D., *see* Ikeda, K., et al. 146:307
Wu, M.S., Bens, M., Cluzeaud, F., Vandewalle, A.: Role of F-Actin in the Activation of Na^+–K^+–Cl^- Cotransport by Forskolin and Vasopressin in Mouse Kidney Cultured Thick Ascending Limb Cells 142:323
Xia, P., Persson, B.-E., Spring, K.R.: The Chloride Concentration in the Lateral Intercellular Spaces of MDCK Cell Monolayers 144:21
Xiang, T.-X., Anderson, B.D.: Phospholipid Surface Density Determines the Partitioning and Permeability of Acetic Acid in DMPC:Cholesterol Bilayers 148:157
Xu, B., Lu, L.: Protein Kinase A-Regulated Cl^- Channel in ML-1 Hematopoietic Myeloblasts 142:65
Xu, L., *see* Sherman, A., et al. 143:79
Xu, W., Willis, J.S.: Sodium Transport through the Amiloride-Sensitive Na–Mg Pathway of Hamster Red Cells 141:277

Yorek, M.A., *see* Wachtel, R.E., et al. 145:187
Young, J.A., *see* Hayashi, T., et al. 144:157
Young, J.A., *see* Komwatana, P., et al. 150:133
Yu, H., *see* Kaji, D.M., et al. 149:49
Zadunaisky, J.A., Cardona, S., Au, L., Roberts, D.M., Fisher, E., Lowenstein, D., Cragoe, E.J., Jr., Spring, K.R.: Chloride Transport Activation by Plasma Osmolarity During Rapid Adaptation to High Salinity of *Fundulus heteroclitus* 143:207
Zampighi, G.A., Kreman, M., Boorer, K.J., Loo, D.D.F., Bezanilla, F., Chandy, G., Hall, J.E., Wright, E.M.: A Method for Determining the Unitary Functional Capacity of Cloned Channels and Transporters Expressed in *Xenopus laevis* Oocytes 148:65
Zamponi, G.W., French, R.J.: Sodium Current Inhibition by Internal Calcium: A Combination of Open-Channel Block and Surface Charge Screening? 147:1
Zamudio, A.C., *see* Candia, O.A. 143:259
Zborowski, J., *see* Rakowska, M., et al. 142:35
Zhou, W.L., *see* Chan, H.C., et al. 147:185
Zhou, X.-L., Chan, C.W.M., Saimi, Y., Kung, C.: Functional Reconstitution of Ion Channels from *Paramecium* Cortex into Artificial Liposomes 144:199
Zimmerberg, J., *see* Cherenomordik, L., et al. 146:1
Zimmermann, U., *see* Sukhorukov, V.L., et al. 142:77
Zinn, K., *see* Cash, D.J., et al. 145:257
Ziskin, M.C., *see* Alekseev, S.I. 146:327
Zizi, M., Thomas, L., Blachly-Dyson, E., Forte, M., Colombini, M.: Oriented Channel Insertion Reveals the Motion of a Transmembrane Beta Strand During Voltage Gating of VDAC 144: 121
Zviman, M.M., Restrepo, D., Teeter, J.H.: Single Taste Stimuli Elicit Either Increases or Decreases in Intracellular Calcium in Isolated Catfish Taste Cells 149:81

Subject Index—Volumes 141–150

A channel
–, two types of A-channels in Lymnaea neurons, Alekseev, S.I., Ziskin, M.C. 146:327
A current
–, two types of A-channels in Lymnaea neurons, Alekseev, S.I., Ziskin, M.C. 146:327
A23187
–, regulation of tight junction resistance in T_{84} monolayers by elevation in intracellular Ca^{2+}: a protein kinase C effect, Tai, Y.-H., Flick, J., Levine, S.A., Madara, J.L., Sharp, G.W.G., Donowitz, M. 149:71
–, the effect of intracellular Ca^{2+} on GABA-activated currents in cerebellar granule cells in culture, Martina, M., Kilic, G., Cherubini, E. 142:209
A6 cells
–, apical membrane sodium and chloride entry during osmotic swelling of renal (A6) epithelial cells, Crowe W.E., Ehrenfeld, J., Brochiero, E., Wills, N.K. 144:81
–, correlation of open cell-attached and excised patch clamp techniques, Filipovic, D., Hayslett, J.P. 148:79
–, cytoskeletal disruption in A6 kidney cells: impact on endo/exocytosis and NaCl transport regulation by antidiuretic hormone, Verrey, F., Groscurth, P., Bolliger, U. 145:193
–, effects of vasopressin and aldosterone on the lateral mobility of epithelial Na^+ channels in A6 renal epithelial cells, Smith, P.R., Stoner, L.C., Viggiano, S.C., Angelides, K.J., Benos, D.J. 147:195
–, inhibition of Na^+-pump expression by impairment of protein glycosylation is independent of the reduced sodium entry into the cell, Pedemonte, C.H. 147:223
Acetate
–, differential regulation of membrane potential and conductance via intra- and extracellular pH in fused proximal tubular cells of frog kidney, Belachgar, F., Hulin, P., Planelles, G., Anagnostopoulos, T. 143:123
Acetic acid
–, phospholipid surface density determines the partitioning and permeability of acetic acid in DMPC:cholesterol bilayers, Xiang, T.-X., Anderson, B.D. 148:157
Acetylcholine
–, cellular mechanisms in activation of Na–K–Cl cotransport in nasal gland acinar cells of guinea pigs, Ikeda, K., Wu, D., Takasaka, T. 146:307
–, characterization of the acetylcholine-sensitive muscarinic K^+ channel in isolated feline atrial and ventricular myocytes, Koumi, S.i., Sato, R., Hayakawa, H. 145:143
–, membrane stretch augments the cardiac muscarinic K^+ channel activity, Pleumsamran, A., Kim, D. 148:287
Acetylcholine receptor channels
–, differential expression of sodium channels and nicotinic acetylcholine receptor channels in nnr variants of the PC12 pheochromocytoma cell line, Fanger, G.R., Brennan, C., Henderson, L.P., Gardner, P.D., Maue, R.A. 144:71
Acidification
–, role of vacuolar adenosine triphosphatase in the regulation of cytosolic pH in hepatocytes, Wadsworth, S.J., van Rossum, G.D.V. 142:21
Acidosis
–, transduction of chemostimuli by the type I carotid body cell, Peers, C., Buckler, K.J. 144:1
Acinar cells
–, cellular mechanisms in activation of Na–K–Cl cotransport in nasal gland acinar cells of guinea pigs, Ikeda, K., Wu, D., Takasaka, T. 146:307
–, regulatory volume increase in rat lacrimal gland acinar cells, Douglas, I.J., Brown, P.D. 150:209
Actin
–, lateral mobility of Na,K-ATPase and membrane lipids in renal cells. importance of cytoskeletal integrity, Paller, M.S. 142:127
–, role of F-actin in the activation of Na^+–K^+–Cl^- cotransport by forskolin and vasopressin in mouse kidney cultured thick ascending limb cells, Wu, M.S., Bens, M., Cluzeaud, F., Vandewalle, A. 142:323
Action potential
–, Cl^- and K^+ channel currents during the action potential in *Chara*. Simultaneous recording of membrane voltage and patch currents, Homann, U., Thiel, G. 141:297
–, ion channels in the plasma membrane of protoplasts from the halophytic angiosperm *Zostera muelleri*, Garrill, A., Tyerman, S.D., Findlay, G.P. 142:381
–, voltage-dependent sodium channels in human small-cell lung cancer cells: role in action potentials and inhibition by Lambet–Eaton Syndrome IgG, Blandino, J.K.W., Viglione, M.P., Bradley, W.A., Oie, H.K., Kim, Y.I. 143:153
Activation energy
–, sequential potassium binding at the extracellular side of the Na,K pump, Bühler, R., Apell, J.-J. 145:165
Activation kinetics
–, a nonselective high conductance channel in bovine pigmented ciliary epithelial cells, Mitchell, C.H., Jacob, T.J.C. 150:105
–, two types of A-channels in Lymnaea neurons, Alekseev, S.I., Ziskin, M.C. 146:327
Acyl chain order
–, lipid–ion channel interactions: increasing phospholipid headgroup size but not ordering acyl chains alters reconstituted channel behavior, Chang, H.M., Reitstetter, R., Gruener, R. 145:13
Adenine nucleotides
–, a calcium-activated and nucleotide-sensitive nonselective cation channel in M-1 mouse cortical collecting duct cells, Korbmacher, C., Volk, T., Segal, A.S., Boulpaep, E.L., Frömter, E. 146:29
Adhesion
–, human macrophages contain a stretch-sensitive potassium channel that is activated by adherence and cytokines, Martin, D.K., Bootcov, M.R., Campbell, T.J., French, P.W., Breit, S.N. 147:305
Adrenal chromaffin granule membrane
–, direct control of a large conductance K^+-selective channel by G-proteins in adrenal chromaffin granule membranes, Arispe, N., De Mazancourt, P., Rojas, E. 147:109
AE1 Prague mutation
–, overexpression of AE1 Prague, but not of AE1 SAO, inhibits wild-type AE1 trafficking in *Xenopus* oocytes, Chernova, M.N., Jarolim, P., Palek, J., Alper, S.L. 148:203
Aging
–, excitation-calcium release uncoupling in aged single human skeletal muscle fibers, Delbono, O., O'Rourke, K.S., Ettinger, W.H. 148:211
Alcohol
–, relationship of alcohol-induced changes in Mg^{2+}–ATPase activity of rabbit intestinal brush border membrane with changes in fluidity of its lipid bilayer, Kitagawa, S., Sugaya, Y., Nishizawa, M., Hirata, H. 146:193
Aldosterone
–, effects of vasopressin and aldosterone on the lateral mobility of epithelial Na^+ channels in A6 renal epithelial cells, Smith, P.R., Stoner, L.C., Viggiano, S.C., Angelides, K.J., Benos, D.J. 147:195
–, synergistic action of vasopressin and aldosterone on basolateral

Na^+–K^+–ATPase in the cortical collecting duct, Coutry, N., Farman, N., Bonvalet, J.P., Blot–Chabaud, M. 145:99
–, transcriptional control of sodium transport in tight epithelia by adrenal steroids, Verrey, F. 144:93
Alkalinization
–, role of vacuolar adenosine triphosphatase in the regulation of cytosolic pH in hepatocytes, Wadsworth, S.J., van Rossum, G.D.V. 142:21
Allometry
–, membrane fatty acid composition of tissues is related to body mass of mammals, Couture, P., Hulbert, A.J. 148:27
α subunit
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41
–, rapid desensitization of $\alpha_1\beta_1$ $GABA_A$ receptors expressed in Sf9 cells under optimized conditions, Birnir, B., Tierney, M.L., Pillai, N.P., Cox, G.B., Gage, P.W. 148:193
α toxin
–, pore formation by *S. aureus* α-toxin in liposomes and planar lipid bilayers: effects of nonelectrolytes, Bashford, C.L., Alder, G.M., Fulford, L.G., Korchev, Y.E., Kovacs, E., MacKinnon, A., Pederzolli, C., Pasternak, C.A. 150:37
–, *Staphylococcus aureus* alpha-toxin-induced pores: channel-like behavior in lipid bilayers and patch clamped cells, Korchev, Y.E., Alder, G.M., Bakhramov, A., Bashford, C.L., Joomun, B.S., Sviderskaya, E.V., Usherwood, P.N.R., Pasternak, C.A. 143:143
α toxin channel
–, low conductance states of a single ion channel are not 'closed', Korchev, Y.E., Bashford, C.L., Alder, G.M., Kasianowicz, J.J., Pasternak, C.A. 147:233
α_1-adrenergic modulation
–, modulation of the inwardly rectifying K^+ channel in isolated human atrial myocytes by α_1-adrenergic stimulation, Sato, R., Koumi, S.-i. 148:185
Alveolar type II cells
–, evidence for Na–K–Cl cotransport in alveolar epithelial cells: effect of phorbol ester and osmotic stress, Clerici, C., Couette, S., Loiseau, A., Herman, P., Amiel, C. 147:295
Amantadine block
–, reconstitution of the influenza virus M_2 ion channel in lipid bilayers, Tosteson, M.T., Pinto, L.H., Holsinger, L.J., Lamb, R.A. 142:117
Amidiniums
–, monovalent amidiniums block calcium channels in chick sensory neurons, Mironov, S.L. 141:231
Amiloride
–, a calcium-activated and nucleotide-sensitive nonselective cation channel in M-1 mouse cortical collecting duct cells, Korbmacher, C., Volk, T., Segal, A.S., Boulpaep, E.L., Frömter, E. 146:29
–, amiloride-sensitive sodium channels in confluent M-1 mouse cortical collecting duct cells, Letz, B., Ackermann, A., Canessa, C.M., Rossier, B.C., Korbmacher, C. 148:127
–, control of the amiloride-sensitive Na^+ current in salivary duct cells by extracellular sodium, Komwatana, P., Dinudom, A., Young, J.A., Cook, D.I. 150:133
–, inhibition of Na^+-pump expression by impairment of protein glycosylation is independent of the reduced sodium entry into the cell, Pedemonte, C.H. 147:223
–, ion transport across the early chick embryo: II. Characterization and pH sensitivity of the transembryonic short-circuit current, Abriel, H., Katz, U., Kucera, P. 141:159
–, short-chain fatty acid (SCFA) volume regulation in proximal and distal rabbit colon is different, Sellin, J., Shelat, H. 150:83
–, sodium transport through the amiloride-sensitive Na–Mg pathway of hamster red cells, Xu, W., Willis, J.S. 141:277
Amiloride-sensitive channels
–, amiloride-sensitive apical membrane sodium channels of everted *Ambystoma* collecting tubule, Stoner, L.C., Enbretson, B.G., Viggiano, S.C., Benos, D.J., Smith, P.R. 144:147
Amino acid absorption
–, the role of the proton electrochemical gradient in the transepithelial absorption of amino acids by human intestinal Caco-2 cell monolayers, Thwaites, D.T., McEwan, G.T.A., Simmons, N.L. 145:245
Amino acid exchanger
–, rBAT is an amino acid exchanger with variable stoichiometry, Coady, M.J., Chen, X.-Z., Lapointe, J.-Y. 149:1
Amino acid sequence
–, sodium channel functioning based on an octagonal structure model, Sato, C., Matsumoto, G. 147:45
Amino acid transport
–, amino acid transport system y^+L of human erythrocytes: specificity and cation dependence of the translocation step, Angelo, S., Devés, R. 141:183
–, regulatory volume increase in rat lacrimal gland acinar cells, Douglas, I.J., Brown, P.D. 150:209
Amino acids
–, amino acid current through anion channels in cultured human glial cells, Roy, G. 147:35
–, the role of the proton electrochemical gradient in the transepithelial absorption of amino acids by human intestinal Caco-2 cell monolayers, Thwaites, D.T., McEwan, G.T.A., Simmons, N.L. 145:245
Aminoisobutyric acid
–, rBAT is an amino acid exchanger with variable stoichiometry, Coady, M.J., Chen, X.-Z., Lapointe, J.-Y. 149:1
AMP
–, the effects of pyridine nucleotides on the activity of a calcium-activated nonselective cation channel in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 142:299
Amphibian kidney
–, amiloride-sensitive apical membrane sodium channels of everted *Ambystoma* collecting tubule, Stoner, L.C., Enbretson, B.G., Viggiano, S.C., Benos, D.J., Smith, P.R. 144:147
Anaerobic respiration
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41
Anion channel
–, a chloride channel reconstituted from fetal rat brain growth cones, DeBin, J.A., Wood, M.R., Pfenninger, K.H., Strichartz, G.R. 141:7
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41
–, a nonselective high conductance channel in bovine pigmented ciliary epithelial cells, Mitchell, C.H., Jacob, T.J.C. 150:105
–, amino acid current through anion channels in cultured human glial cells, Roy, G. 147:35
–, anion-selectivity of the swelling-activated osmolyte channel in eel erythrocytes, Lewis, R.A., Bursell, J.D.H., Kirk, K. 149:103
–, Hodgkin–Huxley analysis of a gcac1 anion channel in the plasma

membrane of guard cells, Kolb, H.-A., Marten, I., Hedrich, R 146:273
–, ion selectivity of colicin E1: III. Anion permeability, Bullock, J.O., Kolen, E.R. 144:131
–, patch clamp study of the voltage-dependent anion channel in the thylakoid membrane, Pottosin, I.I., Schönknecht, G. 148:143
–, reconstitution of hepatic uricase in planar lipid bilayer reveals a functional organic anion channel, Leal–Pinto, E., London, R.D., Knorr, B.A., Abramson, R.G. 146:123
Anion channel blocker
–, cell swelling activates separate taurine and chloride channels in Ehrlich mouse ascites tumor cells, Lambert, I.H., Hoffmann, E.K. 142:289
Anion exchange
–, apical membrane Cl^-butyrate exchange: mechanism of short chain fatty acid stimulation of active chloride absorption in rat distal colon, Rajendran, V.M., Binder, H.J. 141:51
Anion flux
–, calcium-mobilizing agonists stimulate anion fluxes in cultured endothelial cells from human umbilical vein, White, C.R., Brock, T.A. 142:171
Anion transport
–, molecular basis of epithelial Cl channels, Fong, P., Jentsch, T.J. 144:189
Anion transport inhibitors
–, band 3 antagonists, *p*-azidobenzylphlorizin and DIDS, mediate erythrocyte shape and flexibility changes as characterized by digital image morphometry and microfiltration, Hoefner, D.M., Blank, M.E., Davis, B.M., Diedrich, D.F. 141:91
Anisotropy
–, cheek cell membrane fluidity measured by fluorescence recovery after photobleaching and steady-state fluorescence anisotropy, Ladha, S., Mackie, A.R., Clark, D.C. 142:223
Antibodies
–, aquaporin–CHIP-related protein in frog urinary bladder: localization by confocal microscopy, Calamita, G., Mola, M.G., Gounon, P., Jouve, M., Bourguet, J., Svelto, M. 143:267
–, direct control of a large conductance K^+-selective channel by G-proteins in adrenal chromaffin granule membranes, Arispe, N., De Mazancourt, P., Rojas, E. 147:109
–, structure and function of amiloride-sensitive Na^+ channels, Benos, D.J., Awayda, M.S., Ismailov, I.I., Johnson, J.P. 143:1
Antidiuretic hormone
–, cytoskeletal disruption in A6 kidney cells: impact on endo/exocytosis and NaCl transport regulation by antidiuretic hormone, Verrey, F., Groscurth, P., Bolliger, U. 145:193
Antipeptide antibodies
–, effect of antipeptide antibodies directed against three domains of connexin43 on the gap junctional permeability of cultured heart cells, Bastide, B., Jarry–Guichard, T., Briand, J.P., Délèze, J., Gros, D. 150:243
Antisodium channel antibodies
–, amiloride-sensitive apical membrane sodium channels of everted *Ambystoma* collecting tubule, Stoner, L.C., Enbretson, B.G., Viggiano, S.C., Benos, D.J., Smith, P.R. 144:147
Apamin
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159
Aphidicolin
–, DNA, protein, and plasma membrane incorporation by arrested mammalian cells, Sukhorukov, V.L., Djuzenova, C.S., Arnold, W.M., Zimmermann, U. 142:77
Apical membrane
–, amiloride-sensitive apical membrane sodium channels of everted *Ambystoma* collecting tubule, Stoner, L.C., Enbretson, B.G., Viggiano, S.C., Benos, D.J., Smith, P.R. 144:147
–, apical membrane Cl^-butyrate exchange: mechanism of short chain fatty acid stimulation of active chloride absorption in rat distal colon, Rajendran, V.M., Binder, H.J. 141:51
–, apical membrane sodium and chloride entry during osmotic swelling of renal (A6) epithelial cells, Crowe W.E., Ehrenfeld, J., Brochiero, E., Wills, N.K. 144:81
–, chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule, Tauc, M., Bidet, M., Poujeol, P. 150:255
–, DIDS increases K^+ secretion through an I_{sK} channel in apical membrane of vestibular dark cell epithelium of gerbil, Shen, Z., Liu, J., Marcus, D.C., Shiga, N., Wangemann, P. 146:283
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159
–, hypo-osmotic challenge stimulates transepithelial K^+ secretion and activates apical I_{sK} channel in vestibular dark cells, Wangemann, P., Liu, J., Shen, Z., Shipley, A., Marcus, D.C. 147:263
–, maxi K^+ channels on human vas deferens epithelial cells, Sohma, Y., Harris, A., Wardle, C.J.C., Gray, M.A., Argent, B.E. 141:69
–, regulation by GTP of a Ca^{2+}-activated K^+ channel in the apical membrane of rabbit cortical collecting duct cells, Suzuki, M., Takahashi, K., Sakai, O. 141:43
Apical protons
–, pH- and voltage-dependent conductances in toad skin, Lacaz–Vieira, F. 148:1
Aquaporin 2
–, the AQP2 water channel: effect of vasopressin treatment, microtubule disruption, and distribution in neonatal rats, Sabolic, I., Katsura, T., Verbavatz, J.-M., Brown, D. 143:165; Erratum 145: 107
Aquaporin–CHIP
–, aquaporin–CHIP-related protein in frog urinary bladder: localization by confocal microscopy, Calamita, G., Mola, M.G., Gounon, P., Jouve, M., Bourguet, J., Svelto, M. 143:267
–, distribution of mRNA encoding the FA-CHIP water channel in amphibian tissues: effects of salt adaptation, Abrami, L., Capurro, C., Ibarra, C., Parisi, M., Buhler, J.-M., Ripoche, P. 143:199
Arabidopsis thaliana
–, NO_3^- transport across the plasma membrane of *Arabidopsis thaliana* root hairs: kinetic control by pH and membrane voltage, Meharg, A.A., Blatt, M.R. 145:49
Arachidonate
–, different arachidonate and palmitate binding capacities of the human red cell membrane, Bojesen, I.N., Bojesen, E. 142:113
–, specificities of red cell membrane sites transporting three long chain fatty acids, Bojesen, I.N., Bojesen, E. 149:257
Arachidonic acid
–, cell swelling activates separate taurine and chloride channels in Ehrlich mouse ascites tumor cells, Lambert, I.H., Hoffmann, E.K. 142:289
–, membrane stretch augments the cardiac muscarinic K^+ channel activity, Pleumsamran, A., Kim, D. 148:287
–, modulation of neuronal calcium channels by arachidonic acid and related substances, Schmitt, H., Meves, H. 145:233

–, nuclear lipid metabolism in NEST: nuclear envelope signal transduction, Raben, D.M., Jarpe, M.B., Leach, K.L. 142:1

Arginine
–, arginyl residues are involved in the transport of Fe^{2+} through the plasma membrane of the mammalian reticulocyte, González–Sepúlveda, M., Núñez, M.T. 141:225
–, single taste stimuli elicit either increases or decreases in intracellular calcium in isolated catfish taste cells, Zviman, M.M., Restrepo, D., Teeter, J.H. 149:81

Arrested mammalian cells
–, DNA, protein, and plasma membrane incorporation by arrested mammalian cells, Sukhorukov, V.L., Djuzenova, C.S., Arnold, W.M., Zimmermann, U. 142:77

Arrhenius anomalies
–, thermodynamically specific gating kinetics of cardiac mammalian $K^+_{(ATP)}$ channels in a physiological environment near 37°C, Haverkampf, K., Benz, I., Kohlhardt, M. 146:85

Ascaris suum
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41

Atomic force microscopy
–, patch clamp and atomic force microscopy demonstrate TATA-binding protein (TBP) interactions with the nuclear pore complex, Bustamante, J.O., Liepins, A., Prendergast, R.A., Hanover, J.A., Oberleithner, H. 146:263

ATP
–, extracellular ATP activates both Ca^{2+}- and cAMP-dependent Cl^- conductances in rat epididymal cells, Chan, H.C., Zhou, W.L., Wong, P.Y.D. 147:185
–, modeling the current–voltage characteristics of *Chara* membranes: I. the effect of ATP removal and zero turgor, Beilby, M.J., Walker, N.A. 149:89
–, modulation of the serotonin-activated K^+ channel by G protein subunits and nucleotides in rat hippocampal neurons, Oh, U., Ho, Y.-K., Kim, D. 147:241
–, regulation of an inwardly rectifying K channel in the T_{84} epithelial cell line by calcium, nucleotides, and kinases, Tabcharani, J.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:255
–, role of vacuolar adenosine triphosphatase in the regulation of cytosolic pH in hepatocytes, Wadsworth, S.J., van Rossum, G.D.V. 142:21
–, the gating of the sheep skeletal sarcoplasmic reticulum Ca^{2+}-release channel is regulated by luminal Ca^{2+}, Sitsapesan, R., Williams, A.J. 146:133

ATP-dependent K channel
–, characterization of the G protein coupling of a glucagon receptor to the K_{ATP} channel in insulin-secreting cells, Ribalet, B., Ciani, S. 142:395
–, distinct modes of blockade in cardiac ATP-sensitive K^+ channels suggest multiple targets for inhibitory drug molecules, Benz, I., Kohlhardt, M. 142:309
–, SR47063, a potent channel opener, activates K_{ATP} and a time-dependent current likely due to potassium accumulation, Tourneur, Y., Marion, A., Gautier, P. 142:337

ATP receptor
–, extracellular ATP binding proteins as potential receptors in mucociliary epithelium: characterization using [^{32}P]3′-O-(4-benzoyl)benzoyl ATP, a photoaffinity label, Gheber, L., Priel, Z., Aflalo, C., Shoshan–Barmatz, V. 147:83
–, selectivity of ATP-activated GTP-dependent Ca^{2+}-permeable channels in rat macrophage plasma membrane, Naumov, A.P., Kaznacheyeva, E.V., Kuryshev, Y.A., Mozhayeva, G.N. 148:91

ATP regulation
–, ATP, pH and Mg^{2+} modulate a cation current in *Beta vulgaris* vacuoles: a possible shunt conductance for the vacuolar H^+-ATPase, Davies, J.M., Sanders, D. 145:75

ATP-sensitive K^+ channel
–, distinct modes of blockade in cardiac ATP-sensitive K^+ channels suggest multiple targets for inhibitory drug molecules, Benz, I., Kohlhardt, M. 142:309
–, rundown and reactivation of ATP-sensitive potassium channels (K_{ATP}) in mouse skeletal muscle, Hussain, M., Wareham, A.C. 141:257

ATPase
–, detection of different adenosine triphosphatases in human placental brush border membranes, Brunette, M.G., Bastani, B., Leclerc, M., Narbaitz, R. 145:285
–, how proteins cross the bacterial cytoplasmic membrane, Driessen, A.J.M. 142:145
–, reaction kinetics of the vacuolar H^+-pumping ATPase in *Beta vulgaris*, Davies, J.M., Sanders, D., Gradmann, D. 150:231
–, the biology of the p-glycoproteins, Leveille–Webster, C.R., Arias, I.M. 143:89

Atrial natriuretic peptide
–, cGMP modulates transport across the ciliary epithelium, Carré, D.A., Civan, M.M. 146:293

Avian exocrine cells
–, lysophosphatidic acid induces inositol phosphate and calcium signals in exocrine cells from the avian nasal salt gland, Hildebrandt, J.-P. 144:49

p-Azidobenzylphlorizin
–, band 3 antagonists, *p*-azidobenzylphlorizin and DIDS, mediate erythrocyte shape and flexibility changes as characterized by digital image morphometry and microfiltration, Hoefner, D.M., Blank, M.E., Davis, B.M., Diedrich, D.F. 141:91

Ba^{2+}
–, properties of the K^+ inward rectifier in the plasma membrane of xylem parenchyma cells from barley roots: effects of TEA^+, Ca^{2+}, Ba^{2+}, and La^{3+}, Wegner, L.H., De Boer, A.H., Raschke, K. 142:363

Ba^{2+} current
–, calcium-dependent enhancement of depletion -activated calcium current in Jurkat T lymphocytes, Christian, E.P., Spence, K.T., Togo, J.A., Dargis, P.G., Patel, J. 150:63

Bacillus thuringiensis
–, ionic permeabilities induced by *Bacillus thuringiensis* in Sf9 cells, Vachon, V., Paradis, M.-J., Marsolais, M., Schwartz, J.-L., Laprade, R. 148:57

Baculovirus
–, rapid desensitization of $\alpha_1\beta_1$ $GABA_A$ receptors expressed in Sf9 cells under optimized conditions, Birnir, B., Tierney, M.L., Pillai, N.P., Cox, G.B., Gage, P.W. 148:193

Band 3
–, anion-selectivity of the swelling-activated osmolyte channel in eel erythrocytes, Lewis, R.A., Bursell, J.D.H., Kirk, K. 149:103
–, band 3 antagonists, *p*-azidobenzylphlorizin and DIDS, mediate erythrocyte shape and flexibility changes as characterized by digital image morphometry and microfiltration, Hoefner, D.M., Blank, M.E., Davis, B.M., Diedrich, D.F. 141:91
–, overexpression of AE1 Prague, but not of AE1 SAO, inhibits wild-type AE1 trafficking in *Xenopus* oocytes, Chernova, M.N., Jarolim, P., Palek, J., Alper, S.L. 148:203

Barley roots
–, properties of the K^+ inward rectifier in the plasma membrane of xylem parenchyma cells from barley roots: effects of TEA^+, Ca^{2+},

Ba^{2+}, and La^{3+}, Wegner, L.H., De Boer, A.H., Raschke, K. 142: 363

Basolateral membrane
–, basolateral K channel activated by carbachol in the epithelial cell line T_{84}, Tabcharani, J.A., Harris, R.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:241
–, chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule, Tauc, M., Bidet, M., Poujeol, P. 150:255
–, hypo-osmotic challenge stimulates transepithelial K^+ secretion and activates apical I_{sK} channel in vestibular dark cells, Wangemann, P., Liu, J., Shen, Z., Shipley, A., Marcus, D.C. 147:263
–, inhibition of high-conductance, calcium-activated potassium channels of rabbit colon epithelium by magnesium, Wachter, C., Turnheim, K. 150:175
–, regulation of an inwardly rectifying K channel in the T_{84} epithelial cell line by calcium, nucleotides, and kinases, Tabcharani, J.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:255
–, renal cortical basolateral Na^+/HCO^-_3 cotransporter III. Evidence for a regulatory protein in the inhibitory effect of protein kinase A, Bernardo, A.A., Kear, F.T., Stim, J.A., Qiu, Y.Y., Ruiz, O.S., Weidman, H., Arruda, J.A.L. 145:67
–, synergistic action of vasopressin and aldosterone on basolateral Na^+–K^+–ATPase in the cortical collecting duct, Coutry, N., Farman, N., Bonvalet, J.P., Blot–Chabaud, M. 145:99
–, the proximal straight tubule (PST) basolateral cell membrane water channel: selectivity characteristics, Gutiérrez, A.M., González, E., Echevarría, M., Hernández, C.S., Whittembury, G. 143:189

Basolateral membrane vesicles
–, reconstitution of a passive Ca^{2+}-transport pathway from the basolateral plasma membrane of rat parotid gland acinar cells, Lockwich, T., Chauthaiwale, J., Ambudkar, S.V., Ambudkar, I.S. 148: 277
–, temperature-dependent modification of divalent cation flux in the rat parotid gland basolateral membrane, Lockwith, T.P., Kim, I.H., Ambudkar, I.S. 141:289

Batrachotoxin
–, sodium current inhibition by internal calcium: a combination of open-channel block and surface charge screening?, Zamponi, G.W., French, R.J. 147:1

Bending elasticity
–, lipids in biological membrane fusion, Chernomordik, L., Kozlov, M.M., Zimmerberg, J. 146:1

Benzofuran isophthalate (PBFI)
–, ionic permeabilities induced by *Bacillus thuringiensis* in Sf9 cells, Vachon, V., Paradis, M.-J., Marsolais, M., Schwartz, J.-L., Laprade, R. 148:57

[^{32}P]3′-O-(4-Benzoyl)benzoyl ATP
–, extracellular ATP binding proteins as potential receptors in mucociliary epithelium: characterization using [^{32}P]3′-O-(4-benzoyl)benzoyl ATP, a photoaffinity label, Gheber, L., Priel, Z., Aflalo, C., Shoshan–Barmatz, V. 147:83

β adrenergic receptors
–, characterization of the G protein coupling of SRIF and β-adrenergic receptors to the maxi K_{Ca} channel in insulin-secreting cells, Ribalet, B., Eddlestone, G.T. 148:111

β cell electrical activity
–, ionic mechanisms involved in the regulation of insulin secretion by muscarinic agonists, Bordin, S., Boschero, A.C., Carneiro, E.M., Atwater, I. 148:177

β lymphocytes
–, modulation of a volume-regulated chloride current by F-actin, Levitan, I., Almonte, C., Mollard, P., Garber, S.S. 147:283

β strand
–, oriented channel insertion reveals the motion of a transmembrane beta strand during voltage gating of VDAC, Zizi, M., Thomas, L., Blachly–Dyson, E., Forte, M., Colombini, M. 144:121

β subunit
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41
–, rapid desensitization of $\alpha_1\beta_1$ $GABA_A$ receptors expressed in Sf9 cells under optimized conditions, Birnir, B., Tierney, M.L., Pillai, N.P., Cox, G.B., Gage, P.W. 148:193

β system
–, phosphorylation is involved in the regulation of the taurine influx via the β-system in Ehrlich ascites tumor cells, Mollerup, J., Lambert, I.H. 150:73

Beta vulgaris
–, ATP, pH and Mg^{2+} modulate a cation current in *Beta vulgaris* vacuoles: a possible shunt conductance for the vacuolar H^+-ATPase, Davies, J.M., Sanders, D. 145:75
–, reaction kinetics of the vacuolar H^+-pumping ATPase in *Beta vulgaris*, Davies, J.M., Sanders, D., Gradmann, D. 150:231

BHK cells
–, cellular stress causes accumulation of the glucose transporter at the surface of cells independently of their insulin sensitivity, Sviderskaya, E.V., Jazrawi, E., Baldwin, S.A., Widnell, C.C., Pasternak, C.A. 149:133

Bicarbonate
–, single-microelectrode voltage clamp measurements of pancreatic β-cell membrane ionic currents *in situ*, Rojas, E., Stokes, C.L., Mears, D., Atwater, I. 143:65

Bicarbonate secretion
–, secretion of HCO^-_3/OH^- in cortical distal tubule of the rat, Fernandez, R., Malnic, G. 143:227

Bilayer lipid membrane
–, D_2O-induced ion channel activation in *Characeae* at low ionic strength, Andjus, P.R., Kataev, A.A., Alexandrov, A.A., Vucelic, D., Berestovsky, G.N. 142:43

BK channels
–, the ACh-induced whole-cell currents in sheep parotid secretory cells. Do BK channels really carry the ACh-evoked whole-cell K^+ current? Hayashi, T., Hirono, C., Young, J.A., Cook, D.I. 144:157

Blebs
–, a voltage-sensitive cation channel present in clusters in lobster skeletal muscle membrane, Worden, M.K., Rahamimoff, R., Kravitz, E.A. 141:167

Blocking drugs
–, distinct modes of blockade in cardiac ATP-sensitive K^+ channels suggest multiple targets for inhibitory drug molecules, Benz, I., Kohlhardt, M. 142:309

Body mass
–, membrane fatty acid composition of tissues is related to body mass of mammals, Couture, P., Hulbert, A.J. 148:27

Bone marrow-derived mast cells
–, a heterogeneous electrophysiological profile of bone marrow-derived mast cells, Kuno, M., Shibata, T., Kawawaki, J., Kyogoku, I. 143:115

Bovine adrenal zona fasciculata cells
–, the transient outward current of isolated bovine adrenal zona fasciculata cells: comparison between standard and perforated patch recording methods, Bilbaut, A., Chorvatova, A., Ojeda, C., Rougier, O. 149:233

Bovine pigmented ciliary epithelial cells
–, a nonselective high conductance channel in bovine pigmented ciliary epithelial cells, Mitchell, C.H., Jacob, T.J.C. 150:105

Bovine pulmonary artery
–, characterization of volume-activated chloride currents in endothelial cells from bovine pulmonary artery, Szücs, G., Buyse, G., Eggermont, J., Droogmans, G., Nilius, B. 149:189
Bovine renal papillary collecting tubules
–, associated proteins and renal epithelial Na^+ channel function, Ismailov, I.I., Berdiev, B.K., Bradford, A.L., Awayda, M.S., Fuller, C.M., Benos, D.J. 149:123
$^{82}Br^-$ radiotracer
–, use of $^{82}Br^-$ radiotracer to study transmembrane halide flux: the effect of a tranquilizing drug, chlordiazepoxide on channel opening of a $GABA_A$ receptor, Cash, D.J., Serfözö, P., Zinn, K. 145: 257
Bromide permeability
–, use of $^{82}Br^-$ radiotracer to study transmembrane halide flux: the effect of a tranquilizing drug, chlordiazepoxide on channel opening of a $GABA_A$ receptor, Cash, D.J., Serfözö, P., Zinn, K. 145: 257
Brush border membrane
–, an effect of Ca^{2+} on the intrinsic Cl^--conductance of rat kidney cortex brush border membrane vesicles, Vayro, S., Simmons, N.L. 150:163
–, detection of different adenosine triphosphatases in human placental brush border membranes, Brunette, M.G., Bastani, B., Leclerc, M., Narbaitz, R. 145:285
–, relationship of alcohol-induced changes in Mg^{2+}–ATPase activity of rabbit intestinal brush border membrane with changes in fluidity of its lipid bilayer, Kitagawa, S., Sugaya, Y., Nishizawa, M., Hirata, H. 146:193
Bufo arenarum
–, chloride currents in skeletal muscles of *Bufo arenarum*, Bertrán, G., Kotsias, B.A. 149:249
Bufo marinus
–, sodium currents in toad cardiac pacemaker cells, Ju, Y.-K., Saint, D.A., Hirst, G.D.S., Gage, P.W. 145:119
Bumetanide
–, cell Cl and transepithelial Na transport in toad urinary bladder, Butt, A.G., McLaughlin, C.W., Bowler, J.M., Purves, R.D., Macknight, A.D.C. 142:9
–, evidence for Na–K–Cl cotransport in alveolar epithelial cells: effect of phorbol ester and osmotic stress, Clerici, C., Couette, S., Loiseau, A., Herman, P., Amiel, C. 147:295
Butyrate-gradient-stimulated chloride uptake
–, apical membrane Cl^-butyrate exchange: mechanism of short chain fatty acid stimulation of active chloride absorption in rat distal colon, Rajendran, V.M., Binder, H.J. 141:51
Ca-activated K channel
–, activation of maxi-K channels by parathyroid hormone and prostaglandin E_2 in human osteoblast bone cells, Moreau, R., Hurst, A.M., Lapointe, J.-Y., Lajeunesse, D. 150:175
–, attenuation of channel kinetics and conductance by cholesterol: an interpretation using structural stress as a unifying concept, Chang, H.M., Rietstetter, R., Mason, R.P., Gruener, R. 143:51
–, lipid–ion channel interactions: increasing phospholipid headgroup size but not ordering acyl chains alters reconstituted channel behavior, Chang, H.M., Reitstetter, R., Gruener, R. 145:13
Ca-activated nonselective cation channel
–, a calcium-activated and nucleotide-sensitive nonselective cation channel in M-1 mouse cortical collecting duct cells, Korbmacher, C., Volk, T., Segal, A.S., Boulpaep, E.L., Frömter, E. 146:29
–, nucleotide regulation of a calcium-activated cation channel in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 141:101
–, regulation of calcium-activated nonselective cation channel activity by cyclic nucleotides in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 145:267
–, the effects of pyridine nucleotides on the activity of a calcium-activated nonselective cation channel in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 142:299
Ca-dependent K channel
–, characterization of the G protein coupling of SRIF and β-adrenergic receptors to the maxi K_{Ca} channel in insulin-secreting cells, Ribalet, B., Eddlestone, G.T. 148:111
Ca^{2+}
–, properties of the K^+ inward rectifier in the plasma membrane of xylem parenchyma cells from barley roots: effects of TEA^+, Ca^{2+}, Ba^{2+}, and La^{3+}, Wegner, L.H., De Boer, A.H., Raschke, K. 142: 363
Ca^{2+}-activated cell–cell contacts
–, expression of potassium channels in epithelial cells depends on calcium-activated cell–cell contacts, Talavera, D., Ponce, A., Fiorentino, R., González–Mariscal, L., Contreras, R.G., Sánchez, S.H., García–Villegas, M.R., Valdés, J., Cereijido, M. 143:219
Ca^{2+}-activated K^+ channel
–, Ca^{2+}-activated K^+ channels are involved in regulatory volume decrease in acinar cells isolated from the rat lacrimal gland, Park, K.-P., Beck, J.S., Douglas, I.J., Brown, P.D. 141:193
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
–, inhibition of high-conductance, calcium-activated potassium channels of rabbit colon epithelium by magnesium, Wachter, C., Turnheim, K. 150:175
–, large-conductance calcium-activated potassium channels of cultured rat melanotrophs, Kehl, S.J., Wong, K. 150:219
–, regulation by GTP of a Ca^{2+}-activated K^+ channel in the apical membrane of rabbit cortical collecting duct cells, Suzuki, M., Takahashi, K., Sakai, O. 141:43
Ca^{2+}-activated K^+ conductance
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159
Ca^{2+}–ATPase
–, characterization of two different Ca^{2+} uptake and IP_3-sensitive Ca^{2+} release mechanisms in microsomal Ca^{2+} pools of rat pancreatic acinar cells, Ozawa, T., Thévenod, F., Schulz, I. 144:111
–, specific inhibitors of intracellular Ca^{2+} transport ATPases, Inesi, G., Sagara, Y. 141:1
Ca^{2+} block
–, small inward rectifying K^+ channels in coleoptiles: inhibition by external Ca^{2+} and function in cell elongation, Thiel, G., Brüdern, A., Gradmann, D. 149:9
Ca^{2+} channel
–, D_2O-induced ion channel activation in *Characeae* at low ionic strength, Andjus, P.R., Kataev, A.A., Alexandrov, A.A., Vucelic, D., Berestovsky, G.N. 142:43
–, monovalent amidiniums block calcium channels in chick sensory neurons, Mironov, S.L. 141:231
–, neurotransmitter release at fast synapses, Parnas, H., Parnas, I. 142:267
Ca^{2+} conductance
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159
–, lysozome acts as a chemorepellant and secretagogue in *Parame-*

cium by activating a novel receptor-operated Ca^{++} conductance, Hennessey, T.M., Kim, M.Y., Satir, B.H. 148:13

Ca^{2+} current
–, calcium-dependent enhancement of depletion -activated calcium current in Jurkat T lymphocytes, Christian, E.P., Spence, K.T., Togo, J.A., Dargis, P.G., Patel, J. 150:63
–, extracellular pH modulates the Ca^{2+} current activated by depletion of intracellular Ca^{2+} stores in human macrophages, Malayev, A., Nelson, D.J. 146:101
–, modulation of neuronal calcium channels by arachidonic acid and related substances, Schmitt, H., Meves, H. 145:233
–, single-microelectrode voltage clamp measurements of pancreatic β-cell membrane ionic currents *in situ*, Rojas, E., Stokes, C.L., Mears, D., Atwater, I. 143:65

Ca^{2+}-dependent Cl^- conductance
–, extracellular ATP activates both Ca^{2+}- and cAMP-dependent Cl^- conductances in rat epididymal cells, Chan, H.C., Zhou, W.L., Wong, P.Y.D. 147:185

Ca^{2+}-dependent Cl^- channel
–, inhibition of Ca^{2+}-dependent Cl^- channels from secretory epithelial cells by low internal pH, Arreola, J., Melvin, J.E., Begenisich, T. 147:95

Ca^{2+} entry
–, calcium entry in rabbit corneal epithelial cells: evidence for a nonvoltage dependent pathway, Rich, A., Rae, J.L. 144:177

Ca^{2+} flux
–, temperature-dependent modification of divalent cation flux in the rat parotid gland basolateral membrane, Lockwith, T.P., Kim, I.H., Ambudkar, I.S. 141:289

Ca^{2+}-inactivated Cl^- channel
–, the Ca^{2+}-induced leak current in *Xenopus* oocytes is indeed mediated through a Cl^- channel, Weber, W.-M., Liebold, K.M., Reifarth, F.W., Clauss, W. 148:263

Ca^{2+}-induced Ca^{2+} release
–, calcium and inositol trisphosphate receptors, Taylor, C.W., Traynor, D. 145:109

Ca^{2+} influx
–, volume-activated chloride currents in pancreatic duct cells, Verdon, B., Winpenny, J.P., Whitfield, K.J., Argent, B.E., Gray, M.A. 147:173

Ca^{2+} inhibition
–, cytoplasmic Ca^{2+} inhibits the ryanodine receptor from cardiac muscle, Laver, D.R., Roden, L.D., Ahern, G.P., Eager, K.R., Junankar, P.R., Dulhunty, A.F. 147:7

Ca^{2+}-permeable channels
–, selectivity of ATP-activated GTP-dependent Ca^{2+}-permeable channels in rat macrophage plasma membrane, Naumov, A.P., Kaznacheyeva, E.V., Kuryshev, Y.A., Mozhayeva, G.N. 148:91

Ca^{2+}-prepared vesicles
–, an effect of Ca^{2+} on the intrinsic Cl^--conductance of rat kidney cortex brush border membrane vesicles, Vayro, S., Simmons, N.L. 150:163

Ca^{2+} release
–, Ca^{2+} modulation of sarcoplasmic reticulum Ca^{2+} release in rat skeletal muscle fibers, Delbono, O. 146:91
–, characterization of two different Ca^{2+} uptake and IP_3-sensitive Ca^{2+} release mechanisms in microsomal Ca^{2+} pools of rat pancreatic acinar cells, Ozawa, T., Thévenod, F., Schulz, I. 144:111
–, examination of the role of phosphorylation and phospholamban in the regulation of the cardiac sarcoplasmic reticulum of Cl^- channel, Decrouy, A., Juteau, M., Rousseau, E. 146:315
–, lumenal calcium modulates unitary conductance and gating of a plant vacuolar calcium release channel, Johannes, E., Sanders, D. 146:211

Ca^{2+} release channel
–, endogenous, Ca^{2+}-dependent cysteine–protease cleaves specifically the ryanodine receptor/Ca^{2+} release channel in skeletal muscle, Shoshan-Barmatz, V., Weil, S., Meyer, H., Varsanyi, M., Heilmeyer, L.M.G. 142:281
–, functional reconstitution of ion channels from *Paramecium* cortex into artificial liposomes, Zhou, X.-L., Chan, C.W.M., Saimi, Y., Kung, C. 144:199
–, the gating of the sheep skeletal sarcoplasmic reticulum Ca^{2+}-release channel is regulated by luminal Ca^{2+}, Sitsapesan, R., Williams, A.J. 146:133

Ca^{2+} sensor
–, *Paramecium* Na^+ channels activated by Ca^{2+}–calmodulin: calmodulin is the Ca^{2+} sensor in the channel gating mechanism, Saimi, Y., Ling, K.-Y. 144:257

Ca^{2+} transport
–, specific inhibitors of intracellular Ca^{2+} transport ATPases, Inesi, G., Sagara, Y. 141:1

Ca^{2+} uptake
–, characterization of two different Ca^{2+} uptake and IP_3-sensitive Ca^{2+} release mechanisms in microsomal Ca^{2+} pools of rat pancreatic acinar cells, Ozawa, T., Thévenod, F., Schulz, I. 144:111
–, examination of the role of phosphorylation and phospholamban in the regulation of the cardiac sarcoplasmic reticulum of Cl^- channel, Decrouy, A., Juteau, M., Rousseau, E. 146:315

Caco-2 cells
–, identification of isoforms of G proteins and PKC that colocalize with tight junctions, Dodane, V., Kachar, B. 149:199
–, the role of the proton electrochemical gradient in the transepithelial absorption of amino acids by human intestinal Caco-2 cell monolayers, Thwaites, D.T., McEwan, G.T.A., Simmons, N.L. 145:245
–, water pathways across a reconstituted epithelial barrier formed by Caco-2 cells: effects of medium hypertonicity, Parisi, M., Pisam, M., Calamita, G., Gobin, R., Toriano, R., Bourguet, J. 143:237

Caged Ca^{2+}
–, electrical currents generated by a partially purified Na/Ca exchanger from lobster muscle reconstituted into liposomes and adsorbed on black lipid membranes: activation by photolysis of caged Ca^{2+}, Eisenrauch, A., Juhaszova, M., Ellis–Davies, G.C.R., Kaplan, J.H., Bamberg, E., Blaustein, M.P. 145:151

Calcitonin
–, chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule, Tauc, M., Bidet, M., Poujeol, P. 150:255
–, magnitude and modulation of pancreatic β-cell gap junction electrical conductance *in situ*, Mears, D., Sheppard, N.F., Jr., Atwater, I., Rojas, E. 146:163
–, modeling degranulation with liposomes: effect of lipid composition on membrane fusion, Brock, T.G., Nagaprakash, K., Margolis, D.I., Smolen, J.E. 141:139
–, sodium current inhibition by internal calcium: a combination of open-channel block and surface charge screening?, Zamponi, G.W., French, R.J. 147:1
–, triton channels are sensitive to divalent cations and protons, Rostovtseva, T.K., Bashford, C.L., Lev, A.A., Pasternak, C.A. 141:83

Calcium channel
–, NaF potentiates a K^+-selective ion channel in G292 osteoblastic cells, Gofa, A., Davidson, R.M. 149:211
–, sodium channel functioning based on an octagonal structure model, Sato, C., Matsumoto, G. 147:45
–, veratridine triggers exocytosis in *Paramecium* cells by activating somatic Ca channels, Plattner, H., Braun, C., Klauke, N., Länge, S. 142:229

Calcium entry
–, lysophosphatidic acid induces inositol phosphate and calcium signals in exocrine cells from the avian nasal salt gland, Hildebrandt, J.-P. 144:49
Calcium flux
–, calcium sensitivity of the plasmalemmal delayed rectifier potassium current suggests that calcium influx in pulvinar protoplasts from *Mimosa pudica* L. can be revealed by hyperpolarization, Stoeckel, H., Takeda, K. 146:201
–, effects of cysteine modification on the activity of the cGMP-gated channel from retinal rods, Serre, V., Ildefonse, M., Bennett, N. 146:145
–, lysophosphatidic acid induces inositol phosphate and calcium signals in exocrine cells from the avian nasal salt gland, Hildebrandt, J.-P. 144:49
Calcium ion channel
–, lumenal calcium modulates unitary conductance and gating of a plant vacuolar calcium release channel, Johannes, E., Sanders, D. 146:211
Calcium ion transport
–, reconstitution of a passive Ca^{2+}-transport pathway from the basolateral plasma membrane of rat parotid gland acinar cells, Lockwich, T., Chauthaiwale, J., Ambudkar, S.V., Ambudkar, I.S. 148: 277
Calcium release
–, excitation-calcium release uncoupling in aged single human skeletal muscle fibers, Delbono, O., O'Rourke, K.S., Ettinger, W.H. 148:211
–, the voltage dependence of depolarization-induced calcium release is isolated skeletal muscle triads, Kramer, J.W., Corbett, A.M. 144:217
Calcium signalling
–, the inositol 1,4,5-trisphosphate ($InsP_3$) receptor, Bezprozvanny, I., Ehrlich, B.E. 145:205
Calmodulin
–, cellular mechanisms in activation of Na–K–Cl cotransport in nasal gland acinar cells of guinea pigs, Ikeda, K., Wu, D., Takasaka, T. 146:307
–, extracellular ATP activates both Ca^{2+}- and cAMP-dependent Cl^- conductances in rat epididymal cells, Chan, H.C., Zhou, W.L., Wong, P.Y.D. 147:185
–, *Paramecium* Na^+ channels activated by Ca^{2+}–calmodulin: calmodulin is the Ca^{2+} sensor in the channel gating mechanism, Saimi, Y., Ling, K.-Y. 144:257
Calpain
–, endogenous, Ca^{2+}-dependent cysteine–protease cleaves specifically the ryanodine receptor/Ca^{2+} release channel in skeletal muscle, Shoshan-Barmatz, V., Weil, S., Meyer, H., Varsanyi, M., Heilmeyer, L.M.G. 142:281
cAMP
–, a novel Cl^- conductance in cultured chick cardiac myocytes: role of intracellular Ca^{2+} and cAMP, Liu, S., Stimers, J.R., Lieberman, M. 141:59
–, cGMP modulates transport across the ciliary epithelium, Carré, D.A., Civan, M.M. 146:293
–, characterization of the G protein coupling of a glucagon receptor to the K_{ATP} channel in insulin-secreting cells, Ribalet, B., Ciani, S. 142:395
–, chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule, Tauc, M., Bidet, M., Poujeol, P. 150:255
–, cyclic AMP induces rapid increases in gap junction permeability and changes in the cellular distribution of connexin43, Burghardt, R.C., Barhoumi, R., Sewall, T.C., Bowen, J.A. 148:243
–, determination of the Na permeability of the tight junctions of MDCK cells by fluorescence microscopy, Kovbasnjuk, O., Chatton, J.-Y., Friauf, W.S., Spring, K.R. 148:223
–, phosphorylation is involved in the regulation of the taurine influx via the β-system in Ehrlich ascites tumor cells, Mollerup, J., Lambert, I.H. 150:73
–, protein kinase A-regulated Cl^- channel in ML-1 hematopoietic myeloblasts, Xu, B., Lu, L. 142:65
–, regulation of an inwardly rectifying K channel in the T_{84} epithelial cell line by calcium, nucleotides, and kinases, Tabcharani, J.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:255
–, regulation of calcium-activated nonselective cation channel activity by cyclic nucleotides in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 145:267
–, role of F-actin in the activation of Na^+–K^+–Cl^- cotransport by forskolin and vasopressin in mouse kidney cultured thick ascending limb cells, Wu, M.S., Bens, M., Cluzeaud, F., Vandewalle, A. 142:323
cAMP-activated chloride fluxes
–, cellular chloride depletion inhibits cAMP-activated electrogenic chloride fluxes in HT29-18-C_1 cells, Fine, DM., Lo, C.F., Aguillar, L., Blackmon, D.L., Montrose, M.H. 145:129
cAMP-dependent Cl^- conductance
–, extracellular ATP activates both Ca^{2+}- and cAMP-dependent Cl^- conductances in rat epididymal cells, Chan, H.C., Zhou, W.L., Wong, P.Y.D. 147:185
cAMP-dependent phosphorylation
–, thermodynamically specific gating kinetics of cardiac mammalian $K^+_{(ATP)}$ channels in a physiological environment near 37°C, Haverkampf, K., Benz, I., Kohlhardt, M. 146:85
Cancer
–, drug-transport and volume-regulated chloride channel functions in human erythroleukemia cells: relation to expression level of p-glycoprotein, Viana, F., Van Acker, K., De Greef, C., Eggermont, J., Raeymaekers, L., Droogmans, G., Nilius, B. 145:87
–, the biology of the p-glycoproteins, Leveille–Webster, C.R., Arias, I.M. 143:89
–, voltage-dependent sodium channels in human small-cell lung cancer cells: role in action potentials and inhibition by Lambet–Eaton Syndrome IgG, Blandino, J.K.W., Viglione, M.P., Bradley, W.A., Oie, H.K., Kim, Y.I. 143:153
Capacitance
–, responses of neurons to extreme osmomechanical stress, Wan, X., Harris, J.A., Morris, C.E. 145:21
Capacitive coupling
–, electrical currents generated by a partially purified Na/Ca exchanger from lobster muscle reconstituted into liposomes and adsorbed on black lipid membranes: activation by photolysis of caged Ca^{2+}, Eisenrauch, A., Juhaszova, M., Ellis–Davies, G.C.R., Kaplan, J.H., Bamberg, E., Blaustein, M.P. 145:151
Carbachol
–, basolateral K channel activated by carbachol in the epithelial cell line T_{84}, Tabcharani, J.A., Harris, R.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:241
–, temperature-dependent modification of divalent cation flux in the rat parotid gland basolateral membrane, Lockwith, T.P., Kim, I.H., Ambudkar, I.S. 141:289
Cardiac cells
–, heart and T-lymphocyte cell surfaces both exhibit positive cooperativity in binding a membrane-lytic toxin, Stevens–Truss, R., Messer, W.S., Jr., Hinman, C.L. 150:113
Cardiac muscle
–, cytoplasmic Ca^{2+} inhibits the ryanodine receptor from cardiac

muscle, Laver, D.R., Roden, L.D., Ahern, G.P., Eager, K.R., Junankar, P.R., Dulhunty, A.F. 147:7

Cardiac myocytes
–, effect of antipeptide antibodies directed against three domains of connexin43 on the gap junctional permeability of cultured heart cells, Bastide, B., Jarry–Guichard, T., Briand, J.P., Délèze, J., Gros, D. 150:243
–, examination of the role of phosphorylation and phospholamban in the regulation of the cardiac sarcoplasmic reticulum of Cl^- channel, Decrouy, A., Juteau, M., Rousseau, E. 146:315
–, influence of the molecular structure of steroids on their ability to interrupt gap junctional communication, Hervé, J.C., Pluciennik, F., Verrecchia, F., Bastide, B., Delage, B., Joffre, M., Délèze, J. 149:179
–, reversible interruption of gap junctional communication by testosterone propionate in cultured Sertoli cells and cardiac myocytes, Pluciennik, F., Verrecchia, F., Bastide, B., Hervé, J.C., Joffre, M., Délèze, J. 149:169
–, SR47063, a potent channel opener, activates K_{ATP} and a time-dependent current likely due to potassium accumulation, Tourneur, Y., Marion, A., Gautier, P. 142:337

Cardiac sarcoplasmic reticulum
–, cytoplasmic Ca^{2+} inhibits the ryanodine receptor from cardiac muscle, Laver, D.R., Roden, L.D., Ahern, G.P., Eager, K.R., Junankar, P.R., Dulhunty, A.F. 147:7
–, examination of the role of phosphorylation and phospholamban in the regulation of the cardiac sarcoplasmic reticulum of Cl^- channel, Decrouy, A., Juteau, M., Rousseau, E. 146:315

Carotid body
–, transduction of chemostimuli by the type I carotid body cell, Peers, C., Buckler, K.J. 144:1

Cat heart
–, characterization of the acetylcholine-sensitive muscarinic K^+ channel in isolated feline atrial and ventricular myocytes, Koumi, S.i., Sato, R., Hayakawa, H. 145:143

Catfish
–, single taste stimuli elicit either increases or decreases in intracellular calcium in isolated catfish taste cells, Zviman, M.M., Restrepo, D., Teeter, J.H. 149:81

Cation channel
–, a voltage-sensitive cation channel present in clusters in lobster skeletal muscle membrane, Worden, M.K., Rahamimoff, R., Kravitz, E.A. 141:167
–, characterization of a large conductance, cation-selective channel from sea urchin eggs that is sensitive to sulfhydryl reducing agents, Lii, T., Lee, H.C., Gleason, F.K., Levitt, D.G. 150:27
–, divalent cation channels activated by phenothiazines in membrane of rat ventricular myocytes, Lefevre, T., Coraboeuf, E., Ghazi, A., Coulombe, A. 147:147
–, effects of internal pH on the nonselective cation channel from the mouse collecting tubule, Chraïbi, A., Guinamard, R., Teulon, J. 148:83
–, nucleotide regulation of a calcium-activated cation channel in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 141:101

Cation current
–, ATP, pH and Mg^{2+} modulate a cation current in *Beta vulgaris* vacuoles: a possible shunt conductance for the vacuolar H^+-ATPase, Davies, J.M., Sanders, D. 145:75

Cation transport
–, transfection alters ion transport in MDCK cells, Kaji, D.M., Bates, J., Goyzueta, J.D., Prasadan, K., Yu, H., Kumar, S. 149:49
–, transport of K^+ and other cations across phospholipid membranes by nonesterified fatty acids, Sharpe, M.A, Cooper, C.E., Wrigglesworth, J.M. 141:21

CCD camera images
–, dye transfer between cells of the lens, Rae, J.L., Bartling, C., Rae, J., Mathias, R.T. 150:89

cDNA expression
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41

Cell adhesion
–, discrete and reversible vacuole-like dilations induced by osmomechnical perturbation of neurons, Reuzeau, C., Mills, L.R., Harris, J.A., Morris, C.E. 145:33

Cell attachment
–, a novel type of cell–cell cooperation between epithelial cells, Contreras, R.G., Lázaro, A., Bolivar, J.J., Flores–Maldonado, C., Sánchez, S.H., González–Mariscal, L., García–Villegas, M.R., Valdés, J., Cereijido, M. 145:305

Cell–cell contacts
–, expression of potassium channels in epithelial cells depends on calcium-activated cell–cell contacts, Talavera, D., Ponce, A., Fiorentino, R., González–Mariscal, L., Contreras, R.G., Sánchez, S.H., García–Villegas, M.R., Valdés, J., Cereijido, M. 143:219

Cell–cell cooperation
–, a novel type of cell–cell cooperation between epithelial cells, Contreras, R.G., Lázaro, A., Bolivar, J.J., Flores–Maldonado, C., Sánchez, S.H., González–Mariscal, L., García–Villegas, M.R., Valdés, J., Cereijido, M. 145:305

Cell chloride
–, cell Cl and transepithelial Na transport in toad urinary bladder, Butt, A.G., McLaughlin, C.W., Bowler, J.M., Purves, R.D., Macknight, A.D.C. 142:9

Cell deformability
–, band 3 antagonists, *p*-azidobenzylphlorizin and DIDS, mediate erythrocyte shape and flexibility changes as characterized by digital image morphometry and microfiltration, Hoefner, D.M., Blank, M.E., Davis, B.M., Diedrich, D.F. 141:91

Cell elongation
–, small inward rectifying K^+ channels in coleoptiles: inhibition by external Ca^{2+} and function in cell elongation, Thiel, G., Brüdern, A., Gradmann, D. 149:9

Cell membranes
–, membrane fatty acid composition of tissues is related to body mass of mammals, Couture, P., Hulbert, A.J. 148:27

Cell polarity
–, the AQP2 water channel: effect of vasopressin treatment, microtubule disruption, and distribution in neonatal rats, Sabolic, I., Katsura, T., Verbavatz, J.-M., Brown, D. 143:165; Erratum 145: 107

Cell shrinkage
–, rate of activation and deactivation of K:Cl cotransport by changes in cell volume in hemoglobin SS, CC and AA red cells, Canessa, M., Romero, J.R., Lawrence, C., Nagel, R.L., Fabry, M.E. 142: 349

Cell surface
–, cellular stress causes accumulation of the glucose transporter at the surface of cells independently of their insulin sensitivity, Sviderskaya, E.V., Jazrawi, E., Baldwin, S.A., Widnell, C.C., Pasternak, C.A. 149:133

Cell swelling
–, cell swelling activates separate taurine and chloride channels in Ehrlich mouse ascites tumor cells, Lambert, I.H., Hoffmann, E.K. 142:289

–, rate of activation and deactivation of K:Cl cotransport by changes in cell volume in hemoglobin SS, CC and AA red cells, Canessa, M., Romero, J.R., Lawrence, C., Nagel, R.L., Fabry, M.E. 142: 349
–, volume-activated chloride currents in pancreatic duct cells, Verdon, B., Winpenny, J.P., Whitfield, K.J., Argent, B.E., Gray, M.A. 147:173
Cell-to-cell conductance
–, influence of the molecular structure of steroids on their ability to interrupt gap junctional communication, Hervé, J.C., Pluciennik, F., Verrecchia, F., Bastide, B., Delage, B., Joffre, M., Délèze, J. 149:179
–, reversible interruption of gap junctional communication by testosterone propionate in cultured Sertoli cells and cardiac myocytes, Pluciennik, F., Verrecchia, F., Bastide, B., Hervé, J.C., Joffre, M., Délèze, J. 149:169
Cell-to-cell coupling
–, magnitude and modulation of pancreatic β-cell gap junction electrical conductance *in situ*, Mears, D., Sheppard, N.F., Jr., Atwater, I., Rojas, E. 146:163
Cell volume
–, a novel, volume-correlated Cl^- conductance in marginal cells dissociated from the stria vascularis of gerbils, Takeuchi, S., Irimajiri, A. 150:47
–, Ca^{2+}-activated K^+ channels are involved in regulatory volume decrease in acinar cells isolated from the rat lacrimal gland, Park, K.-P., Beck, J.S., Douglas, I.J., Brown, P.D. 141:193
–, cellular chloride depletion inhibits cAMP-activated electrogenic chloride fluxes in HT29-18-C_1 cells, Fine, DM., Lo, C.F., Aguillar, L., Blackmon, D.L., Montrose, M.H. 145:129
–, effects of voltage clamping on epithelial cell composition in toad urinary bladder studied with x-ray microanalysis, Bowler, J.M., McLaughlin, C.W., Butt, A.G., Purves, R.D., Macknight, A.D.C 145:175
–, evidence for Na–K–Cl cotransport in alveolar epithelial cells: effect of phorbol ester and osmotic stress, Clerici, C., Couette, S., Loiseau, A., Herman, P., Amiel, C. 147:295
–, hypotonically activated chloride current in HSG cells, Fatherazi, S., Izutsu, K.T., Wellner, R.B., Belton, C.M. 142:181
–, regulatory volume increase in rat lacrimal gland acinar cells, Douglas, I.J., Brown, P.D. 150:209
–, responses of neurons to extreme osmomechanical stress, Wan, X., Harris, J.A., Morris, C.E. 145:21
Cell volume regulation
–, mechanisms of cell volume regulation in the proximal segment of the Malpighian tubule of *Rhodnius neglectus*, Arenstein, I.R., Caruso–Neves, C., Onuchic, L.F., Lopes, A.G. 146:47
–, rate of activation and deactivation of K:Cl cotransport by changes in cell volume in hemoglobin SS, CC and AA red cells, Canessa, M., Romero, J.R., Lawrence, C., Nagel, R.L., Fabry, M.E. 142: 349
–, short-chain fatty acid (SCFA) volume regulation in proximal and distal rabbit colon is different, Sellin, J., Shelat, H. 150:83
Cellular stress
–, cellular stress causes accumulation of the glucose transporter at the surface of cells independently of their insulin sensitivity, Sviderskaya, E.V., Jazrawi, E., Baldwin, S.A., Widnell, C.C., Pasternak, C.A. 149:133
cGMP
–, cGMP modulates transport across the ciliary epithelium, Carré, D.A., Civan, M.M. 146:293
cGMP-dependent protein kinase
–, a calcium-activated and nucleotide-sensitive nonselective cation channel in M-1 mouse cortical collecting duct cells, Korbmacher, C., Volk, T., Segal, A.S., Boulpaep, E.L., Frömter, E. 146:29
cGMP-gated channel
–, effects of cysteine modification on the activity of the cGMP-gated channel from retinal rods, Serre, V., Ildefonse, M., Bennett, N. 146:145
–, sodium channel functioning based on an octagonal structure model, Sato, C., Matsumoto, G. 147:45
Channel activation
–, divalent cation channels activated by phenothiazines in membrane of rat ventricular myocytes, Lefevre, T., Coraboeuf, E., Ghazi, A., Coulombe, A. 147:147
–, extracellular ATP activates both Ca^{2+}- and cAMP-dependent Cl^- conductances in rat epididymal cells, Chan, H.C., Zhou, W.L., Wong, P.Y.D. 147:185
–, modulation of the serotonin-activated K^+ channel by G protein subunits and nucleotides in rat hippocampal neurons, Oh, U., Ho, Y.-K., Kim, D. 147:241
–, volume-activated chloride currents in pancreatic duct cells, Verdon, B., Winpenny, J.P., Whitfield, K.J., Argent, B.E., Gray, M.A. 147:173
Channel activity rundown
–, rundown and reactivation of ATP-sensitive potassium channels (K_{ATP}) in mouse skeletal muscle, Hussain, M., Wareham, A.C. 141:257
Channel blocker
–, properties of the K^+ inward rectifier in the plasma membrane of xylem parenchyma cells from barley roots: effects of TEA^+, Ca^{2+}, Ba^{2+}, and La^{3+}, Wegner, L.H., De Boer, A.H., Raschke, K. 142: 363
Channel formation
–, properties of voltage-gated ion channels formed by syringomycin E in planar lipid bilayers, Feigin, A.M., Takemoto, J.Y., Wangspa, R., Teeter, J.H., Brand, J.G. 149:41
Channel gating
–, patch clamp study of the voltage-dependent anion channel in the thylakoid membrane, Pottosin, I.I., Schönknecht, G. 148:143
–, the gating of the sheep skeletal sarcoplasmic reticulum Ca^{2+}-release channel is regulated by luminal Ca^{2+}, Sitsapesan, R., Williams, A.J. 146:133
Channel inactivation
–, guanine nucleotides modulate steady-state inactivation of voltage-gated sodium channels in frog olfactory receptor neurons, Pun, R.Y.K., Kleene, S.J., Gesteland, R.C. 142:103
Channel kinetics
–, kinetic analysis of two simultaneously activated K^+ currents in root cell protoplasts of *Plantago media L.*, Vogelzang, S.A., Prins, H.B.A. 146:59
Channel mobility
–, effects of vasopressin and aldosterone on the lateral mobility of epithelial Na^+ channels in A6 renal epithelial cells, Smith, P.R., Stoner, L.C., Viggiano, S.C., Angelides, K.J., Benos, D.J. 147:195
Channel opener
–, SR47063, a potent channel opener, activates K_{ATP} and a time-dependent current likely due to potassium accumulation, Tourneur, Y., Marion, A., Gautier, P. 142:337
Channel protein
–, computing the field in proteins and channels, Eisenberg, R.S. 150:1
Channel reactivation
–, rundown and reactivation of ATP-sensitive potassium channels (K_{ATP}) in mouse skeletal muscle, Hussain, M., Wareham, A.C. 141:257
Channel reconstitution

–, functional reconstitution of ion channels from *Paramecium* cortex into artificial liposomes, Zhou, X.-L., Chan, C.W.M., Saimi, Y., Kung, C. 144:199
Channel regulation
–, *Paramecium* Na^+ channels activated by Ca^{2+}–calmodulin: calmodulin is the Ca^{2+} sensor in the channel gating mechanism, Saimi, Y., Ling, K.-Y. 144:257
Channel selectivity
–, selectivity of ATP-activated GTP-dependent Ca^{2+}-permeable channels in rat macrophage plasma membrane, Naumov, A.P., Kaznacheyeva, E.V., Kuryshev, Y.A., Mozhayeva, G.N. 148:91
Channel size
–, low conductance states of a single ion channel are not 'closed', Korchev, Y.E., Bashford, C.L., Alder, G.M., Kasianowicz, J.J., Pasternak, C.A. 147:233
Channel-like intramembrane protein (CHIP)
–, a method for determining the unitary functional capacity of cloned channels and transporters expressed in *Xenopus laevis* oocytes, Zampighi, G.A., Kreman, M., Boorer, K.J., Loo, D.D.F., Bezanilla, F., Chandy, G., Hall, J.E., Wright, E.M. 148:65
Chara corallina
–, Cl^- and K^+ channel currents during the action potential in *Chara*. Simultaneous recording of membrane voltage and patch currents, Homann, U., Thiel, G. 141:297
–, modeling the current–voltage Characteristics of *Chara* membranes: I. the effect of ATP removal and zero turgor, Beilby, M.J., Walker, N.A. 149:89
–, spatial organization of transport domains and subdomain formation in the plasma membrane of *Chara corallina*, Fisahn, J., Lucas, W.J. 147:275
Characeae
–, D_2O-induced ion channel activation in *Characeae* at low ionic strength, Andjus, P.R., Kataev, A.A., Alexandrov, A.A., Vucelic, D., Berestovsky, G.N. 142:43
Charybdotoxin
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
–, ionic mechanisms involved in the regulation of insulin secretion by muscarinic agonists, Bordin, S., Boschero, A.C., Carneiro, E.M., Atwater, I. 148:177
Cheek cells
–, cheek cell membrane fluidity measured by fluorescence recovery after photobleaching and steady-state fluorescence anisotropy, Ladha, S., Mackie, A.R., Clark, D.C. 142:223
Chemosensory transduction
–, lysozome acts as a chemorepellant and secretagogue in *Paramecium* by activating a novel receptor-operated Ca^{++} conductance, Hennessey, T.M., Kim, M.Y., Satir, B.H. 148:13
Chemotherapy
–, the biology of the p-glycoproteins, Leveille–Webster, C.R., Arias, I.M. 143:89
Chick cardiac myocytes
–, a novel Cl^- conductance in cultured chick cardiac myocytes: role of intracellular Ca^{2+} and cAMP, Liu, S., Stimers, J.R., Lieberman, M. 141:59
Chick embryo
–, ion transport across the early chick embryo: II. Characterization and pH sensitivity of the transembryonic short-circuit current, Abriel, H., Katz, U., Kucera, P. 141:159
–, ion transport across the early chick embryo: I. Electrical measurements, ionic fluxes and regional heterogeneity, Kucera, P., Abriel, H., Katz, U. 141:149
Chick sensory neurons
–, monovalent amidiniums block calcium channels in chick sensory neurons, Mironov, S.L. 141:231
Chinese hamster ovary (CHO) cells
–, electrically induced fusion of mammalian cells in the presence of polyethylene glycol, Stoicheva, N.G., Hui, S.W. 141:177
CHIP28
–, aquaporin–CHIP-related protein in frog urinary bladder: localization by confocal microscopy, Calamita, G., Mola, M.G., Gounon, P., Jouve, M., Bourguet, J., Svelto, M. 143:267
–, distribution of mRNA encoding the FA-CHIP water channel in amphibian tissues: effects of salt adaptation, Abrami, L., Capurro, C., Ibarra, C., Parisi, M., Buhler, J.-M., Ripoche, P. 143:199
–, predictive evidence for a porin-type β-barrel fold in CHIP28 and oather members of the MIP family. a restricted-pore model common to water channels and facilitators, Fischbarg, J., Li, J., Cheung, M., Czegledy, F., Iserovich, P., Kuang, K. 143:177
–, the AQP2 water channel: effect of vasopressin treatment, microtubule disruption, and distribution in neonatal rats, Sabolic, I., Katsura, T., Verbavatz, J.-M., Brown, D. 143:165; Erratum 145: 107
Chloramine-T
–, an inactivating inward-rectifying K current present in prolactin cells from the pituitary of lactating rats, Corrette, B.J., Bauer, C.K., Schwarz, J.R. 150:185
Chlordiazepoxide
–, use of $^{82}Br^-$ radiotracer to study transmembrane halide flux: the effect of a tranquilizing drug, chlordiazepoxide on channel opening of a $GABA_A$ receptor, Cash, D.J., Serfözö, P., Zinn, K. 145: 257
Chloride
–, apical membrane sodium and chloride entry during osmotic swelling of renal (A6) epithelial cells, Crowe W.E., Ehrenfeld, J., Brochiero, E., Wills, N.K. 144:81
Chloride activation
–, chloride-activated water permeability in the frog corneal epithelium, Candia, O.A., Zamudio, A.C. 1243:259
Chloride channel
–, a chloride channel reconstituted from fetal rat brain growth cones, DeBin, J.A., Wood, M.R., Pfenninger, K.H., Strichartz, G.R. 141: 7
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41
–, a heterogeneous electrophysiological profile of bone marrow-derived mast cells, Kuno, M., Shibata, T., Kawawaki, J., Kyogoku, I. 143:115
–, amino acid current through anion channels in cultured human glial cells, Roy, G. 147:35
–, Characteristics of $GABA_A$ channels in rat dentate gyrus, Bimir, B., Everitt, A.B., Gage, P.W. 142:93
–, drug-transport and volume-regulated chloride channel functions in human erythroleukemia cells: relation to expression level of p-glycoprotein, Viana, F., Van Acker, K., De Greef, C., Eggermont, J., Raeymaekers, L., Droogmans, G., Nilius, B. 145:87
–, molecular basis of epithelial Cl channels, Fong, P., Jentsch, T.J. 144:189
Chloride conductance
–, a novel Cl^- conductance in cultured chick cardiac myocytes: role of intracellular Ca^{2+} and cAMP, Liu, S., Stimers, J.R., Lieberman, M. 141:59
–, characterization of whole cell chloride conductances in a mouse

inner medullary collecting duct cell line mIMCD-3, Shindo, M., Simmons, N.L., Gray, M.A. 149:21

Chloride current
–, chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule, Tauc, M., Bidet, M., Poujeol, P. 150:255
–, volume-activated chloride currents in pancreatic duct cells, Verdon, B., Winpenny, J.P., Whitfield, K.J., Argent, B.E., Gray, M.A. 147:173

Chloride ion backflux
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159

Chloride ion channel
–, cell swelling activates separate taurine and chloride channels in Ehrlich mouse ascites tumor cells, Lambert, I.H., Hoffmann, E.K. 142:289
–, characterization of a chloride channel reconstituted from cardiac sarcoplasmic reticulum, Townsend, C., Rosenberg, R.L. 147:121
–, Cl^- and K^+ channel currents during the action potential in *Chara*. Simultaneous recording of membrane voltage and patch currents, Homann, U., Thiel, G. 141:297
–, D_2O-induced ion channel activation in *Characeae* at low ionic strength, Andjus, P.R., Kataev, A.A., Alexandrov, A.A., Vucelic, D., Berestovsky, G.N. 142:43
–, examination of the role of phosphorylation and phospholamban in the regulation of the cardiac sarcoplasmic reticulum of Cl^- channel, Decrouy, A., Juteau, M., Rousseau, E. 146:315
–, exogenous GABA persistently opens Cl^- channels in cultured embryonic rat thalamic neurons, Liu, Q.Y., Vautrin, J., Tang, K.M., Barker, J.L. 145:279
–, protein kinase A-regulated Cl^- channel in ML-1 hematopoietic myeloblasts, Xu, B., Lu, L. 142:65
–, small-conductance chloride channels in human peripheral T lymphocytes, Schumacher, P.A., Sakellaropoulos, G., Phipps, D.J., Schlichter, L.C. 145:217
–, the Ca^{2+}-induced leak current in *Xenopus* oocytes is indeed mediated through a Cl^- channel, Weber, W.-M., Liebold, K.M., Reifarth, F.W., Clauss, W. 148:263

Chloride ion conductance
–, an effect of Ca^{2+} on the intrinsic Cl^--conductance of rat kidney cortex brush border membrane vesicles, Vayro, S., Simmons, N.L. 150:163
–, chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule, Tauc, M., Bidet, M., Poujeol, P. 150:255

Chloride ion current
–, a novel, volume-correlated Cl^- conductance in marginal cells dissociated from the stria vascularis of gerbils, Takeuchi, S., Irimajiri, A. 150:47
–, calcium-mobilizing agonists stimulate anion fluxes in cultured endothelial cells from human umbilical vein, White, C.R., Brock, T.A. 142:171
–, characterization of volume-activated chloride currents in endothelial cells from bovine pulmonary artery, Szücs, G., Buyse, G., Eggermont, J., Droogmans, G., Nilius, B. 149:189
–, chloride currents in skeletal muscles of *Bufo arenarum*, Bertrán, G., Kotsias, B.A. 149:249
–, effects of chlorotrifluoroethylene oligomer fatty acids on recombinant GABA receptors expressed in *Xenopus* oocytes, DelRaso, N.J., Huang, Y., Lu, L. 149:33
–, hypotonically activated chloride current in HSG cells, Fatherazi, S., Izutsu, K.T., Wellner, R.B., Belton, C.M. 142:181

Chloride ion pathways
–, hydrochlorothiazide enhances the apical Cl^- backflux in rabbit gallbladder epithelium: radiochemical analysis, Cremaschi, D., Porta, C. 141:29

Chloride ion secretion
–, chloride-activated water permeability in the frog corneal epithelium, Candia, O.A., Zamudio, A.C. 1243:259
–, chloride transport activation by plasma osmolarity during rapid adaptation to high salinity of *Fundulus heteroclitus*, Zadunaisky, J.A., Cardona, S., Au, L., Roberts, D.M., Fisher, E., Lowenstein, B., Cragoe, E.J., Jr., Spring, K.R. 143:207
–, inhibition of Ca^{2+}-dependent Cl^- channels from secretory epithelial cells by low internal pH, Arreola, J., Melvin, J.E., Begenisich, T. 147:95

Chloride ion transport
–, association of ClC-3 channel with Cl^- transport by human nonpigmented ciliary epithelial cells, Coca–Prados, M., Sánchez–Torres, J., Peterson–Yantorno, K., Civan, M.M. 150:197

Chloride ions
–, pH- and voltage-dependent conductances in toad skin, Lacaz–Vieira, F. 148:1

Chloride transport
–, chloride transport activation by plasma osmolarity during rapid adaptation to high salinity of *Fundulus heteroclitus*, Zadunaisky, J.A., Cardona, S., Au, L., Roberts, D.M., Fisher, E., Lowenstein, B., Cragoe, E.J., Jr., Spring, K.R. 143:207
–, the chloride concentration in the lateral intercellular spaces of MDCK cell monolayers, Xia, P., Persson, B.-E., Spring, K.R. 144:21

Chloroquine
–, ouabain resistance of the epithelial cell line (Ma104) is not due to lack of affinity of its pumps for the drug, Contreras, R.G., Lázaro, A., Mújica, A., González–Mariscal, L., Valdés, J., García–Villegas, M.R., Cereijido, M. 145:295

Chlorotrifluoroethylene
–, effects of chlorotrifluoroethylene oligomer fatty acids on recombinant GABA receptors expressed in *Xenopus* oocytes, DelRaso, N.J., Huang, Y., Lu, L. 149:33

Chlorpromazine
–, divalent cation channels activated by phenothiazines in membrane of rat ventricular myocytes, Lefevre, T., Coraboeuf, E., Ghazi, A., Coulombe, A. 147:147

Cholesterol
–, attenuation of channel kinetics and conductance by cholesterol: an interpretation using structural stress as a unifying concept, Chang, H.M., Rietstetter, R., Mason, R.P., Gruener, R. 143:51
–, differential effect of triiodothyronine and thyroxine on liposomes containing cholesterol: physiological speculations, Chehin, R.N., Rintoul, M.R., Morero, R.D., Farias, R.N. 147:217
–, modeling degranulation with liposomes: effect of lipid composition on membrane fusion, Brock, T.G., Nagaprakash, K., Margolis, D.I., Smolen, J.E. 141:139

Ciliary activity
–, extracellular ATP binding proteins as potential receptors in mucociliary epithelium: Characterization using [^{32}P]3′-O-(4-Benzoyl)benzoyl ATP, a photoaffinity label, Gheber, L., Priel, Z., Aflalo, C., Shoshan–Barmatz, V. 147:83

Ciliary epithelium
–, a nonselective high conductance channel in bovine pigmented ciliary epithelial cells, Mitchell, C.H., Jacob, T.J.C. 150:105
–, cGMP modulates transport across the ciliary epithelium, Carré, D.A., Civan, M.M. 146:293

Cl-dependent K flux
–, quinine and quinidine inhibit and reveal heterogeneity of K–Cl

cotransport in low K sheep erythrocytes, Adragna, N.C., Lauf, P.K. 142:195
Cl^-/HCO_3^- exchange
–, cell Cl and transepithelial Na transport in toad urinary bladder, Butt, A.G., McLaughlin, C.W., Bowler, J.M., Purves, R.D., Macknight, A.D.C. 142:9
–, chloride transport activation by plasma osmolarity during rapid adaptation to high salinity of *Fundulus heteroclitus*, Zadunaisky, J.A., Cardona, S., Au, L., Roberts, D.M., Fisher, E., Lowenstein, B., Cragoe, E.J., Jr., Spring, K.R. 143:207
–, regulatory volume increase in rat lacrimal gland acinar cells, Douglas, I.J., Brown, P.D. 150:209
–, secretion of HCO_3^-/OH^- in cortical distal tubule of the rat, Fernandez, R., Malnic, G. 143:227
ClC-3 channel
–, association of ClC-3 channel with Cl^- transport by human nonpigmented ciliary epithelial cells, Coca–Prados, M., Sánchez–Torres, J., Peterson–Yantorno, K., Civan, M.M. 150:197
Cloned channels
–, a method for determining the unitary functional capacity of cloned channels and transporters expressed in *Xenopus laevis* oocytes, Zampighi, G.A., Kreman, M., Boorer, K.J., Loo, D.D.F., Bezanilla, F., Chandy, G., Hall, J.E., Wright, E.M. 148:65
Closed channel block
–, quaternary ammonium ion blockade of I_K in nerve axons revisited. open channel block *vs.* state independent block, Clay, J.R. 147:23
Cobra venom cytotoxins
–, heart and T-lymphocyte cell surfaces both exhibit positive cooperativity in binding a membrane-lytic toxin, Stevens–Truss, R., Messer, W.S., Jr., Hinman, C.L. 150:113
Coleoptiles
–, small inward rectifying K^+ channels in coleoptiles: inhibition by external Ca^{2+} and function in cell elongation, Thiel, G., Brüdern, A., Gradmann, D. 149:9
Colicin
–, ion selectivity of colicin E1: III. Anion permeability, Bullock, J.O., Kolen, E.R. 144:131
Concanavalin A
–, a fusogenic protein from rat brain microsomal membranes: partial purification and reconstitution into liposomes, Rakowska, M., Zborowski, J., Corazzi, L. 142:35
Conductance
–, a nonselective high conductance channel in bovine pigmented ciliary epithelial cells, Mitchell, C.H., Jacob, T.J.C. 150:105
–, a novel, volume-correlated Cl^- conductance in marginal cells dissociated from the stria vascularis of gerbils, Takeuchi, S., Irimajiri, A. 150:47
–, an effect of Ca^{2+} on the intrinsic Cl^--conductance of rat kidney cortex brush border membrane vesicles, Vayro, S., Simmons, N.L. 150:163
–, attenuation of channel kinetics and conductance by cholesterol: an interpretation using structural stress as a unifying concept, Chang, H.M., Rietstetter, R., Mason, R.P., Gruener, R. 143:51
–, basolateral K channel activated by carbachol in the epithelial cell line T_{84}, Tabcharani, J.A., Harris, R.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:241
–, Characteristics of $GABA_A$ channels in rat dentate gyrus, Birnir, B., Everitt, A.B., Gage, P.W. 142:93
–, characterization of a chloride channel reconstituted from cardiac sarcoplasmic reticulum, Townsend, C., Rosenberg, R.L. 147:121
–, characterization of a large conductance, cation-selective channel from sea urchin eggs that is sensitive to sulfhydryl reducing agents, Lii, T., Lee, H.C., Gleason, F.K., Levitt, D.G. 150:27
–, control of the amiloride-sensitive Na^+ current in salivary duct cells by extracellular sodium, Komwatana, P., Dinudom, A., Young, J.A., Cook, D.I. 150:133
–, differential regulation of membrane potential and conductance via intra- and extracellular pH in fused proximal tubular cells of frog kidney, Belachgar, F., Hulin, P., Planelles, G., Anagnostopoulos, T. 143:123
–, direct control of a large conductance K^+-selective channel by G-proteins in adrenal chromaffin granule membranes, Arispe, N., De Mazancourt, P., Rojas, E. 147:109
–, divalent cation channels activated by phenothiazines in membrane of rat ventricular myocytes, Lefevre, T., Coraboeuf, E., Ghazi, A., Coulombe, A. 147:147
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159
–, lumenal calcium modulates unitary conductance and gating of a plant vacuolar calcium release channel, Johannes, E., Sanders, D. 146:211
–, lysozome acts as a chemorepellant and secretagogue in *Paramecium* by activating a novel receptor-operated Ca^{++} conductance, Hennessey, T.M., Kim, M.Y., Satir, B.H. 148:13
–, patch clamp detection of transcription factor translocation along the nuclear pore complex channel, Bustamante, J.O., Oberleithner, H., Hanover, J.A., Liepins, A. 146:253
–, pH- and voltage-dependent conductances in toad skin, Lacaz–Vieira, F. 148:1
–, properties of voltage-gated ion channels formed by syringomycin E in planar lipid bilayers, Feigin, A.M., Takemoto, J.Y., Wangspa, R., Teeter, J.H., Brand, J.G. 149:41
–, reconstitution of the influenza virus M_2 ion channel in lipid bilayers, Tosteson, M.T., Pinto, L.H., Holsinger, L.J., Lamb, R.A. 142:117
–, the ion channel behavior of the nuclear pore complex, Bustamante, J.O., Hanover, J.A., Liepins, A. 146:239
Conductance regulation
–, evidence for coupling between Na^+ pump activity and TEA-sensitive K^+ currents in *Xenopus laevis* oocytes, Huang, H., St.-Jean, H., Coady, M.J., Lapointe, J.-Y. 143:29
Conductance states
–, low conductance states of a single ion channel are not 'closed', Korchev, Y.E., Bashford, C.L., Alder, G.M., Kasianowicz, J.J., Pasternak, C.A. 147:233
Conductance–voltage profiles
–, modeling the current–voltage Characteristics of *Chara* membranes: I. the effect of ATP removal and zero turgor, Beilby, M.J., Walker, N.A. 149:89
Connexin
–, cyclic AMP induces rapid increases in gap junction permeability and changes in the cellular distribution of connexin43, Burghardt, R.C., Barhoumi, R., Sewall, T.C., Bowen, J.A. 148:243
–, effect of antipeptide antibodies directed against three domains of connexin43 on the gap junctional permeability of cultured heart cells, Bastide, B., Jarry–Guichard, T., Briand, J.P., Délèze, J., Gros, D. 150:243
–, functional characterization of canine connexin45, Steiner, E., Ebihara, L. 150:153
–, immunochemical characterization of the gap junction protein connexin45 in mouse kidney and transfected human HeLa cells, Butterweck, A., Gergs, U., Elfgang, C., Willecke, K., Traub, O. 141: 247
Connexons
–, preparation, characterization, and structure of half gap junctional

layers split with urea and EGTA, Ghoshroy, S., Goodenough, D.A., Sosinsky, G.E. 146:15
Contractility
–, responses of neurons to extreme osmomechanical stress, Wan, X., Harris, J.A., Morris, C.E. 145:21
Convective flow
–, the paracellular channel for water secretion in the upper segment of the Malpighian tubule of *Rhodnius prolixus,* Sofía Hernández, C., González, E., Whittembury, G. 148:233
Cooperative binding
–, heart and T-lymphocyte cell surfaces both exhibit positive cooperativity in binding a membrane-lytic toxin, Stevens–Truss, R., Messer, W.S., Jr., Hinman, C.L. 150:113
Cortical collecting duct
–, a calcium-activated and nucleotide-sensitive nonselective cation channel in M-1 mouse cortical collecting duct cells, Korbmacher, C., Volk, T., Segal, A.S., Boulpaep, E.L., Frömter, E. 146:29
–, amiloride-sensitive sodium channels in confluent M-1 mouse cortical collecting duct cells, Letz, B., Ackermann, A., Canessa, C.M., Rossier, B.C., Korbmacher, C. 148:127
–, synergistic action of vasopressin and aldosterone on basolateral Na^+–K^+–ATPase in the cortical collecting duct, Coutry, N., Farman, N., Bonvalet, J.P., Blot–Chabaud, M. 145:99
Coupling ratio
–, reaction kinetics of the vacuolar H^+-pumping ATPase in *Beta vulgaris,* Davies, J.M., Sanders, D., Gradmann, D. 150:231
CPAE cells
–, characterization of volume-activated chloride currents in endothelial cells from bovine pulmonary artery, Szücs, G., Buyse, G., Eggermont, J., Droogmans, G., Nilius, B. 149:189
cRNA
–, modifications of current properties by expression of a foreign potassium channel gene in *Xenopus* embryonic cells, Spruce, A.E., Moody, W.J. 148:255
Cromakalin
–, SR47063, a potent channel opener, activates K_{ATP} and a time-dependent current likely due to potassium accumulation, Tourneur, Y., Marion, A., Gautier, P. 142:337
CryIC
–, ionic permeabilities induced by *Bacillus thuringiensis* in Sf9 cells, Vachon, V., Paradis, M.-J., Marsolais, M., Schwartz, J.-L., Laprade, R. 148:57
Cryoelectron microscopy
–, preparation, characterization, and structure of half gap junctional layers split with urea and EGTA, Ghoshroy, S., Goodenough, D.A., Sosinsky, G.E. 146:15
CTFR
–, characterization of whole cell chloride conductances in a mouse inner medullary collecting duct cell line mIMCD-3, Shindo, M., Simmons, N.L., Gray, M.A. 149:21
Current activation
–, the transient outward current of isolated bovine adrenal zona fasciculata cells: comparison between standard and perforated patch recording methods, Bilbaut, A., Chorvatova, A., Ojeda, C., Rougier, O. 149:233
Current inactivation
–, an inactivating inward-rectifying K current present in prolactin cells from the pituitary of lactating rats, Corrette, B.J., Bauer, C.K., Schwarz, J.R. 150:185
–, the transient outward current of isolated bovine adrenal zona fasciculata cells: comparison between standard and perforated patch recording methods, Bilbaut, A., Chorvatova, A., Ojeda, C., Rougier, O. 149:233
Current–voltage models
–, modeling the current–voltage Characteristics of *Chara* membranes: I. the effect of ATP removal and zero turgor, Beilby, M.J., Walker, N.A. 149:89
Current–voltage relationship
–, gating mechanism of the cloned inward rectifier potassium channel from mouse heart, Ishihara, K., Hiraoka, M. 142:55
Cyclic nucleotide-gated (CNG) channel
–, effects of cysteine modification on the activity of the cGMP-gated channel from retinal rods, Serre, V., Ildefonse, M., Bennett, N. 146:145
–, the permeation of organic cations through cAMP-gated channels in mammalian olfactory receptor neurons, Balasubramanian, S., Lynch, J.W., Barry, P.H. 146:177
Cyclic nucleotides
–, regulation of calcium-activated nonselective cation channel activity by cyclic nucleotides in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 145:267
Cysteine
–, effects of cysteine modification on the activity of the cGMP-gated channel from retinal rods, Serre, V., Ildefonse, M., Bennett, N. 146:145
Cysteine protease
–, endogenous, Ca^{2+}-dependent cysteine–protease cleaves specifically the ryanodine receptor/Ca^{2+} release channel in skeletal muscle, Shoshan-Barmatz, V., Weil, S., Meyer, H., Varsanyi, M., Heilmeyer, L.M.G. 142:281
Cystic fibrosis
–, molecular basis of epithelial Cl channels, Fong, P., Jentsch, T.J. 144:189
Cystic fibrosis gene product
–, cellular chloride depletion inhibits cAMP-activated electrogenic chloride fluxes in HT29-18-C_1 cells, Fine, DM., Lo, C.F., Aguillar, L., Blackmon, D.L., Montrose, M.H. 145:129
Cytochalasin B
–, modulation of a volume-regulated chloride current by F-actin, Levitan, I., Almonte, C., Mollard, P., Garber, S.S. 147:283
Cytochalasin D
–, lateral mobility of Na,K-ATPase and membrane lipids in renal cells. importance of cytoskeletal integrity, Paller, M.S. 142:127
Cytokines
–, human macrophages contain a stretch-sensitive potassium channel that is activated by adherence and cytokines, Martin, D.K., Bootcov, M.R., Campbell, T.J., French, P.W., Breit, S.N. 147:305
Cytolysis
–, heart and T-lymphocyte cell surfaces both exhibit positive cooperativity in binding a membrane-lytic toxin, Stevens–Truss, R., Messer, W.S., Jr., Hinman, C.L. 150:113
Cytoplasmic membrane
–, effect of mutation of potassium-efflux system, *kefA,* on mechanosensitive channels in the cytoplasmic membrane of *Escherichia coli,* Cui, C., Adler, J. 150:143
–, how proteins cross the bacterial cytoplasmic membrane, Driessen, A.J.M. 142:145
Cytoskeleton
–, band 3 antagonists, *p*-azidobenzylphlorizin and DIDS, mediate erythrocyte shape and flexibility changes as Characterized by digital image morphometry and microfiltration, Hoefner, D.M., Blank, M.E., Davis, B.M., Diedrich, D.F. 141:91
–, cytoskeletal disruption in A6 kidney cells: impact on endo/exocytosis and NaCl transport regulation by antidiuretic hormone, Verrey, F., Groscurth, P., Bolliger, U. 145:193
–, effects of vasopressin and aldosterone on the lateral mobility of epithelial Na^+ channels in A6 renal epithelial cells, Smith, P.R., Stoner, L.C., Viggiano, S.C., Angelides, K.J., Benos, D.J. 147:195

–, human macrophages contain a stretch-sensitive potassium channel that is activated by adherence and cytokines, Martin, D.K., Bootcov, M.R., Campbell, T.J., French, P.W., Breit, S.N. 147:305
–, hypotonically activated chloride current in HSG cells, Fatherazi, S., Izutsu, K.T., Wellner, R.B., Belton, C.M. 142:181
–, lateral mobility of Na,K-ATPase and membrane lipids in renal cells. importance of cytoskeletal integrity, Paller, M.S. 142:127
–, role of F-actin in the activation of Na^+–K^+–Cl^- cotransport by forskolin and vasopressin in mouse kidney cultured thick ascending limb cells, Wu, M.S., Bens, M., Cluzeaud, F., Vandewalle, A. 142:323
Cytosolic acidification
–, the pH-sensitivity of transepithelial K^+ transport in vestibular dark cells, Wangemann, P., Liu, J., Shiga, N. 147:255
Cytosolic alkalinization
–, the pH-sensitivity of transepithelial K^+ transport in vestibular dark cells, Wangemann, P., Liu, J., Shiga, N. 147:255
Cytotoxin
–, heart and T-lymphocyte cell surfaces both exhibit positive cooperativity in binding a membrane-lytic toxin, Stevens–Truss, R., Messer, W.S., Jr., Hinman, C.L. 150:113
Degranulation
–, modeling degranulation with liposomes: effect of lipid composition on membrane fusion, Brock, T.G., Nagaprakash, K., Margolis, D.I., Smolen, J.E. 141:139
Delayed rectifier
–, calcium sensitivity of the plasmalemmal delayed rectifier potassium current suggests that calcium influx in pulvinar protoplasts from *Mimosa pudica* L. can be revealed by hyperpolarization, Stoeckel, H., Takeda, K. 146:201
–, single-channel analysis of a delayed rectifier K^+ channel in *Xenopus* myelinated nerve, Koh, D.-S., Vogel, W. 149:221
Dendritic knobs
–, the permeation of organic cations through cAMP-gated channels in mammalian olfactory receptor neurons, Balasubramanian, S., Lynch, J.W., Barry, P.H. 146:177
Desensitization
–, rapid desensitization of $\alpha_1\beta_1$ $GABA_A$ receptors expressed in Sf9 cells under optimized conditions, Birnir, B., Tierney, M.L., Pillai, N.P., Cox, G.B., Gage, P.W. 148:193
Deuterium oxide
–, D_2O-induced ion channel activation in *Characeae* at low ionic strength, Andjus, P.R., Kataev, A.A., Alexandrov, A.A., Vucelic, D., Berestovsky, G.N. 142:43
Dextran
–, permeabilization of the plasma membrane of L1210 mouse leukemia cells using lithotripter shock waves, Gambihler, S., Delius, M., Ellwart, J.W. 141:267
–, pore formation by *S. aureus* α-toxin in liposomes and planar lipid bilayers: effects of nonelectrolytes, Bashford, C.L., Alder, G.M., Fulford, L.G., Korchev, Y.E., Kovacs, E., MacKinnon, A., Pederzolli, C., Pasternak, C.A. 150:37
Dicarboxylic acids
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41
Diffusional coupling
–, reversible interruption of gap junctional communication by testosterone propionate in cultured Sertoli cells and cardiac myocytes, Pluciennik, F., Verrecchia, F., Bastide, B., Hervé, J.C., Joffre, M., Délèze, J. 149:169
Digital image morphometry
–, band 3 antagonists, *p*-azidobenzylphlorizin and DIDS, mediate erythrocyte shape and flexibility changes as Characterized by digital image morphometry and microfiltration, Hoefner, D.M., Blank, M.E., Davis, B.M., Diedrich, D.F. 141:91
Diglycerides
–, nuclear lipid metabolism in NEST: nuclear envelope signal transduction, Raben, D.M., Jarpe, M.B., Leach, K.L. 142:1
Dihydropyridine receptor
–, excitation-calcium release uncoupling in aged single human skeletal muscle fibers, Delbono, O., O'Rourke, K.S., Ettinger, W.H. 148:211
Dissociation constant
–, ion binding constants for gramicidin A obtained from water permeability measurements, Wang, K.-W., Tripathi, S., Hladky, S.B. 143:247
Disulfide bond
–, associated proteins and renal epithelial Na^+ channel function, Ismailov, I.I., Berdiev, B.K., Bradford, A.L., Awayda, M.S., Fuller, C.M., Benos, D.J. 149:123
Disulfonic stilbene (DIDS)
–, a chloride channel reconstituted from fetal rat brain growth cones, DeBin, J.A., Wood, M.R., Pfenninger, K.H., Strichartz, G.R. 141:7
–, band 3 antagonists, *p*-azidobenzylphlorizin and DIDS, mediate erythrocyte shape and flexibility changes as Characterized by digital image morphometry and microfiltration, Hoefner, D.M., Blank, M.E., Davis, B.M., Diedrich, D.F. 141:91
–, cell swelling activates separate taurine and chloride channels in Ehrlich mouse ascites tumor cells, Lambert, I.H., Hoffmann, E.K. 142:289
–, DIDS increases K^+ secretion through an I_{sK} channel in apical membrane of vestibular dark cell epithelium of gerbil, Shen, Z., Liu, J., Marcus, D.C., Shiga, N., Wangemann, P. 146:283
Dithiothreitol (DTT)
–, associated proteins and renal epithelial Na^+ channel function, Ismailov, I.I., Berdiev, B.K., Bradford, A.L., Awayda, M.S., Fuller, C.M., Benos, D.J. 149:123
Divalent cation block
–, sodium current inhibition by internal calcium: a combination of open-channel block and surface charge screening?, Zamponi, G.W., French, R.J. 147:1
Divalent cations
–, temperature-dependent modification of divalent cation flux in the rat parotid gland basolateral membrane, Lockwith, T.P., Kim, I.H., Ambudkar, I.S. 141:289
–, the Ca^{2+}-induced leak current in *Xenopus* oocytes is indeed mediated through a Cl^- channel, Weber, W.-M., Liebold, K.M., Reifarth, F.W., Clauss, W. 148:263
DMPC:cholesterol bilayer
–, phospholipid surface density determines the partitioning and permeability of acetic acid in DMPC:cholesterol bilayers, Xiang, T.-X., Anderson, B.D. 148:157
DNA
–, DNA, protein, and plasma membrane incorporation by arrested mammalian cells, Sukhorukov, V.L., Djuzenova, C.S., Arnold, W.M., Zimmermann, U. 142:77
DNDS
–, a chloride channel reconstituted from fetal rat brain growth cones, DeBin, J.A., Wood, M.R., Pfenninger, K.H., Strichartz, G.R. 141:7
Dog heart
–, examination of the role of phosphorylation and phospholamban in the regulation of the cardiac sarcoplasmic reticulum of Cl^- channel, Decrouy, A., Juteau, M., Rousseau, E. 146:315
Doxorubicin

–, DNA, protein, and plasma membrane incorporation by arrested mammalian cells, Sukhorukov, V.L., Djuzenova, C.S., Arnold, W.M., Zimmermann, U. 142:77
Drug resistance
–, drug-transport and volume-regulated chloride channel functions in human erythroleukemia cells: relation to expression level of p-glycoprotein, Viana, F., Van Acker, K., De Greef, C., Eggermont, J., Raeymaekers, L., Droogmans, G., Nilius, B. 145:87
–, the biology of the p-glycoproteins, Leveille–Webster, C.R., Arias, I.M. 143:89
Dye transfer
–, dye transfer between cells of the lens, Rae, J.L., Bartling, C., Rae, J., Mathias, R.T. 150:89
–, effect of antipeptide antibodies directed against three domains of connexin43 on the gap junctional permeability of cultured heart cells, Bastide, B., Jarry–Guichard, T., Briand, J.P., Délèze, J., Gros, D. 150:243
Eel erythrocytes
–, anion-selectivity of the swelling-activated osmolyte channel in eel erythrocytes, Lewis, R.A., Bursell, J.D.H., Kirk, K. 149:103
Egg phosphatidylcholine
–, differential effect of triiodothyronine and thyroxine on liposomes containing cholesterol: physiological speculations, Chehin, R.N., Rintoul, M.R., Morero, R.D., Farias, R.N. 147:217
Ehrlich ascites tumor cells
–, cell swelling activates separate taurine and chloride channels in Ehrlich mouse ascites tumor cells, Lambert, I.H., Hoffmann, E.K. 142:289
–, phosphorylation is involved in the regulation of the taurine influx via the β-system in Ehrlich ascites tumor cells, Mollerup, J., Lambert, I.H. 150:73
–, shrinkage-induced activation of the Na^+/H^+ exchanger in Ehrlich ascites tumor cells: mechanisms involved in the activation and a role for the exchanger in cell volume regulation, Pedersen, S.F., Kramhøft, B., Jørgensen, N.K., Hoffmann, E.K. 149:141
Electric field
–, computing the field in proteins and channels, Eisenberg, R.S. 150:1
Electrical conductance
–, magnitude and modulation of pancreatic β-cell gap junction electrical conductance *in situ*, Mears, D., Sheppard, N.F., Jr., Atwater, I., Rojas, E. 146:163
Electrical coupling
–, magnitude and modulation of pancreatic β-cell gap junction electrical conductance *in situ*, Mears, D., Sheppard, N.F., Jr., Atwater, I., Rojas, E. 146:163
–, reversible interruption of gap junctional communication by testosterone propionate in cultured Sertoli cells and cardiac myocytes, Pluciennik, F., Verrecchia, F., Bastide, B., Hervé, J.C., Joffre, M., Délèze, J. 149:169
Electrical development
–, modifications of current properties by expression of a foreign potassium channel gene in *Xenopus* embryonic cells, Spruce, A.E., Moody, W.J. 148:255
Electrodiffusion
–, computing the field in proteins and channels, Eisenberg, R.S. 150:1
Electrofusion
–, electrically induced fusion of mammalian cells in the presence of polyethylene glycol, Stoicheva, N.G., Hui, S.W. 141:177
Electrogenic transport
–, sequential potassium binding at the extracellular side of the Na,K pump, Bühler, R., Apell, J.-J. 145:165
Electron paramagnetic resonance
–, transport and dynamics of molecules dissolved in maize root cortex membranes, Svetek, J., Furtula, V., Nemec, M., Nothnagel, E.A., Schara, M. 143:19
Electron spin probes
–, reconstitution of 5′-nucleotidase of bull seminal plasma in spin-labeled liposomes, Fini, C., Thuong, V.D., Aliante, M., Floridi, A., Cannistraro, S. 142:137
Electrophysiology
–, a heterogeneous electrophysiological profile of bone marrow-derived mast cells, Kuno, M., Shibata, T., Kawawaki, J., Kyogoku, I. 143:115
–, dye transfer between cells of the lens, Rae, J.L., Bartling, C., Rae, J., Mathias, R.T. 150:89
–, evidence for coupling between Na^+ pump activity and TEA-sensitive K^+ currents in *Xenopus laevis* oocytes, Huang, H., St.-Jean, H., Coady, M.J., Lapointe, J.-Y. 143:29
–, ion transport across the early chick embryo: I. Electrical measurements, ionic fluxes and regional heterogeneity, Kucera, P., Abriel, H., Katz, U. 141:149
–, kinetics and specificity of the renal Na^+/*myo*–inositol cotransporter expressed in *Xenopus* oocytes, Hager, K., Kwon, H.M., Loo, D.D.F., Handler, J.S., Wright, E.M. 143:103
Electrorotation
–, DNA, protein, and plasma membrane incorporation by arrested mammalian cells, Sukhorukov, V.L., Djuzenova, C.S., Arnold, W.M., Zimmermann, U. 142:77
Electrostatic interactions
–, ion selectivity of colicin E1: III. Anion permeability, Bullock, J.O., Kolen, E.R. 144:131
Electrotonic coupling
–, estimating and eliminating junctional current in coupled cell populations by leak subtraction. a computational study, Sherman, A., Xu, L., Stokes, C.L. 143:79
Embryonic chick hepatocytes
–, the inwardly rectifying potassium current of embryonic chick hepatocytes, Hill, C.E., Pon, D.C. 144:249
Embryonic neural activity
–, evaluation of optimal voltage-sensitive dyes for optical monitoring of embryonic neural activity, Momose–Sato, Y., Sato, K., Sakai, T., Hirota, A., Masutani, K., Kamino, K. 144:167
Endocytosis
–, cytoskeletal disruption in A6 kidney cells: impact on endo/exocytosis and NaCl transport regulation by antidiuretic hormone, Verrey, F., Groscurth, P., Bolliger, U. 145:193
Endolymph
–, a novel, volume-correlated Cl^- conductance in marginal cells dissociated from the stria vascularis of gerbils, Takeuchi, S., Irimajiri, A. 150:47
Endoplasmic reticulum
–, characterization of two different Ca^{2+} uptake and IP3-sensitive Ca^{2+} release mechanisms in microsomal Ca^{2+} pools of rat pancreatic acinar cells, Ozawa, T., Thévenod, F., Schulz, I. 144:111
Endothelial cells
–, calcium-mobilizing agonists stimulate anion fluxes in cultured endothelial cells from human umbilical vein, White, C.R., Brock, T.A. 142:171
–, characterization of volume-activated chloride currents in endothelial cells from bovine pulmonary artery, Szücs, G., Buyse, G., Eggermont, J., Droogmans, G., Nilius, B. 149:189
Enzyme transport
–, computing the field in proteins and channels, Eisenberg, R.S. 150:1
Epididymis
–, extracellular ATP activates both Ca^{2+}- and cAMP-dependent Cl^-

conductances in rat epididymal cells, Chan, H.C., Zhou, W.L., Wong, P.Y.D. 147:185
Epithelial barriers
–, water pathways across a reconstituted epithelial barrier formed by Caco-2 cells: effects of medium hypertonicity, Parisi, M., Pisam, M., Calamita, G., Gobin, R., Toriano, R., Bourguet, J. 143:237
Epithelial cell line Ma104
–, a novel type of cell–cell cooperation between epithelial cells, Contreras, R.G., Lázaro, A., Bolivar, J.J., Flores–Maldonado, C., Sánchez, S.H., González–Mariscal, L., García–Villegas, M.R., Valdés, J., Cereijido, M. 145:305
–, ouabain resistance of the epithelial cell line (Ma104) is not due to lack of affinity of its pumps for the drug, Contreras, R.G., Lázaro, A., Mújica, A., González–Mariscal, L., Valdés, J., García–Villegas, M.R., Cereijido, M. 145:295
Epithelial cells
–, basolateral K channel activated by carbachol in the epithelial cell line T_{84}, Tabcharani, J.A., Harris, R.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:241
–, dye transfer between cells of the lens, Rae, J.L., Bartling, C., Rae, J., Mathias, R.T. 150:89
–, expression of potassium channels in epithelial cells depends on calcium-activated cell–cell contacts, Talavera, D., Ponce, A., Fiorentino, R., González–Mariscal, L., Contreras, R.G., Sánchez, S.H., García–Villegas, M.R., Valdés, J., Cereijido, M. 143:219
–, lateral mobility of Na,K-ATPase and membrane lipids in renal cells. importance of cytoskeletal integrity, Paller, M.S. 142:127
–, regulation of an inwardly rectifying K channel in the T_{84} epithelial cell line by calcium, nucleotides, and kinases, Tabcharani, J.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:255
Epithelial function
–, molecular basis of epithelial Cl channels, Fong, P., Jentsch, T.J. 144:189
Epithelial sodium channel
–, effects of vasopressin and aldosterone on the lateral mobility of epithelial Na^+ channels in A6 renal epithelial cells, Smith, P.R., Stoner, L.C., Viggiano, S.C., Angelides, K.J., Benos, D.J. 147:195
Epithelial transport
–, the paracellular channel for water secretion in the upper segment of the Malpighian tubule of *Rhodnius prolixus*, Sofía Hernández, C., González, E., Whittembury, G. 148:233
Epithelium
–, apical membrane sodium and chloride entry during osmotic swelling of renal (A6) epithelial cells, Crowe W.E., Ehrenfeld, J., Brochiero, E., Wills, N.K. 144:81
–, calcium entry in rabbit corneal epithelial cells: evidence for a nonvoltage dependent pathway, Rich, A., Rae, J.L. 144:177
–, effects of voltage clamping on epithelial cell composition in toad urinary bladder studied with x-ray microanalysis, Bowler, J.M., McLaughlin, C.W., Butt, A.G., Purves, R.D., Macknight, A.D.C 145:175
–, maxi K^+ channels on human vas deferens epithelial cells, Sohma, Y., Harris, A., Wardle, C.J.C., Gray, M.A., Argent, B.E. 141:69
–, oligopeptide transport by epithelial cells, Meredith, D., Boyd, C.A.R. 145:1
–, the chloride concentration in the lateral intercellular spaces of MDCK cell monolayers, Xia, P., Persson, B.-E., Spring, K.R. 144:21
–, the sodium concentration of the lateral intercellular spaces of MDCK cells: a microspectrofluorimetric study, Chatton, J.-Y., Spring, K.R. 144:11
–, the sodium concentration of lateral intercellular spaces (Letter), Naftalin, RJ., Pedley, K.C. 147:105
Equilibrium dissociation constant
–, different arachidonate and palmitate binding capacities of the human red cell membrane, Bojesen, I.N., Bojesen, E. 142:113
Erythrocytes
–, amino acid transport system y^+L of human erythrocytes: specificity and cation dependence of the translocation step, Angelo, S., Devés, R. 141:183
–, band 3 antagonists, *p*-azidobenzylphlorizin and DIDS, mediate erythrocyte shape and flexibility changes as Characterized by digital image morphometry and microfiltration, Hoefner, D.M., Blank, M.E., Davis, B.M., Diedrich, D.F. 141:91
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
–, quinine and quinidine inhibit and reveal heterogeneity of K–Cl cotransport in low K sheep erythrocytes, Adragna, N.C., Lauf, P.K. 142:195
Erythroleukemia cells
–, drug-transport and volume-regulated chloride channel functions in human erythroleukemia cells: relation to expression level of p-glycoprotein, Viana, F., Van Acker, K., De Greef, C., Eggermont, J., Raeymaekers, L., Droogmans, G., Nilius, B. 145:87
Escherichia coli
–, characterization of mechanosensitive channels in *Escherichia coli* cytoplasmic membrane by whole-cell patch clamp recording, Cui, C., Smith, D.O., Adler, J. 144:31*i*
–, effect of mutation of potassium-efflux system, *kefA*, on mechanosensitive channels in the cytoplasmic membrane of *Escherichia coli*, Cui, C., Adler, J. 150:143
–, how proteins cross the bacterial cytoplasmic membrane, Driessen, A.J.M. 142:145
–, permeability increase induced by *Escherichia coli* hemolysin A in human macrophages is due to the formation of ionic pores: a patch clamp characterization, Menestrina, G., Pederzolli, C., Dalla Serra, M., Bregante, M., Gambale, F. 149:113
17β-Estradiol esters
–, influence of the molecular structure of steroids on their ability to interrupt gap junctional communication, Hervé, J.C., Pluciennik, F., Verrecchia, F., Bastide, B., Delage, B., Joffre, M., Délèze, J. 149:179
Ethacrynic acid
–, mechanisms of cell volume regulation in the proximal segment of the Malpighian tubule of *Rhodnius neglectus*, Arenstein, I.R., Caruso–Neves, C., Onuchic, L.F., Lopes, A.G. 146:47
N-Ethylmaleimide
–, effects of cysteine modification on the activity of the cGMP-gated channel from retinal rods, Serre, V., Ildefonse, M., Bennett, N. 146:145
Excitation–calcium release uncoupling
–, excitation-calcium release uncoupling in aged single human skeletal muscle fibers, Delbono, O., O'Rourke, K.S., Ettinger, W.H. 148:211
Excitation–contraction coupling
–, Ca^{2+} modulation of sarcoplasmic reticulum Ca^{2+} release in rat skeletal muscle fibers, Delbono, O. 146:91
Exocytosis
–, lipids in biological membrane fusion, Chernomordik, L., Kozlov, M.M., Zimmerberg, J. 146:1
–, lysozome acts as a chemorepellant and secretagogue in *Paramecium* by activating a novel receptor-operated Ca^{++} conductance, Hennessey, T.M., Kim, M.Y., Satir, B.H. 148:13
–, molecular mechanisms in exocytosis, Edwardson, J.M., Marciniak, S.J. 146:113

–, neurotransmitter release at fast synapses, Parnas, H., Parnas, I. 142:267
–, veratridine triggers exocytosis in *Paramecium* cells by activating somatic Ca channels, Plattner, H., Braun, C., Klauke, N., Länge, S. 142:229
Extracellular matrix
–, cell membrane patches are supported by proteoglycans, Olesen, S.-P. 144:245
Extracellular pH
–, differential regulation of membrane potential and conductance via intra- and extracellular pH in fused proximal tubular cells of frog kidney, Belachgar, F., Hulin, P., Planelles, G., Anagnostopoulos, T. 143:123
Extracellular sodium
–, control of the amiloride-sensitive Na^+ current in salivary duct cells by extracellular sodium, Komwatana, P., Dinudom, A., Young, J.A., Cook, D.I. 150:133
F-actin
–, modulation of a volume-regulated chloride current by F-actin, Levitan, I., Almonte, C., Mollard, P., Garber, S.S. 147:283
Facilitation
–, the transient outward current of isolated bovine adrenal zona fasciculata cells: comparison between standard and perforated patch recording methods, Bilbaut, A., Chorvatova, A., Ojeda, C., Rougier, O. 149:233
Facilitators
–, modeling facilitative sugar transporters: transitions between single and double ligand occupancy of multiconformational channel models explain anomalous kinetics, Hernández, J.A., Fischbarg, J., Vera, J.C. 149:57
–, predictive evidence for a porin-type β-barrel fold in CHIP28 and oather members of the MIP family. a restricted-pore model common to water channels and facilitators, Fischbarg, J., Li, J., Cheung, M., Czegledy, F., Iserovich, P., Kuang, K. 143:177
Fast synapses
–, neurotransmitter release at fast synapses, Parnas, H., Parnas, I. 142:267
Fatty acid binding
–, different arachidonate and palmitate binding capacities of the human red cell membrane, Bojesen, I.N., Bojesen, E. 142:113
–, specificities of red cell membrane sites transporting three long chain fatty acids, Bojesen, I.N., Bojesen, E. 149:257
Fatty acids
–, apical membrane Cl–butyrate exchange: mechanism of short chain fatty acid stimulation of active chloride absorption in rat distal colon, Rajendran, V.M., Binder, H.J. 141:51
–, membrane fatty acid composition of tissues is related to body mass of mammals, Couture, P., Hulbert, A.J. 148:27
–, transport of K^+ and other cations across phospholipid membranes by nonesterified fatty acids, Sharpe, M.A, Cooper, C.E., Wrigglesworth, J.M. 141:21
Fe^{2+} transport
–, arginyl residues are involved in the transport of Fe^{2+} through the plasma membrane of the mammalian reticulocyte, González–Sepúlveda, M., Núñez, M.T. 141:225
Fiber cells
–, dye transfer between cells of the lens, Rae, J.L., Bartling, C., Rae, J., Mathias, R.T. 150:89
Flow cytometry
–, DNA, protein, and plasma membrane incorporation by arrested mammalian cells, Sukhorukov, V.L., Djuzenova, C.S., Arnold, W.M., Zimmermann, U. 142:77
Flufenamic acid
–, a calcium-activated and nucleotide-sensitive nonselective cation channel in M-1 mouse cortical collecting duct cells, Korbmacher, C., Volk, T., Segal, A.S., Boulpaep, E.L., Frömter, E. 146:29
Fluid transport
–, the chloride concentration in the lateral intercellular spaces of MDCK cell monolayers, Xia, P., Persson, B.-E., Spring, K.R. 144:21
–, the sodium concentration of the lateral intercellular spaces of MDCK cells: a microspectrofluorimetric study, Chatton, J.-Y., Spring, K.R. 144:11
–, the sodium concentration of lateral intercellular spaces (Letter), Naftalin, RJ., Pedley, K.C. 147:105
Fluorescence
–, optical methods to measure membrane transport processes, Verkman, A.S. 148:99
–, relationship of alcohol-induced changes in Mg^{2+}–ATPase activity of rabbit intestinal brush border membrane with changes in fluidity of its lipid bilayer, Kitagawa, S., Sugaya, Y., Nishizawa, M., Hirata, H. 146:193
–, the voltage dependence of depolarization-induced calcium release is isolated skeletal muscle triads, Kramer, J.W., Corbett, A.M. 144:217
Fluorescence microscopy
–, determination of the Na permeability of the tight junctions of MDCK cells by fluorescence microscopy, Kovbasnjuk, O., Chatton, J.-Y., Friauf, W.S., Spring, K.R. 148:223
–, the chloride concentration in the lateral intercellular spaces of MDCK cell monolayers, Xia, P., Persson, B.-E., Spring, K.R. 144:21
–, the sodium concentration of the lateral intercellular spaces of MDCK cells: a microspectrofluorimetric study, Chatton, J.-Y., Spring, K.R. 144:11
–, the sodium concentration of lateral intercellular spaces (Letter), Naftalin, RJ., Pedley, K.C. 147:105
–, tracking movements of lipids and Thy1 molecules in the plasmalemma of living fibroblasts by fluorescence video microscopy with nanometer scale precision, Hicks, B.W., Angelides, K.J. 144:231
Fluorescence recovery after photobleaching (FRAP)
–, cheek cell membrane fluidity measured by fluorescence recovery after photobleaching and steady-state fluorescence anisotropy, Ladha, S., Mackie, A.R., Clark, D.C. 142:223
–, cyclic AMP induces rapid increases in gap junction permeability and changes in the cellular distribution of connexin43, Burghardt, R.C., Barhoumi, R., Sewall, T.C., Bowen, J.A. 148:243
–, effects of vasopressin and aldosterone on the lateral mobility of epithelial Na^+ channels in A6 renal epithelial cells, Smith, P.R., Stoner, L.C., Viggiano, S.C., Angelides, K.J., Benos, D.J. 147:195
–, influence of the molecular structure of steroids on their ability to interrupt gap junctional communication, Hervé, J.C., Pluciennik, F., Verrecchia, F., Bastide, B., Delage, B., Joffre, M., Délèze, J. 149:179
–, lateral mobility of Na,K-ATPase and membrane lipids in renal cells. importance of cytoskeletal integrity, Paller, M.S. 142:127
–, reversible interruption of gap junctional communication by testosterone propionate in cultured Sertoli cells and cardiac myocytes, Pluciennik, F., Verrecchia, F., Bastide, B., Hervé, J.C., Joffre, M., Délèze, J. 149:169
–, transport and dynamics of molecules dissolved in maize root cortex membranes, Svetek, J., Furtula, V., Nemec, M., Nothnagel, E.A., Schara, M. 143:19
Flux ratio
–, ion binding constants for gramicidin A obtained from water permeability measurements, Wang, K.-W., Tripathi, S., Hladky, S.B. 143:247

Forskolin
–, chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule, Tauc, M., Bidet, M., Poujeol, P. 150:255
–, role of F-actin in the activation of Na^+–K^+–Cl^- cotransport by forskolin and vasopressin in mouse kidney cultured thick ascending limb cells, Wu, M.S., Bens, M., Cluzeaud, F., Vandewalle, A. 142:323
Freeze fracture
–, a method for determining the unitary functional capacity of cloned channels and transporters expressed in *Xenopus laevis* oocytes, Zampighi, G.A., Kreman, M., Boorer, K.J., Loo, D.D.F., Bezanilla, F., Chandy, G., Hall, J.E., Wright, E.M. 148:65
–, veratridine triggers exocytosis in *Paramecium* cells by activating somatic Ca channels, Plattner, H., Braun, C., Klauke, N., Länge, S. 142:229
–, water pathways across a reconstituted epithelial barrier formed by Caco-2 cells: effects of medium hypertonicity, Parisi, M., Pisam, M., Ca'amita, G., Gobin, R., Toriano, R., Bourguet, J. 143:237
Frog corneal epithelium
–, chloride-activated water permeability in the frog corneal epithelium, Candia, O.A., Zamudio, A.C. 1243:259
Frog kidney
–, differential regulation of membrane potential and conductance via intra- and extracellular pH in fused proximal tubular cells of frog kidney, Belachgar, F., Hulin, P., Planelles, G., Anagnostopoulos, T. 143:123
Frog olfactory receptor neurons
–, guanine nucleotides modulate steady-state inactivation of voltage-gated sodium channels in frog olfactory receptor neurons, Pun, R.Y.K., Kleene, S.J., Gesteland, R.C. 142:103
Frog skin
–, distribution of mRNA encoding the FA-CHIP water channel in amphibian tissues: effects of salt adaptation, Abrami, L., Capurro, C., Ibarra, C., Parisi, M., Buhler, J.-M., Ripoche, P. 143:199
Frog urinary bladder
–, aquaporin–CHIP-related protein in frog urinary bladder: localization by confocal microscopy, Calamita, G., Mola, M.G., Gounon, P., Jouve, M., Bourguet, J., Svelto, M. 143:267
–, distribution of mRNA encoding the FA-CHIP water channel in amphibian tissues: effects of salt adaptation, Abrami, L., Capurro, C., Ibarra, C., Parisi, M., Buhler, J.-M., Ripoche, P. 143:199
L-Fucose
–, sodium channels in cultured neuroblastoma cells grown in high glucose or L-fucose, Wachtel, R.E., Kraske, S.A., Yorek, M.A. 145:187
Fundulus heteroclitus
–, chloride transport activation by plasma osmolarity during rapid adaptation to high salinity of *Fundulus heteroclitus*, Zadunaisky, J.A., Cardona, S., Au, L., Roberts, D.M., Fisher, E., Lowenstein, B., Cragoe, E.J., Jr., Spring, K.R. 143:207
Fura 2
–, calcium entry in rabbit corneal epithelial cells: evidence for a nonvoltage dependent pathway, Rich, A., Rae, J.L. 144:177
–, Ca^{2+} modulation of sarcoplasmic reticulum Ca^{2+} release in rat skeletal muscle fibers, Delbono, O. 146:91
Furosemide
–, evidence for Na–K–Cl cotransport in alveolar epithelial cells: effect of phorbol ester and osmotic stress, Clerici, C., Couette, S., Loiseau, A., Herman, P., Amiel, C. 147:295
–, mechanisms of cell volume regulation in the proximal segment of the Malpighian tubule of *Rhodnius neglectus*, Arenstein, I.R., Caruso–Neves, C., Onuchic, L.F., Lopes, A.G. 146:47
Fusion intermediates
–, lipids in biological membrane fusion, Chernomordik, L., Kozlov, M.M., Zimmerberg, J. 146:1
Fusion pore
–, molecular mechanisms in exocytosis, Edwardson, J.M., Marciniak, S.J. 146:113
Fusogenic protein
–, a fusogenic protein from rat brain microsomal membranes: partial purification and reconstitution into liposomes, Rakowska, M., Zborowski, J., Corazzi, L. 142:35
G protein
–, characterization of the acetylcholine-sensitive muscarinic K^+ channel in isolated feline atrial and ventricular myocytes, Koumi, S.i., Sato, R., Hayakawa, H. 145:143
–, characterization of the G protein coupling of a glucagon receptor to the K_{ATP} channel in insulin-secreting cells, Ribalet, B., Ciani, S. 142:395
–, characterization of the G protein coupling of SRIF and β-adrenergic receptors to the maxi K_{Ca} channel in insulin-secreting cells, Ribalet, B., Eddlestone, G.T. 148:111
–, direct control of a large conductance K^+-selective channel by G-proteins in adrenal chromaffin granule membranes, Arispe, N., De Mazancourt, P., Rojas, E. 147:109
–, guanine nucleotides modulate steady-state inactivation of voltage-gated sodium channels in frog olfactory receptor neurons, Pun, R.Y.K., Kleene, S.J., Gesteland, R.C. 142:103
–, identification of isoforms of G proteins and PKC that colocalize with tight junctions, Dodane, V., Kachar, B. 149:199
–, membrane stretch augments the cardiac muscarinic K^+ channel activity, Pleumsamran, A., Kim, D. 148:287
–, regulation by GTP of a Ca^{2+}-activated K^+ channel in the apical membrane of rabbit cortical collecting duct cells, Suzuki, M., Takahashi, K., Sakai, O. 141:43
–, selectivity of ATP-activated GTP-dependent Ca^{2+}-permeable channels in rat macrophage plasma membrane, Naumov, A.P., Kaznacheyeva, E.V., Kuryshev, Y.A., Mozhayeva, G.N. 148:91
G protein subunits
–, modulation of the serotonin-activated K^+ channel by G protein subunits and nucleotides in rat hippocampal neurons, Oh, U., Ho, Y.-K., Kim, D. 147:241
GABA
–, exogenous GABA persistently opens Cl^- channels in cultured embryonic rat thalamic neurons, Liu, Q.Y., Vautrin, J., Tang, K.M., Barker, J.L. 145:279
$GABA_A$ channels
–, Characteristics of $GABA_A$ channels in rat dentate gyrus, Birnir, B., Everitt, A.B., Gage, P.W. 142:93
$GABA_A$ currents
–, the effect of intracellular Ca^{2+} on GABA-activated currents in cerebellar granule cells in culture, Martina, M., Kilic, G., Cherubini, E. 142:209
GABA receptors
–, effects of chlorotrifluoroethylene oligomer fatty acids on recombinant GABA receptors expressed in *Xenopus* oocytes, DelRaso, N.J., Huang, Y., Lu, L. 149:33
$GABA_A$ receptors
–, exogenous GABA persistently opens Cl^- channels in cultured embryonic rat thalamic neurons, Liu, Q.Y., Vautrin, J., Tang, K.M., Barker, J.L. 145:279
–, rapid desensitization of $\alpha_1\beta_1$ $GABA_A$ receptors expressed in Sf9 cells under optimized conditions, Birnir, B., Tierney, M.L., Pillai, N.P., Cox, G.B., Gage, P.W. 148:193
–, the effect of intracellular Ca^{2+} on GABA-activated currents in cerebellar granule cells in culture, Martina, M., Kilic, G., Cherubini, E. 142:209

–, use of $^{82}Br^-$ radiotracer to study transmembrane halide flux: the effect of a tranquilizing drug, chlordiazepoxide on channel opening of a $GABA_A$ receptor, Cash, D.J., Serfözö, P., Zinn, K. 145: 257

Gadolinium
–, a nonselective high conductance channel in bovine pigmented ciliary epithelial cells, Mitchell, C.H., Jacob, T.J.C. 150:105
–, calcium sensitivity of the plasmalemmal delayed rectifier potassium current suggests that calcium influx in pulvinar protoplasts from *Mimosa pudica* L. can be revealed by hyperpolarization, Stoeckel, H., Takeda, K. 146:201

Gap junction
–, cyclic AMP induces rapid increases in gap junction permeability and changes in the cellular distribution of connexin43, Burghardt, R.C., Barhoumi, R., Sewall, T.C., Bowen, J.A. 148:243
–, dye transfer between cells of the lens, Rae, J.L., Bartling, C., Rae, J., Mathias, R.T. 150:89
–, estimating and eliminating junctional current in coupled cell populations by leak subtraction. a computational study, Sherman, A., Xu, L., Stokes, C.L. 143:79
–, immunochemical characterization of the gap junction protein connexin45 in mouse kidney and transfected human HeLa cells, Butterweck, A., Gergs, U., Elfgang, C., Willecke, K., Traub, O. 141: 247
–, magnitude and modulation of pancreatic β-cell gap junction electrical conductance *in situ*, Mears, D., Sheppard, N.F., Jr., Atwater, I., Rojas, E. 146:163
–, preparation, characterization, and structure of half gap junctional layers split with urea and EGTA, Ghoshroy, S., Goodenough, D.A., Sosinsky, G.E. 146:15

Gap junction protein
–, functional characterization of canine connexin45, Steiner, E., Ebihara, L. 150:153

Gap junctional communication
–, effect of antipeptide antibodies directed against three domains of connexin43 on the gap junctional permeability of cultured heart cells, Bastide, B., Jarry–Guichard, T., Briand, J.P., Délèze, J., Gros, D. 150:243
–, influence of the molecular structure of steroids on their ability to interrupt gap junctional communication, Hervé, J.C., Pluciennik, F., Verrecchia, F., Bastide, B., Delage, B., Joffre, M., Délèze, J. 149:179
–, reversible interruption of gap junctional communication by testosterone propionate in cultured Sertoli cells and cardiac myocytes, Pluciennik, F., Verrecchia, F., Bastide, B., Hervé, J.C., Joffre, M., Délèze, J. 149:169

Gardos channel
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71

Gastrointestinal tract
–, expression of a novel sodium–hydrogen exchanger in the gastrointestinal tract and kidney, Ghishan, F.K., Knobel, S., Barnard, J.A., Breyer, M. 144:267

Gating charge
–, a method for determining the unitary functional capacity of cloned channels and transporters expressed in *Xenopus laevis* oocytes, Zampighi, G.A., Kreman, M., Boorer, K.J., Loo, D.D.F., Bezanilla, F., Chandy, G., Hall, J.E., Wright, E.M. 148:65

Gating kinetics
–, cytoplasmic Ca^{2+} inhibits the ryanodine receptor from cardiac muscle, Laver, D.R., Roden, L.D., Ahern, G.P., Eager, K.R., Junankar, P.R., Dulhunty, A.F. 147:7
–, gating mechanism of the cloned inward rectifier potassium channel from mouse heart, Ishihara, K., Hiraoka, M. 142:55

Gene activity
–, patch clamp and atomic force microscopy demonstrate TATA-binding protein (TBP) interactions with the nuclear pore complex, Bustamante, J.O., Liepins, A., Prendergast, R.A., Hanover, J.A., Oberleithner, H. 146:263
–, patch clamp detection of transcription factor translocation along the nuclear pore complex channel, Bustamante, J.O., Oberleithner, H., Hanover, J.A., Liepins, A. 146:253
–, the ion channel behavior of the nuclear pore complex, Bustamante, J.O., Hanover, J.A., Liepins, A. 146:239

Gene expression
–, differential expression of sodium channels and nicotinic acetylcholine receptor channels in nnr variants of the PC12 pheochromocytoma cell line, Fanger, G.R., Brennan, C., Henderson, L.P., Gardner, P.D., Maue, R.A. 144:71
–, patch clamp and atomic force microscopy demonstrate TATA-binding protein (TBP) interactions with the nuclear pore complex, Bustamante, J.O., Liepins, A., Prendergast, R.A., Hanover, J.A., Oberleithner, H. 146:263
–, patch clamp detection of transcription factor translocation along the nuclear pore complex channel, Bustamante, J.O., Oberleithner, H., Hanover, J.A., Liepins, A. 146:253
–, the ion channel behavior of the nuclear pore complex, Bustamante, J.O., Hanover, J.A., Liepins, A. 146:239

Gerbils
–, a novel, volume-correlated Cl^- conductance in marginal cells dissociated from the stria vascularis of gerbils, Takeuchi, S., Irimajiri, A. 150:47

Glial cell
–, a tetraethylammonium-insensitive inward rectifier K^+ channel in Müller cells of the turtle (*Pseudemys scripta elegans*) retina, Le Dain, A.C., Anderton, P.J., Martin, D.K., Millar, T.J. 141:239
–, amino acid current through anion channels in cultured human glial cells, Roy, G. 147:35

Glibenclamide
–, distinct modes of blockade in cardiac ATP-sensitive K^+ channels suggest multiple targets for inhibitory drug molecules, Benz, I., Kohlhardt, M. 142:309
–, SR47063, a potent channel opener, activates K_{ATP} and a time-dependent current likely due to potassium accumulation, Tourneur, Y., Marion, A., Gautier, P. 142:337

Glucagon receptor
–, characterization of the G protein coupling of a glucagon receptor to the K_{ATP} channel in insulin-secreting cells, Ribalet, B., Ciani, S. 142:395

Glucocorticoid hormone
–, transcriptional control of sodium transport in tight epithelia by adrenal steroids, Verrey, F. 144:93

Glucose
–, single-microelectrode voltage clamp measurements of pancreatic β-cell membrane ionic currents *in situ*, Rojas, E., Stokes, C.L., Mears, D., Atwater, I. 143:65
–, sodium channels in cultured neuroblastoma cells grown in high glucose or L-fucose, Wachtel, R.E., Kraske, S.A., Yorek, M.A. 145:187

D-Glucose
–, an effect of Ca^{2+} on the intrinsic Cl^--conductance of rat kidney cortex brush border membrane vesicles, Vayro, S., Simmons, N.L. 150:163

Glucose fermentation
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in

removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41
Glucose transport
–, cellular stress causes accumulation of the glucose transporter at the surface of cells independently of their insulin sensitivity, Sviderskaya, E.V., Jazrawi, E., Baldwin, S.A., Widnell, C.C., Pasternak, C.A. 149:133
GLUT
–, cellular stress causes accumulation of the glucose transporter at the surface of cells independently of their insulin sensitivity, Sviderskaya, E.V., Jazrawi, E., Baldwin, S.A., Widnell, C.C., Pasternak, C.A. 149:133
Glutamate
–, amino acid current through anion channels in cultured human glial cells, Roy, G. 147:35
Glycoprotein
–, inhibition of Na^+-pump expression by impairment of protein glycosylation is independent of the reduced sodium entry into the cell, Pedemonte, C.H. 147:223
Glycosyl phophatidylinositol (GPI)-anchored proteins
–, reconstitution of 5′-nucleotidase of bull seminal plasma in spin-labeled liposomes, Fini, C., Thuong, V.D., Aliante, M., Floridi, A., Cannistraro, S. 142:137
Gossypol
–, characterization of volume-activated chloride currents in endothelial cells from bovine pulmonary artery, Szücs, G., Buyse, G., Eggermont, J., Droogmans, G., Nilius, B. 149:189
Gramicidin
–, ion binding constants for gramicidin A obtained from water permeability measurements, Wang, K.-W., Tripathi, S., Hladky, S.B. 143:247
Granule cells
–, the effect of intracellular Ca^{2+} on GABA-activated currents in cerebellar granule cells in culture, Martina, M., Kilic, G., Cherubini, E. 142:209
Granulocyte/macrophage colony-stimulating factor
–, properties of voltage-gated potassium currents of microglia differentiated with granulocyte/macrophage colony-stimulating factor, Eder, C., Fischer, H.-G., Hadding, U., Heinemann, U. 147:137
Growth cone
–, a chloride channel reconstituted from fetal rat brain growth cones, DeBin, J.A., Wood, M.R., Pfenninger, K.H., Strichartz, G.R. 141: 7
GTP binding proteins
–, direct control of a large conductance K^+-selective channel by G-proteins in adrenal chromaffin granule membranes, Arispe, N., De Mazancourt, P., Rojas, E. 147:109
–, molecular mechanisms in exocytosis, Edwardson, J.M., Marciniak, S.J. 146:113
Guanidinium
–, monovalent amidiniums block calcium channels in chick sensory neurons, Mironov, S.L. 141:231
Guanine triphosphate (GTP)
–, guanine nucleotides modulate steady-state inactivation of voltage-gated sodium channels in frog olfactory receptor neurons, Pun, R.Y.K., Kleene, S.J., Gesteland, R.C. 142:103
Guanosine 5′-O-(2-thiodiphosphate) (GTPβS)
–, direct control of a large conductance K^+-selective channel by G-proteins in adrenal chromaffin granule membranes, Arispe, N., De Mazancourt, P., Rojas, E. 147:109
Guanosine 5′-O-(3-thiotriphosphate) (GTPγS)
–, direct control of a large conductance K^+-selective channel by G-proteins in adrenal chromaffin granule membranes, Arispe, N., De Mazancourt, P., Rojas, E. 147:109
Guanosine 5′-triphosphate (GTP)
–, regulation by GTP of a Ca^{2+}-activated K^+ channel in the apical membrane of rabbit cortical collecting duct cells, Suzuki, M., Takahashi, K., Sakai, O. 141:43
–, selectivity of ATP-activated GTP-dependent Ca^{2+}-permeable channels in rat macrophage plasma membrane, Naumov, A.P., Kaznacheyeva, E.V., Kuryshev, Y.A., Mozhayeva, G.N. 148:91
Guard cells
–, Hodgkin–Huxley analysis of a gcac1 anion channel in the plasma membrane of guard cells, Kolb, H.-A., Marten, I., Hedrich, R 146:273
Guinea pigs
–, cellular mechanisms in activation of Na–K–Cl cotransport in nasal gland acinar cells of guinea pigs, Ikeda, K., Wu, D., Takasaka, T. 146:307
Gustation
–, voltage-dependent sodium currents recorded from dissociated rat taste cells, Herness, M.S., Sun, X.-D. 146:73
H^+–ATPase
–, ATP, pH and Mg^{2+} modulate a cation current in *Beta vulgaris* vacuoles: a possible shunt conductance for the vacuolar H^+-ATPase, Davies, J.M., Sanders, D. 145:75
–, detection of different adenosine triphosphatases in human placental brush border membranes, Brunette, M.G., Bastani, B., Leclerc, M., Narbaitz, R. 145:285
–, differential regulation of Na^+/H^+ exchange and H^+–ATPase by pH and HCO_{-3} in kidney proximal tubules, Soleimani, M., Bookstein, C., Singh, G., Rao, M.C., Chang, E.B., Bastani, B. 144:209
–, spatial organization of transport domains and subdomain formation in the plasma membrane of *Chara corallina*, Fisahn, J., Lucas, W.J. 147:275
H^+ pump
–, reaction kinetics of the vacuolar H^+-pumping ATPase in *Beta vulgaris*, Davies, J.M., Sanders, D., Gradmann, D. 150:231
H_2O/D_2O substitution
–, D_2O-induced ion channel activation in *Characeae* at low ionic strength, Andjus, P.R., Kataev, A.A., Alexandrov, A.A., Vucelic, D., Berestovsky, G.N. 142:43
Halophyte
–, ion channels in the plasma membrane of protoplasts from the halophytic angiosperm *Zostera muelleri*, Garrill, A., Tyerman, S.D., Findlay, G.P. 142:381
Hamster red cells
–, sodium transport through the amiloride-sensitive Na–Mg pathway of hamster red cells, Xu, W., Willis, J.S. 141:277
HeLa cells
–, immunochemical characterization of the gap junction protein connexin45 in mouse kidney and transfected human HeLa cells, Butterweck, A., Gergs, U., Elfgang, C., Willecke, K., Traub, O. 141: 247
Hemoglobin
–, rate of activation and deactivation of K:Cl cotransport by changes in cell volume in hemoglobin SS, CC and AA red cells, Canessa, M., Romero, J.R., Lawrence, C., Nagel, R.L., Fabry, M.E. 142: 349
Hemolysin A
–, permeability increase induced by *Escherichia coli* hemolysin A in human macrophages is due to the formation of ionic pores: a patch clamp characterization, Menestrina, G., Pederzolli, C., Dalla Serra, M., Bregante, M., Gambale, F. 149:113
Hepatocytes
–, role of vacuolar adenosine triphosphatase in the regulation of cytosolic pH in hepatocytes, Wadsworth, S.J., van Rossum, G.D.V. 142:21

HGSS pump model
–, modeling the current–voltage Characteristics of *Chara* membranes: I. the effect of ATP removal and zero turgor, Beilby, M.J., Walker, N.A. 149:89
Hippocampal slice
–, Characteristics of $GABA_A$ channels in rat dentate gyrus, Birnir, B., Everitt, A.B., Gage, P.W. 142:93
Histamine
–, calcium-mobilizing agonists stimulate anion fluxes in cultured endothelial cells from human umbilical vein, White, C.R., Brock, T.A. 142:171
Hodgkin–Huxley equation
–, Hodgkin–Huxley analysis of a gcac1 anion channel in the plasma membrane of guard cells, Kolb, H.-A., Marten, I., Hedrich, R 146:273
–, kinetic analysis of two simultaneously activated K^+ currents in root cell protoplasts of *Plantago media L.*, Vogelzang, S.A., Prins, H.B.A. 146:59
Hormonal regulation
–, transcriptional control of sodium transport in tight epithelia by adrenal steroids, Verrey, F. 144:93
HPT-1
–, oligopeptide transport by epithelial cells, Meredith, D., Boyd, C.A.R. 145:1
HSG cells
–, hypotonically activated chloride current in HSG cells, Fatherazi, S., Izutsu, K.T., Wellner, R.B., Belton, C.M. 142:181
HT29-18-C_1 cells
–, cellular chloride depletion inhibits cAMP-activated electrogenic chloride fluxes in HT29-18-C_1 cells, Fine, DM., Lo, C.F., Aguillar, L., Blackmon, D.L., Montrose, M.H. 145:129
Human atrial myocytes
–, modulation of the inwardly rectifying K^+ channel in isolated human atrial myocytes by α_1-adrenergic stimulation, Sato, R., Koumi, S.-i. 148:185
Human HeLa cells
–, immunochemical characterization of the gap junction protein connexin45 in mouse kidney and transfected human HeLa cells, Butterweck, A., Gergs, U., Elfgang, C., Willecke, K., Traub, O. 141: 247
Human hematopoietic myeloblast
–, protein kinase A-regulated Cl^- channel in ML-1 hematopoietic myeloblasts, Xu, B., Lu, L. 142:65
Human intestinal cells
–, the role of the proton electrochemical gradient in the transepithelial absorption of amino acids by human intestinal Caco-2 cell monolayers, Thwaites, D.T., McEwan, G.T.A., Simmons, N.L. 145:245
Human macrophages
–, human macrophages contain a stretch-sensitive potassium channel that is activated by adherence and cytokines, Martin, D.K., Bootcov, M.R., Campbell, T.J., French, P.W., Breit, S.N. 147:305
–, permeability increase induced by *Escherichia coli* hemolysin A in human macrophages is due to the formation of ionic pores: a patch clamp characterization, Menestrina, G., Pederzolli, C., Dalla Serra, M., Bregante, M., Gambale, F. 149:113
Human placenta
–, detection of different adenosine triphosphatases in human placental brush border membranes, Brunette, M.G., Bastani, B., Leclerc, M., Narbaitz, R. 145:285
Human red cells
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
–, different arachidonate and palmitate binding capacities of the human red cell membrane, Bojesen, I.N., Bojesen, E. 142:113
–, specificities of red cell membrane sites transporting three long chain fatty acids, Bojesen, I.N., Bojesen, E. 149:257
Human umbilical vein endothelial cells
–, calcium-mobilizing agonists stimulate anion fluxes in cultured endothelial cells from human umbilical vein, White, C.R., Brock, T.A. 142:171
Human vas deferens
–, maxi K^+ channels on human vas deferens epithelial cells, Sohma, Y., Harris, A., Wardle, C.J.C., Gray, M.A., Argent, B.E. 141:69
Hydrochlorothiazide
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159
–, hydrochlorothiazide enhances the apical Cl^- backflux in rabbit gallbladder epithelium: radiochemical analysis, Cremaschi, D., Porta, C. 141:29
Hydrogen ion channel
–, voltage-activated hydrogen ion currents, DeCoursey, T.E., Cherny, V.V. 141:203
Hydrogen ion current
–, a voltage-dependent and pH-sensitive proton current in *Rama esculenta* oocytes, Humez, S., Fournier, F., Guilbault, P. 147:207
Hydrolysis
–, nuclear lipid metabolism in NEST: nuclear envelope signal transduction, Raben, D.M., Jarpe, M.B., Leach, K.L. 142:1
5-Hydroxytryptamine (5-HT)
–, modulation of the serotonin-activated K^+ channel by G protein subunits and nucleotides in rat hippocampal neurons, Oh, U., Ho, Y.-K., Kim, D. 147:241
Hyperosmotic stress
–, shrinkage-induced activation of the Na^+/H^+ exchanger in Ehrlich ascites tumor cells: mechanisms involved in the activation and a role for the exchanger in cell volume regulation, Pedersen, S.F., Kramhøft, B., Jørgensen, N.K., Hoffmann, E.K. 149:141
Hyperpolarization
–, calcium sensitivity of the plasmalemmal delayed rectifier potassium current suggests that calcium influx in pulvinar protoplasts from *Mimosa pudica* L. can be revealed by hyperpolarization, Stoeckel, H., Takeda, K. 146:201
Hypertonicity
–, water pathways across a reconstituted epithelial barrier formed by Caco-2 cells: effects of medium hypertonicity, Parisi, M., Pisam, M., Calamita, G., Gobin, R., Toriano, R., Bourguet, J. 143:237
Hypo-osmotic challenge
–, hypo-osmotic challenge stimulates transepithelial K^+ secretion and activates apical I_{sK} channel in vestibular dark cells, Wangemann, P., Liu, J., Shen, Z., Shipley, A., Marcus, D.C. 147:263
–, modulation of a volume-regulated chloride current by F-actin, Levitan, I., Almonte, C., Mollard, P., Garber, S.S. 147:283
Hypotonic stress
–, hypotonically activated chloride current in HSG cells, Fatherazi, S., Izutsu, K.T., Wellner, R.B., Belton, C.M. 142:181
Hypoxia
–, transduction of chemostimuli by the type I carotid body cell, Peers, C., Buckler, K.J. 144:1
I_{Cln}
–, characterization of volume-activated chloride currents in endothelial cells from bovine pulmonary artery, Szücs, G., Buyse, G., Eggermont, J., Droogmans, G., Nilius, B. 149:189

I channel
–, single-channel analysis of a delayed rectifier K^+ channel in *Xenopus* myelinated nerve, Koh, D.-S., Vogel, W. 149:221
I_{sc} channel
–, hypo-osmotic challenge stimulates transepithelial K^+ secretion and activates apical I_{sK} channel in vestibular dark cells, Wangemann, P., Liu, J., Shen, Z., Shipley, A., Marcus, D.C. 147:263
–, the pH-sensitivity of transepithelial K^+ transport in vestibular dark cells, Wangemann, P., Liu, J., Shiga, N. 147:255
I_{sK} channel
–, DIDS increases K^+ secretion through an I_{sK} channel in apical membrane of vestibular dark cell epithelium of gerbil, Shen, Z., Liu, J., Marcus, D.C., Shiga, N., Wangemann, P. 146:283
^{125}I flux
–, calcium-mobilizing agonists stimulate anion fluxes in cultured endothelial cells from human umbilical vein, White, C.R., Brock, T.A. 142:171
Iberiotoxin
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
Image analysis
–, preparation, characterization, and structure of half gap junctional layers split with urea and EGTA, Ghoshroy, S., Goodenough, D.A., Sosinsky, G.E. 146:15
Immunocytochemistry
–, identification of isoforms of G proteins and PKC that colocalize with tight junctions, Dodane, V., Kachar, B. 149:199
–, the AQP2 water channel: effect of vasopressin treatment, microtubule disruption, and distribution in neonatal rats, Sabolic, I., Katsura, T., Verbavatz, J.-M., Brown, D. 143:165; Erratum 145: 107
Inactivation kinetics
–, two types of A-channels in Lymnaea neurons, Alekseev, S.I., Ziskin, M.C. 146:327
Inflammation
–, extracellular pH modulates the Ca^{2+} current activated by depletion of intracellular Ca^{2+} stores in human macrophages, Malayev, A., Nelson, D.J. 146:101
Influenza B
–, ion channels formed by NB, an influenza B virus protein, Sunstrom, N.A., Premkumar, L.S., Premkumar, A., Ewart, G., Cox, G.B., Gage, P.W. 150:127
Influenza virus M_2 ion channel
–, reconstitution of the influenza virus M_2 ion channel in lipid bilayers, Tosteson, M.T., Pinto, L.H., Holsinger, L.J., Lamb, R.A. 142:117
Initial collecting tubule
–, amiloride-sensitive apical membrane sodium channels of everted *Ambystoma* collecting tubule, Stoner, L.C., Enbretson, B.G., Viggiano, S.C., Benos, D.J., Smith, P.R. 144:147
Inner ear
–, a novel, volume-correlated Cl^- conductance in marginal cells dissociated from the stria vascularis of gerbils, Takeuchi, S., Irimajiri, A. 150:47
–, DIDS increases K^+ secretion through an I_{sK} channel in apical membrane of vestibular dark cell epithelium of gerbil, Shen, Z., Liu, J., Marcus, D.C., Shiga, N., Wangemann, P. 146:283
Inositol 1,4,5-trisphosphate ($InsP_3$) receptor
–, calcium and inositol trisphosphate receptors, Taylor, C.W., Traynor, D. 145:109
–, extracellular pH modulates the Ca^{2+} current activated by depletion of intracellular Ca^{2+} stores in human macrophages, Malayev, A., Nelson, D.J. 146:101
–, the inositol 1,4,5-trisphosphate ($InsP_3$) receptor, Bezprozvanny, I., Ehrlich, B.E. 145:205
Inositol phosphate
–, lysophosphatidic acid induces inositol phosphate and calcium signals in exocrine cells from the avian nasal salt gland, Hildebrandt, J.-P. 144:49
Insulin
–, cellular stress causes accumulation of the glucose transporter at the surface of cells independently of their insulin sensitivity, Sviderskaya, E.V., Jazrawi, E., Baldwin, S.A., Widnell, C.C., Pasternak, C.A. 149:133
Insulin-secreting cells
–, characterization of the G protein coupling of a glucagon receptor to the K_{ATP} channel in insulin-secreting cells, Ribalet, B., Ciani, S. 142:395
–, characterization of the G protein coupling of SRIF and β-adrenergic receptors to the maxi K_{Ca} channel in insulin-secreting cells, Ribalet, B., Eddlestone, G.T. 148:111
Insulin secretion
–, ionic mechanisms involved in the regulation of insulin secretion by muscarinic agonists, Bordin, S., Boschero, A.C., Carneiro, E.M., Atwater, I. 148:177
Intercellular channels
–, functional characterization of canine connexin45, Steiner, E., Ebihara, L. 150:153
Intercellular communication
–, effect of antipeptide antibodies directed against three domains of connexin43 on the gap junctional permeability of cultured heart cells, Bastide, B., Jarry–Guichard, T., Briand, J.P., Délèze, J., Gros, D. 150:243
–, preparation, characterization, and structure of half gap junctional layers split with urea and EGTA, Ghoshroy, S., Goodenough, D.A., Sosinsky, G.E. 146:15
Internal membrane
–, functional reconstitution of ion channels from *Paramecium* cortex into artificial liposomes, Zhou, X.-L., Chan, C.W.M., Saimi, Y., Kung, C. 144:199
Intracellular calcium
–, calcium-mobilizing agonists stimulate anion fluxes in cultured endothelial cells from human umbilical vein, White, C.R., Brock, T.A. 142:171
–, human macrophages contain a stretch-sensitive potassium channel that is activated by adherence and cytokines, Martin, D.K., Bootcov, M.R., Campbell, T.J., French, P.W., Breit, S.N. 147:305
–, influence of the molecular structure of steroids on their ability to interrupt gap junctional communication, Hervé, J.C., Pluciennik, F., Verrecchia, F., Bastide, B., Delage, B., Joffre, M., Délèze, J. 149:179
–, regulation of tight junction resistance in T_{84} monolayers by elevation in intracellular Ca^{2+}: a protein kinase C effect, Tai, Y.-H., Flick, J., Levine, S.A., Madara, J.L., Sharp, G.W.G., Donowitz, M. 149:71
–, single taste stimuli elicit either increases or decreases in intracellular calcium in isolated catfish taste cells, Zviman, M.M., Restrepo, D., Teeter, J.H. 149:81
–, the effect of intracellular Ca^{2+} on GABA-activated currents in cerebellar granule cells in culture, Martina, M., Kilic, G., Cherubini, E. 142:209
Intracellular calcium release channel
–, the inositol 1,4,5-trisphosphate ($InsP_3$) receptor, Bezprozvanny, I., Ehrlich, B.E. 145:205

Intracellular pH
–, differential regulation of membrane potential and conductance via intra- and extracellular pH in fused proximal tubular cells of frog kidney, Belachgar, F., Hulin, P., Planelles, G., Anagnostopoulos, T. 143:123
–, effects of internal pH on the nonselective cation channel from the mouse collecting tubule, Chraïbi, A., Guinamard, R., Teulon, J. 148:83
–, inhibition of Ca^{2+}-dependent Cl^- channels from secretory epithelial cells by low internal pH, Arreola, J., Melvin, J.E., Begenisich, T. 147:95
–, ionic permeabilities induced by *Bacillus thuringiensis* in Sf9 cells, Vachon, V., Paradis, M.-J., Marsolais, M., Schwartz, J.-L., Laprade, R. 148:57
Intracellular sodium ion
–, cellular mechanisms in activation of Na–K–Cl cotransport in nasal gland acinar cells of guinea pigs, Ikeda, K., Wu, D., Takasaka, T. 146:307
Inward rectification
–, the inwardly rectifying potassium current of embryonic chick hepatocytes, Hill, C.E., Pon, D.C. 144:249
Inward rectifier
–, a heterogeneous electrophysiological profile of bone marrow-derived mast cells, Kuno, M., Shibata, T., Kawawaki, J., Kyogoku, I. 143:115
–, a tetraethylammonium-insensitive inward rectifier K^+ channel in Müller cells of the turtle (*Pseudemys scripta elegans*) retina, Le Dain, A.C., Anderton, P.J., Martin, D.K., Millar, T.J. 141:239
–, an inactivating inward-rectifying K current present in prolactin cells from the pituitary of lactating rats, Corrette, B.J., Bauer, C.K., Schwarz, J.R. 150:185
–, basolateral K channel activated by carbachol in the epithelial cell line T_{84}, Tabcharani, J.A., Harris, R.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:241
–, gating mechanism of the cloned inward rectifier potassium channel from mouse heart, Ishihara, K., Hiraoka, M. 142:55
–, modulation of the inwardly rectifying K^+ channel in isolated human atrial myocytes by α_1-adrenergic stimulation, Sato, R., Koumi, S.-i. 148:185
–, properties of the K^+ inward rectifier in the plasma membrane of xylem parenchyma cells from barley roots: effects of TEA^+, Ca^{2+}, Ba^{2+}, and La^{3+}, Wegner, L.H., De Boer, A.H., Raschke, K. 142: 363
–, regulation of an inwardly rectifying K channel in the T_{84} epithelial cell line by calcium, nucleotides, and kinases, Tabcharani, J.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:255
–, small inward rectifying K^+ channels in coleoptiles: inhibition by external Ca^{2+} and function in cell elongation, Thiel, G., Brüdern, A., Gradmann, D. 149:9
–, sodium channel functioning based on an octagonal structure model, Sato, C., Matsumoto, G. 147:45
Ion binding
–, ion binding constants for gramicidin A obtained from water permeability measurements, Wang, K.-W., Tripathi, S., Hladky, S.B. 143:247
Ion channel
–, a voltage-sensitive cation channel present in clusters in lobster skeletal muscle membrane, Worden, M.K., Rahamimoff, R., Kravitz, E.A. 141:167
–, characterization of a large conductance, cation-selective channel from sea urchin eggs that is sensitive to sulfhydryl reducing agents, Lii, T., Lee, H.C., Gleason, F.K., Levitt, D.G. 150:27
–, functional reconstitution of ion channels from *Paramecium* cortex into artificial liposomes, Zhou, X.-L., Chan, C.W.M., Saimi, Y., Kung, C. 144:199
–, ion channels formed by NB, an influenza B virus protein, Sunstrom, N.A., Premkumar, L.S., Premkumar, A., Ewart, G., Cox, G.B., Gage, P.W. 150:127
–, ion channels in the plasma membrane of protoplasts from the halophytic angiosperm *Zostera muelleri,* Garrill, A., Tyerman, S.D., Findlay, G.P. 142:381
–, low conductance states of a single ion channel are not 'closed', Korchev, Y.E., Bashford, C.L., Alder, G.M., Kasianowicz, J.J., Pasternak, C.A. 147:233
–, *Paramecium* Na^+ channels activated by Ca^{2+}–calmodulin: calmodulin is the Ca^{2+} sensor in the channel gating mechanism, Saimi, Y., Ling, K.-Y. 144:257
–, properties of voltage-gated ion channels formed by syringomycin E in planar lipid bilayers, Feigin, A.M., Takemoto, J.Y., Wangspa, R., Teeter, J.H., Brand, J.G. 149:41
–, reconstitution of the influenza virus M_2 ion channel in lipid bilayers, Tosteson, M.T., Pinto, L.H., Holsinger, L.J., Lamb, R.A. 142:117
–, regulation by GTP of a Ca^{2+}-activated K^+ channel in the apical membrane of rabbit cortical collecting duct cells, Suzuki, M., Takahashi, K., Sakai, O. 141:43
–, *Staphylococcus aureus* alpha-toxin-induced pores: channel-like behavior in lipid bilayers and patch clamped cells, Korchev, Y.E., Alder, G.M., Bakhramov, A., Bashford, C.L., Joomun, B.S., Sviderskaya, E.V., Usherwood, P.N.R., Pasternak, C.A. 143:143
–, the ion channel behavior of the nuclear pore complex, Bustamante, J.O., Hanover, J.A., Liepins, A. 146:239
–, transduction of chemostimuli by the type I carotid body cell, Peers, C., Buckler, K.J. 144:1
–, triton channels are sensitive to divalent cations and protons, Rostovtseva, T.K., Bashford, C.L., Lev, A.A., Pasternak, C.A. 141:83
Ion channel activation
–, D_2O-induced ion channel activation in *Characeae* at low ionic strength, Andjus, P.R., Kataev, A.A., Alexandrov, A.A., Vucelic, D., Berestovsky, G.N. 142:43
Ion conductance
–, lysozome acts as a chemorepellant and secretagogue in *Paramecium* by activating a novel receptor-operated Ca^{++} conductance, Hennessey, T.M., Kim, M.Y., Satir, B.H. 148:13
–, pH- and voltage-dependent conductances in toad skin, Lacaz–Vieira, F. 148:1
Ion flux
–, ion transport across the early chick embryo: I. Electrical measurements, ionic fluxes and regional heterogeneity, Kucera, P., Abriel, H., Katz, U. 141:149
–, use of $^{82}Br^-$ radiotracer to study transmembrane halide flux: the effect of a tranquilizing drug, chlordiazepoxide on channel opening of a $GABA_A$ receptor, Cash, D.J., Serfözö, P., Zinn, K. 145: 257
Ion selectivity
–, characterization of a chloride channel reconstituted from cardiac sarcoplasmic reticulum, Townsend, C., Rosenberg, R.L. 147:121
–, ion selectivity of colicin E1: III. Anion permeability, Bullock, J.O., Kolen, E.R. 144:131
Ion transport
–, ion transport across the early chick embryo: II. Characterization and pH sensitivity of the transembryonic short-circuit current, Abriel, H., Katz, U., Kucera, P. 141:159
–, ion transport across the early chick embryo: I. Electrical measurements, ionic fluxes and regional heterogeneity, Kucera, P., Abriel, H., Katz, U. 141:149

–, optical methods to measure membrane transport processes, Verkman, A.S. 148:99
Ion transport inhibitors
–, specific inhibitors of intracellular Ca^{2+} transport ATPases, Inesi, G., Sagara, Y. 141:1
Ionomycin
–, inhibition of Ca^{2+}-dependent Cl^- channels from secretory epithelial cells by low internal pH, Arreola, J., Melvin, J.E., Begenisich, T. 147:95
IP_3-sensitive Ca^{2+} pools
–, characterization of two different Ca^{2+} uptake and IP_3-sensitive Ca^{2+} release mechanisms in microsomal Ca^{2+} pools of rat pancreatic acinar cells, Ozawa, T., Thévenod, F., Schulz, I. 144:111
IRK1 gene
–, gating mechanism of the cloned inward rectifier potassium channel from mouse heart, Ishihara, K., Hiraoka, M. 142:55
Islet of Langerhans
–, estimating and eliminating junctional current in coupled cell populations by leak subtraction. a computational study, Sherman, A., Xu, L., Stokes, C.L. 143:79
–, magnitude and modulation of pancreatic β-cell gap junction electrical conductance *in situ,* Mears, D., Sheppard, N.F., Jr., Atwater, I., Rojas, E. 146:163
–, single-microelectrode voltage clamp measurements of pancreatic β-cell membrane ionic currents *in situ,* Rojas, E., Stokes, C.L., Mears, D., Atwater, I. 143:65
Junctional communication
–, cyclic AMP induces rapid increases in gap junction permeability and changes in the cellular distribution of connexin43, Burghardt, R.C., Barhoumi, R., Sewall, T.C., Bowen, J.A. 148:243
Junctional sarcoplasmic reticulum
–, endogenous, Ca^{2+}-dependent cysteine–protease cleaves specifically the ryanodine receptor/Ca^{2+} release channel in skeletal muscle, Shoshan-Barmatz, V., Weil, S., Meyer, H., Varsanyi, M., Heilmeyer, L.M.G. 142:281
Jurkat cell
–, calcium-dependent enhancement of depletion -activated calcium current in Jurkat T lymphocytes, Christian, E.P., Spence, K.T., Togo, J.A., Dargis, P.G., Patel, J. 150:63
K state
–, patch clamp analysis of the dominant plasma membrane K^+ channel in root cell protoplasts of *Plantago media* L. Its significance for the P and K state, Vogelzang, S.A., Prins, H.B.A. 141:113
K562 cells
–, drug-transport and volume-regulated chloride channel functions in human erythroleukemia cells: relation to expression level of p-glycoprotein, Viana, F., Van Acker, K., De Greef, C., Eggermont, J., Raeymaekers, L., Droogmans, G., Nilius, B. 145:87
K_{ATP} channel
–, characterization of the G protein coupling of a glucagon receptor to the K_{ATP} channel in insulin-secreting cells, Ribalet, B., Ciani, S. 142:395
–, distinct modes of blockade in cardiac ATP-sensitive K^+ channels suggest multiple targets for inhibitory drug molecules, Benz, I., Kohlhardt, M. 142:309
–, SR47063, a potent channel opener, activates K_{ATP} and a time-dependent current likely due to potassium accumulation, Tourneur, Y., Marion, A., Gautier, P. 142:337
–, thermodynamically specific gating kinetics of cardiac mammalian $K^+_{(ATP)}$ channels in a physiological environment near 37°C, Haverkampf, K., Benz, I., Kohlhardt, M. 146:85
K^+ transient outward current
–, the transient outward current of isolated bovine adrenal zona fasciculata cells: comparison between standard and perforated patch recording methods, Bilbaut, A., Chorvatova, A., Ojeda, C., Rougier, O. 149:233
K/Cl cotransport
–, quinine and quinidine inhibit and reveal heterogeneity of K–Cl cotransport in low K sheep erythrocytes, Adragna, N.C., Lauf, P.K. 142:195
–, rate of activation and deactivation of K:Cl cotransport by changes in cell volume in hemoglobin SS, CC and AA red cells, Canessa, M., Romero, J.R., Lawrence, C., Nagel, R.L., Fabry, M.E. 142: 349
Kaliotoxin
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
kefA gene
–, effect of mutation of potassium-efflux system, *kefA,* on mechanosensitive channels in the cytoplasmic membrane of *Escherichia coli,* Cui, C., Adler, J. 150:143
Kidney
–, differential regulation of Na^+/H^+ exchange and H^+–ATPase by pH and HCO_{-3} in kidney proximal tubules, Soleimani, M., Bookstein, C., Singh, G., Rao, M.C., Chang, E.B., Bastani, B. 144:209
–, expression of a novel sodium–hydrogen exchanger in the gastrointestinal tract and kidney, Ghishan, F.K., Knobel, S., Barnard, J.A., Breyer, M. 144:267
–, structure and function of amiloride-sensitive Na^+ channels, Benos, D.J., Awayda, M.S., Ismailov, I.I., Johnson, J.P. 143:1
Kidney cell differentiation
–, immunochemical characterization of the gap junction protein connexin45 in mouse kidney and transfected human HeLa cells, Butterweck, A., Gergs, U., Elfgang, C., Willecke, K., Traub, O. 141: 247
Kinetic model
–, characterization of the G protein coupling of a glucagon receptor to the K_{ATP} channel in insulin-secreting cells, Ribalet, B., Ciani, S. 142:395
–, cytoplasmic Ca^{2+} inhibits the ryanodine receptor from cardiac muscle, Laver, D.R., Roden, L.D., Ahern, G.P., Eager, K.R., Junankar, P.R., Dulhunty, A.F. 147:7
–, modeling facilitative sugar transporters: transitions between single and double ligand occupancy of multiconformational channel models explain anomalous kinetics, Hernández, J.A., Fischbarg, J., Vera, J.C. 149:57
–, reaction kinetics of the vacuolar H^+-pumping ATPase in *Beta vulgaris,* Davies, J.M., Sanders, D., Gradmann, D. 150:231
–, two types of A-channels in Lymnaea neurons, Alekseev, S.I., Ziskin, M.C. 146:327
Kinetics
–, kinetics and specificity of the renal Na^+/*myo*–inositol cotransporter expressed in *Xenopus* oocytes, Hager, K., Kwon, H.M., Loo, D.D.F., Handler, J.S., Wright, E.M. 143:103
–, phenylglucosides and the Na^+/glucose cotransporter (SGLT1): analysis of interactions, Lostao, M.P., Hirayama, B.A., Loo, D.D.F., Wright, E.M. 142:161
–, spatial organization of transport domains and subdomain formation in the plasma membrane of *Chara corallina,* Fisahn, J., Lucas, W.J. 147:275
–, use of $^{82}Br^-$ radiotracer to study transmembrane halide flux: the effect of a tranquilizing drug, chlordiazepoxide on channel opening of a $GABA_A$ receptor, Cash, D.J., Serfözö, P., Zinn, K. 145: 257
L1210 cells
–, permeabilization of the plasma membrane of L1210 mouse leu-

kemia cells using lithotripter shock waves, Gambihler, S., Delius, M., Ellwart, J.W. 141:267

La^{2+}

–, properties of the K^+ inward rectifier in the plasma membrane of xylem parenchyma cells from barley roots: effects of TEA^+, Ca^{2+}, Ba^{2+}, and La^{3+}, Wegner, L.H., De Boer, A.H., Raschke, K. 142: 363

Lacrimal acinar cells

–, Ca^{2+}-activated K^+ channels are involved in regulatory volume decrease in acinar cells isolated from the rat lacrimal gland, Park, K.-P., Beck, J.S., Douglas, I.J., Brown, P.D. 141:193

Lactotrophs

–, an inactivating inward-rectifying K current present in prolactin cells from the pituitary of lactating rats, Corrette, B.J., Bauer, C.K., Schwarz, J.R. 150:185

Lambert–Eaton syndrome

–, voltage-dependent sodium channels in human small-cell lung cancer cells: role in action potentials and inhibition by Lambet–Eaton Syndrome IgG, Blandino, J.K.W., Viglione, M.P., Bradley, W.A., Oie, H.K., Kim, Y.I. 143:153

Lateral diffusion

–, lateral mobility of Na,K-ATPase and membrane lipids in renal cells. importance of cytoskeletal integrity, Paller, M.S. 142:127

–, tracking movements of lipids and Thy1 molecules in the plasmalemma of living fibroblasts by fluorescence video microscopy with nanometer scale precision, Hicks, B.W., Angelides, K.J. 144: 231

Lateral elastic stress

–, attenuation of channel kinetics and conductance by cholesterol: an interpretation using structural stress as a unifying concept, Chang, H.M., Rietstetter, R., Mason, R.P., Gruener, R. 143:51

Leak current

–, the Ca^{2+}-induced leak current in *Xenopus* oocytes is indeed mediated through a Cl^- channel, Weber, W.-M., Liebold, K.M., Reifarth, F.W., Clauss, W. 148:263

Lens

–, dye transfer between cells of the lens, Rae, J.L., Bartling, C., Rae, J., Mathias, R.T. 150:89

Lettre cell

–, *Staphylococcus aureus* alpha-toxin-induced pores: channel-like behavior in lipid bilayers and patch clamped cells, Korchev, Y.E., Alder, G.M., Bakhramov, A., Bashford, C.L., Joomun, B.S., Sviderskaya, E.V., Usherwood, P.N.R., Pasternak, C.A. 143:143

Leukemia

–, heart and T-lymphocyte cell surfaces both exhibit positive cooperativity in binding a membrane-lytic toxin, Stevens–Truss, R., Messer, W.S., Jr., Hinman, C.L. 150:113

Leukotoxicity

–, permeability increase induced by *Escherichia coli* hemolysin A in human macrophages is due to the formation of ionic pores: a patch clamp characterization, Menestrina, G., Pederzolli, C., Dalla Serra, M., Bregante, M., Gambale, F. 149:113

Ligand occupancy

–, modeling facilitative sugar transporters: transitions between single and double ligand occupancy of multiconformational channel models explain anomalous kinetics, Hernández, J.A., Fischbarg, J., Vera, J.C. 149:57

Lipid bilayers

–, attenuation of channel kinetics and conductance by cholesterol: an interpretation using structural stress as a unifying concept, Chang, H.M., Rietstetter, R., Mason, R.P., Gruener, R. 143:51

–, cytoplasmic Ca^{2+} inhibits the ryanodine receptor from cardiac muscle, Laver, D.R., Roden, L.D., Ahern, G.P., Eager, K.R., Junankar, P.R., Dulhunty, A.F. 147:7

–, ion selectivity of colicin E1: III. Anion permeability, Bullock, J.O., Kolen, E.R. 144:131

–, relationship of alcohol-induced changes in Mg^{2+}–ATPase activity of rabbit intestinal brush border membrane with changes in fluidity of its lipid bilayer, Kitagawa, S., Sugaya, Y., Nishizawa, M., Hirata, H. 146:193

Lipid–channel interactions

–, attenuation of channel kinetics and conductance by cholesterol: an interpretation using structural stress as a unifying concept, Chang, H.M., Rietstetter, R., Mason, R.P., Gruener, R. 143:51

Lipid domain

–, transport and dynamics of molecules dissolved in maize root cortex membranes, Svetek, J., Furtula, V., Nemec, M., Nothnagel, E.A., Schara, M. 143:19

Lipid peroxidation

–, parameters affecting fusion between liposomes and synaptosomes. role of proteins, lipid peroxidation, pH and temperature, Almeida, M.T., Ramalho–Santos, J., Oliveira, C.R., Pedroso de Lima, M.C. 142:217

Lipid–protein interactions

–, lipid–ion channel interactions: increasing phospholipid headgroup size but not ordering acyl chains alters reconstituted channel behavior, Chang, H.M., Reitstetter, R., Gruener, R. 145:13

Lipidation

–, structure and function of amiloride-sensitive Na^+ channels, Benos, D.J., Awayda, M.S., Ismailov, I.I., Johnson, J.P. 143:1

Liposomes

–, a fusogenic protein from rat brain microsomal membranes: partial purification and reconstitution into liposomes, Rakowska, M., Zborowski, J., Corazzi, L. 142:35

–, differential effect of triiodothyronine and thyroxine on the liposomal membrane in liquid–crystalline and gel state, Farías, R.N., Chehin, R.N., Rintoul, M.R., Morero, R.D. 143:135

–, differential effect of triiodothyronine and thyroxine on liposomes containing cholesterol: physiological speculations, Chehin, R.N., Rintoul, M.R., Morero, R.D., Farias, R.N. 147:217

–, modeling degranulation with liposomes: effect of lipid composition on membrane fusion, Brock, T.G., Nagaprakash, K., Margolis, D.I., Smolen, J.E. 141:139

–, parameters affecting fusion between liposomes and synaptosomes. role of proteins, lipid peroxidation, pH and temperature, Almeida, M.T., Ramalho–Santos, J., Oliveira, C.R., Pedroso de Lima, M.C. 142:217

–, pore formation by *S. aureus* α-toxin in liposomes and planar lipid bilayers: effects of nonelectrolytes, Bashford, C.L., Alder, G.M., Fulford, L.G., Korchev, Y.E., Kovacs, E., MacKinnon, A., Pederzolli, C., Pasternak, C.A. 150:37

–, reconstitution of 5′-nucleotidase of bull seminal plasma in spin-labeled liposomes, Fini, C., Thuong, V.D., Aliante, M., Floridi, A., Cannistraro, S. 142:137

–, transport of K^+ and other cations across phospholipid membranes by nonesterified fatty acids, Sharpe, M.A, Cooper, C.E., Wrigglesworth, J.M. 141:21

Lithotripter shock waves

–, permeabilization of the plasma membrane of L1210 mouse leukemia cells using lithotripter shock waves, Gambihler, S., Delius, M., Ellwart, J.W. 141:267

Lobster

–, a voltage-sensitive cation channel present in clusters in lobster skeletal muscle membrane, Worden, M.K., Rahamimoff, R., Kravitz, E.A. 141:167

Lobster muscle

–, electrical currents generated by a partially purified Na/Ca exchanger from lobster muscle reconstituted into liposomes and ad-

sorbed on black lipid membranes: activation by photolysis of caged Ca^{2+}, Eisenrauch, A., Juhaszova, M., Ellis–Davies, G.C.R., Kaplan, J.H., Bamberg, E., Blaustein, M.P. 145:151
Long chain fatty acids
–, specificities of red cell membrane sites transporting three long chain fatty acids, Bojesen, I.N., Bojesen, E. 149:257
Luminal calcium ion
–, the gating of the sheep skeletal sarcoplasmic reticulum Ca^{2+}-release channel is regulated by luminal Ca^{2+}, Sitsapesan, R., Williams, A.J. 146:133
Lymnaea neurons
–, two types of A-channels in Lymnaea neurons, Alekseev, S.I., Ziskin, M.C. 146:327
Lysolipid
–, lipids in biological membrane fusion, Chernomordik, L., Kozlov, M.M., Zimmerberg, J. 146:1
Lysophospholipids
–, lysophosphatidic acid induces inositol phosphate and calcium signals in exocrine cells from the avian nasal salt gland, Hildebrandt, J.-P. 144:49
Lysozome
–, lysozome acts as a chemorepellant and secretagogue in *Paramecium* by activating a novel receptor-operated Ca^{++} conductance, Hennessey, T.M., Kim, M.Y., Satir, B.H. 148:13
M-1 cells
–, amiloride-sensitive sodium channels in confluent M-1 mouse cortical collecting duct cells, Letz, B., Ackermann, A., Canessa, C.M., Rossier, B.C., Korbmacher, C. 148:127
Macropatch clamp
–, DIDS increases K^+ secretion through an I_{sK} channel in apical membrane of vestibular dark cell epithelium of gerbil, Shen, Z., Liu, J., Marcus, D.C., Shiga, N., Wangemann, P. 146:283
Macrophage activation
–, extracellular pH modulates the Ca^{2+} current activated by depletion of intracellular Ca^{2+} stores in human macrophages, Malayev, A., Nelson, D.J. 146:101
–, human macrophages contain a stretch-sensitive potassium channel that is activated by adherence and cytokines, Martin, D.K., Bootcov, M.R., Campbell, T.J., French, P.W., Breit, S.N. 147:305
Mag–fura-2
–, Ca^{2+} modulation of sarcoplasmic reticulum Ca^{2+} release in rat skeletal muscle fibers, Delbono, O. 146:91
Magnesium ion
–, ATP, pH and Mg^{2+} modulate a cation current in *Beta vulgaris* vacuoles: a possible shunt conductance for the vacuolar H^+-ATPase, Davies, J.M., Sanders, D. 145:75
Major intrinsic protein (MIP)
–, a method for determining the unitary functional capacity of cloned channels and transporters expressed in *Xenopus laevis* oocytes, Zampighi, G.A., Kreman, M., Boorer, K.J., Loo, D.D.F., Bezanilla, F., Chandy, G., Hall, J.E., Wright, E.M. 148:65
Malpighian tubule
–, mechanisms of cell volume regulation in the proximal segment of the Malpighian tubule of *Rhodnius neglectus*, Arenstein, I.R., Caruso–Neves, C., Onuchic, L.F., Lopes, A.G. 146:47
Malpighian tubule
–, the paracellular channel for water secretion in the upper segment of the Malpighian tubule of *Rhodnius prolixus*, Sofía Hernández, C., González, E., Whittembury, G. 148:233
Mammals
–, membrane fatty acid composition of tissues is related to body mass of mammals, Couture, P., Hulbert, A.J. 148:27
Margatoxin
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
Marginal cell
–, a novel, volume-correlated Cl^- conductance in marginal cells dissociated from the stria vascularis of gerbils, Takeuchi, S., Irimajiri, A. 150:47
Mast cells
–, a heterogeneous electrophysiological profile of bone marrow-derived mast cells, Kuno, M., Shibata, T., Kawawaki, J., Kyogoku, I. 143:115
Maxi-K_{Ca} channel
–, characterization of the G protein coupling of SRIF and β-adrenergic receptors to the maxi K_{Ca} channel in insulin-secreting cells, Ribalet, B., Eddlestone, G.T. 148:111
Maxi-K^+ channels
–, activation of maxi-K channels by parathyroid hormone and prostaglandin E_2 in human osteoblast bone cells, Moreau, R., Hurst, A.M., Lapointe, J.-Y., Lajeunesse, D. 150:175
–, maxi K^+ channels on human vas deferens epithelial cells, Sohma, Y., Harris, A., Wardle, C.J.C., Gray, M.A., Argent, B.E. 141:69
MDCK cells
–, a novel type of cell–cell cooperation between epithelial cells, Contreras, R.G., Lázaro, A., Bolivar, J.J., Flores–Maldonado, C., Sánchez, S.H., González–Mariscal, L., García–Villegas, M.R., Valdés, J., Cereijido, M. 145:305
–, determination of the Na permeability of the tight junctions of MDCK cells by fluorescence microscopy, Kovbasnjuk, O., Chatton, J.-Y., Friauf, W.S., Spring, K.R. 148:223
–, identification of isoforms of G proteins and PKC that colocalize with tight junctions, Dodane, V., Kachar, B. 149:199
–, the chloride concentration in the lateral intercellular spaces of MDCK cell monolayers, Xia, P., Persson, B.-E., Spring, K.R. 144:21
–, the sodium concentration of the lateral intercellular spaces of MDCK cells: a microspectrofluorimetric study, Chatton, J.-Y., Spring, K.R. 144:11
–, the sodium concentration of lateral intercellular spaces (Letter), Naftalin, R.J., Pedley, K.C. 147:105
–, transfection alters ion transport in MDCK cells, Kaji, D.M., Bates, J., Goyzueta, J.D., Prasadan, K., Yu, H., Kumar, S. 149:49
Mechanosensitive channels
–, characterization of mechanosensitive channels in *Escherichia coli* cytoplasmic membrane by whole-cell patch clamp recording, Cui, C., Smith, D.O., Adler, J. 144:31
–, effect of mutation of potassium-efflux system, *kefA*, on mechanosensitive channels in the cytoplasmic membrane of *Escherichia coli*, Cui, C., Adler, J. 150:143
Mechanosensitivity
–, associated proteins and renal epithelial Na^+ channel function, Ismailov, I.I., Berdiev, B.K., Bradford, A.L., Awayda, M.S., Fuller, C.M., Benos, D.J. 149:123
–, membrane stretch augments the cardiac muscarinic K^+ channel activity, Pleumsamran, A., Kim, D. 148:287
Membrane channel structure
–, preparation, characterization, and structure of half gap junctional layers split with urea and EGTA, Ghoshroy, S., Goodenough, D.A., Sosinsky, G.E. 146:15
Membrane dynamics
–, discrete and reversible vacuole-like dilations induced by osmomechnical perturbation of neurons, Reuzeau, C., Mills, L.R., Harris, J.A., Morris, C.E. 145:33
Membrane fluidity
–, cheek cell membrane fluidity measured by fluorescence recovery

after photobleaching and steady-state fluorescence anisotropy, Ladha, S., Mackie, A.R., Clark, D.C. 142:223
–, differential effect of triiodothyronine and thyroxine on the liposomal membrane in liquid–crystalline and gel state, Farías, R.N., Chehin, R.N., Rintoul, M.R., Morero, R.D. 143:135
–, lateral mobility of Na,K-ATPase and membrane lipids in renal cells. importance of cytoskeletal integrity, Paller, M.S. 142:127
–, relationship of alcohol-induced changes in Mg^{2+}–ATPase activity of rabbit intestinal brush border membrane with changes in fluidity of its lipid bilayer, Kitagawa, S., Sugaya, Y., Nishizawa, M., Hirata, H. 146:193

Membrane fusion
–, lipids in biological membrane fusion, Chernomordik, L., Kozlov, M.M., Zimmerberg, J. 146:1
–, modeling degranulation with liposomes: effect of lipid composition on membrane fusion, Brock, T.G., Nagaprakash, K., Margolis, D.I., Smolen, J.E. 141:139
–, molecular mechanisms in exocytosis, Edwardson, J.M., Marciniak, S.J. 146:113
–, parameters affecting fusion between liposomes and synaptosomes. role of proteins, lipid peroxidation, pH and temperature, Almeida, M.T., Ramalho–Santos, J., Oliveira, C.R., Pedroso de Lima, M.C. 142:217
–, veratridine triggers exocytosis in *Paramecium* cells by activating somatic Ca channels, Plattner, H., Braun, C., Klauke, N., Länge, S. 142:229

Membrane patch
–, cell membrane patches are supported by proteoglycans, Olesen, S.-P. 144:245

Membrane permeabilization
–, permeabilization of the plasma membrane of L1210 mouse leukemia cells using lithotripter shock waves, Gambihler, S., Delius, M., Ellwart, J.W. 141:267

Membrane potential
–, differential regulation of membrane potential and conductance via intra- and extracellular pH in fused proximal tubular cells of frog kidney, Belachgar, F., Hulin, P., Planelles, G., Anagnostopoulos, T. 143:123
–, optical methods to measure membrane transport processes, Verkman, A.S. 148:99

Membrane proteins
–, predictive evidence for a porin-type β-barrel fold in CHIP28 and oather members of the MIP family. a restricted-pore model common to water channels and facilitators, Fischbarg, J., Li, J., Cheung, M., Czegledy, F., Iserovich, P., Kuang, K. 143:177
–, structure and function of amiloride-sensitive Na^+ channels, Benos, D.J., Awayda, M.S., Ismailov, I.I., Johnson, J.P. 143:1

Membrane stretch
–, membrane stretch augments the cardiac muscarinic K^+ channel activity, Pleumsamran, A., Kim, D. 148:287

Membrane transport
–, computing the field in proteins and channels, Eisenberg, R.S. 150:1
–, oligopeptide transport by epithelial cells, Meredith, D., Boyd, C.A.R. 145:1
–, optical methods to measure membrane transport processes, Verkman, A.S. 148:99
–, the biology of the p-glycoproteins, Leveille–Webster, C.R., Arias, I.M. 143:89
–, transport of K^+ and other cations across phospholipid membranes by nonesterified fatty acids, Sharpe, M.A, Cooper, C.E., Wrigglesworth, J.M. 141:21

Membrane vesicles
–, use of $^{82}Br^-$ radiotracer to study transmembrane halide flux: the effect of a tranquilizing drug, chlordiazepoxide on channel opening of a $GABA_A$ receptor, Cash, D.J., Serfözö, P., Zinn, K. 145: 257

Merocyanine-rhodanines
–, evaluation of optimal voltage-sensitive dyes for optical monitoring of embryonic neural activity, Momose–Sato, Y., Sato, K., Sakai, T., Hirota, A., Masutani, K., Kamino, K. 144:167

Mersalyl
–, effects of cysteine modification on the activity of the cGMP-gated channel from retinal rods, Serre, V., Ildefonse, M., Bennett, N. 146:145

Methoxamine
–, modulation of the inwardly rectifying K^+ channel in isolated human atrial myocytes by α_1-adrenergic stimulation, Sato, R., Koumi, S.-i. 148:185

Mg^{2+}
–, an effect of Ca^{2+} on the intrinsic Cl^--conductance of rat kidney cortex brush border membrane vesicles, Vayro, S., Simmons, N.L. 150:163
–, characterization of the G protein coupling of a glucagon receptor to the K_{ATP} channel in insulin-secreting cells, Ribalet, B., Ciani, S. 142:395
–, inhibition of high-conductance, calcium-activated potassium channels of rabbit colon epithelium by magnesium, Wachter, C., Turnheim, K. 150:175

Mg^{2+}–ATPase
–, relationship of alcohol-induced changes in Mg^{2+}–ATPase activity of rabbit intestinal brush border membrane with changes in fluidity of its lipid bilayer, Kitagawa, S., Sugaya, Y., Nishizawa, M., Hirata, H. 146:193

Microfilament
–, cytoskeletal disruption in A6 kidney cells: impact on endo/exocytosis and NaCl transport regulation by antidiuretic hormone, Verrey, F., Groscurth, P., Bolliger, U. 145:193

Microfiltration
–, band 3 antagonists, *p*-azidobenzylphlorizin and DIDS, mediate erythrocyte shape and flexibility changes as Characterized by digital image morphometry and microfiltration, Hoefner, D.M., Blank, M.E., Davis, B.M., Diedrich, D.F. 141:91

Microfluorimetric imaging
–, cellular mechanisms in activation of Na–K–Cl cotransport in nasal gland acinar cells of guinea pigs, Ikeda, K., Wu, D., Takasaka, T. 146:307

Microglia
–, properties of voltage-gated potassium currents of microglia differentiated with granulocyte/macrophage colony-stimulating factor, Eder, C., Fischer, H.-G., Hadding, U., Heinemann, U. 147:137

Microperfusion
–, secretion of HCO_3^-/OH^- in cortical distal tubule of the rat, Fernandez, R., Malnic, G. 143:227

Microsomes
–, a fusogenic protein from rat brain microsomal membranes: partial purification and reconstitution into liposomes, Rakowska, M., Zborowski, J., Corazzi, L. 142:35

Microtubules
–, cytoskeletal disruption in A6 kidney cells: impact on endo/exocytosis and NaCl transport regulation by antidiuretic hormone, Verrey, F., Groscurth, P., Bolliger, U. 145:193
–, role of F-actin in the activation of Na^+–K^+–Cl^- cotransport by forskolin and vasopressin in mouse kidney cultured thick ascending limb cells, Wu, M.S., Bens, M., Cluzeaud, F., Vandewalle, A. 142:323
–, the AQP2 water channel: effect of vasopressin treatment, microtubule disruption, and distribution in neonatal rats, Sabolic, I.,

Katsura, T., Verbavatz, J.-M., Brown, D. 143:165; Erratum 145: 107
mIMCD-3 cell line
–, characterization of whole cell chloride conductances in a mouse inner medullary collecting duct cell line mIMCD-3, Shindo, M., Simmons, N.L., Gray, M.A. 149:21
Mimosa pudica
–, calcium sensitivity of the plasmalemmal delayed rectifier potassium current suggests that calcium influx in pulvinar protoplasts from *Mimosa pudica* L. can be revealed by hyperpolarization, Stoeckel, H., Takeda, K. 146:201
Mineralocorticoids
–, synergistic action of vasopressin and aldosterone on basolateral Na^+–K^+–ATPase in the cortical collecting duct, Coutry, N., Farman, N., Bonvalet, J.P., Blot–Chabaud, M. 145:99
–, transcriptional control of sodium transport in tight epithelia by adrenal steroids, Verrey, F. 144:93
MIP protein family
–, predictive evidence for a porin-type β-barrel fold in CHIP28 and oather members of the MIP family. a restricted-pore model common to water channels and facilitators, Fischbarg, J., Li, J., Cheung, M., Czegledy, F., Iserovich, P., Kuang, K. 143:177
Mitochondria
–, import of phosphatidylethanolamine for the assembly of rat brain mitochondrial membranes, Camici, O., Corazzi, L. 148:169
Mitochondrion
–, oriented channel insertion reveals the motion of a transmembrane beta strand during voltage gating of VDAC, Zizi, M., Thomas, L., Blachly–Dyson, E., Forte, M., Colombini, M. 144:121
MK196
–, cell swelling activates separate taurine and chloride channels in Ehrlich mouse ascites tumor cells, Lambert, I.H., Hoffmann, E.K. 142:289
ML-1 cells
–, protein kinase A-regulated Cl^- channel in ML-1 hematopoietic myeloblasts, Xu, B., Lu, L. 142:65
Mn^{2+} flux
–, temperature-dependent modification of divalent cation flux in the rat parotid gland basolateral membrane, Lockwith, T.P., Kim, I.H., Ambudkar, I.S. 141:289
Molecular modeling
–, phenylglucosides and the Na^+/glucose cotransporter (SGLT1): analysis of interactions, Lostao, M.P., Hirayama, B.A., Loo, D.D.F., Wright, E.M. 142:161
Monoclonal antibody
–, the ion channel behavior of the nuclear pore complex, Bustamante, J.O., Hanover, J.A., Liepins, A. 146:239
Mouse collecting tubules
–, effects of internal pH on the nonselective cation channel from the mouse collecting tubule, Chraïbi, A., Guinamard, R., Teulon, J. 148:83
Mouse cortical collecting duct cells
–, amiloride-sensitive sodium channels in confluent M-1 mouse cortical collecting duct cells, Letz, B., Ackermann, A., Canessa, C.M., Rossier, B.C., Korbmacher, C. 148:127
Mouse heart
–, gating mechanism of the cloned inward rectifier potassium channel from mouse heart, Ishihara, K., Hiraoka, M. 142:55
Mouse inner medullary collecting duct
–, characterization of whole cell chloride conductances in a mouse inner medullary collecting duct cell line mIMCD-3, Shindo, M., Simmons, N.L., Gray, M.A. 149:21
Mouse kidney
–, immunochemical characterization of the gap junction protein connexin45 in mouse kidney and transfected human HeLa cells, Butterweck, A., Gergs, U., Elfgang, C., Willecke, K., Traub, O. 141: 247
–, synergistic action of vasopressin and aldosterone on basolateral Na^+–K^+–ATPase in the cortical collecting duct, Coutry, N., Farman, N., Bonvalet, J.P., Blot–Chabaud, M. 145:99
Mouse kidney cultured thick ascending limb cells
–, role of F-actin in the activation of Na^+–K^+–Cl^- cotransport by forskolin and vasopressin in mouse kidney cultured thick ascending limb cells, Wu, M.S., Bens, M., Cluzeaud, F., Vandewalle, A. 142:323
Mouse leukemia cells
–, permeabilization of the plasma membrane of L1210 mouse leukemia cells using lithotripter shock waves, Gambihler, S., Delius, M., Ellwart, J.W. 141:267
Mouse mandibular glands
–, control of the amiloride-sensitive Na^+ current in salivary duct cells by extracellular sodium, Komwatana, P., Dinudom, A., Young, J.A., Cook, D.I. 150:133
Mouse neuroblastoma cells
–, direct modulation of Na^+ currents by protein kinase C activators in mouse neuroblastoma cells, Renganathan, M., Godoy, C.M.G., Cukierman, S. 144:59
Mouse pancreatic islets
–, ionic mechanisms involved in the regulation of insulin secretion by muscarinic agonists, Bordin, S., Boschero, A.C., Carneiro, E.M., Atwater, I. 148:177
MQAE
–, apical membrane sodium and chloride entry during osmotic swelling of renal (A6) epithelial cells, Crowe W.E., Ehrenfeld, J., Brochiero, E., Wills, N.K. 144:81
Müller cells
–, a tetraethylammonium-insensitive inward rectifier K^+ channel in Müller cells of the turtle (*Pseudemys scripta elegans*) retina, Le Dain, A.C., Anderton, P.J., Martin, D.K., Millar, T.J. 141:239
Muscarinic agonists
–, ionic mechanisms involved in the regulation of insulin secretion by muscarinic agonists, Bordin, S., Boschero, A.C., Carneiro, E.M., Atwater, I. 148:177
Muscarinic K^+ channel
–, characterization of the acetylcholine-sensitive muscarinic K^+ channel in isolated feline atrial and ventricular myocytes, Koumi, S.i., Sato, R., Hayakawa, H. 145:143
–, membrane stretch augments the cardiac muscarinic K^+ channel activity, Pleumsamran, A., Kim, D. 148:287
Muscle weakness
–, excitation-calcium release uncoupling in aged single human skeletal muscle fibers, Delbono, O., O'Rourke, K.S., Ettinger, W.H. 148:211
Myelinated nerve fiber
–, single-channel analysis of a delayed rectifier K^+ channel in *Xenopus* myelinated nerve, Koh, D.-S., Vogel, W. 149:221
Myeloma cells
–, modulation of a volume-regulated chloride current by F-actin, Levitan, I., Almonte, C., Mollard, P., Garber, S.S. 147:283
Myristic acid
–, modulation of neuronal calcium channels by arachidonic acid and related substances, Schmitt, H., Meves, H. 145:233
Na/Ca exchange
–, electrical currents generated by a partially purified Na/Ca exchanger from lobster muscle reconstituted into liposomes and adsorbed on black lipid membranes: activation by photolysis of caged Ca^{2+}, Eisenrauch, A., Juhaszova, M., Ellis–Davies, G.C.R., Kaplan, J.H., Bamberg, E., Blaustein, M.P. 145:151

Na^+/Ca^{2+} exchange
–, calcium entry in rabbit corneal epithelial cells: evidence for a nonvoltage dependent pathway, Rich, A., Rae, J.L. 144:177
Na^+/Cl^- cotransport
–, hydrochlorothiazide enhances the apical Cl^- backflux in rabbit gallbladder epithelium: radiochemical analysis, Cremaschi, D., Porta, C. 141:29
Na^+/glucose cotransport
–, kinetics and specificity of the renal Na^+/*myo*–inositol cotransporter expressed in *Xenopus* oocytes, Hager, K., Kwon, H.M., Loo, D.D.F., Handler, J.S., Wright, E.M. 143:103
–, phenylglucosides and the Na^+/glucose cotransporter (SGLT1): analysis of interactions, Lostao, M.P., Hirayama, B.A., Loo, D.D.F., Wright, E.M. 142:161
Na^+/glucose cotransporter (SGLT1)
–, a method for determining the unitary functional capacity of cloned channels and transporters expressed in *Xenopus laevis* oocytes, Zampighi, G.A., Kreman, M., Boorer, K.J., Loo, D.D.F., Bezanilla, F., Chandy, G., Hall, J.E., Wright, E.M. 148:65
Na/H exchange
–, role of vacuolar adenosine triphosphatase in the regulation of cytosolic pH in hepatocytes, Wadsworth, S.J., van Rossum, G.D.V. 142:21
Na^+/H^+ exchange
–, chloride transport activation by plasma osmolarity during rapid adaptation to high salinity of *Fundulus heteroclitus*, Zadunaisky, J.A., Cardona, S., Au, L., Roberts, D.M., Fisher, E., Lowenstein, B., Cragoe, E.J., Jr., Spring, K.R. 143:207
–, differential regulation of Na^+/H^+ exchange and H^+–ATPase by pH and HCO_{-3} in kidney proximal tubules, Soleimani, M., Bookstein, C., Singh, G., Rao, M.C., Chang, E.B., Bastani, B. 144:209
–, expression of a novel sodium–hydrogen exchanger in the gastrointestinal tract and kidney, Ghishan, F.K., Knobel, S., Barnard, J.A., Breyer, M. 144:267
–, regulatory volume increase in rat lacrimal gland acinar cells, Douglas, I.J., Brown, P.D. 150:209
–, shrinkage-induced activation of the Na^+/H^+ exchanger in Ehrlich ascites tumor cells: mechanisms involved in the activation and a role for the exchanger in cell volume regulation, Pedersen, S.F., Kramhøft, B., Jørgensen, N.K., Hoffmann, E.K. 149:141
Na^+/HCO_{-3} cotransport
–, renal cortical basolateral Na^+/HCO_{-3} cotransporter III. Evidence for a regulatory protein in the inhibitory effect of protein kinase A, Bernardo, A.A., Kear, F.T., Stim, J.A., Qiu, Y.Y., Ruiz, O.S., Weidman, H., Arruda, J.A.L. 145:67
Na/K–ATPase
–, lateral mobility of Na,K-ATPase and membrane lipids in renal cells. importance of cytoskeletal integrity, Paller, M.S. 142:127
–, sequential potassium binding at the extracellular side of the Na,K pump, Bühler, R., Apell, J.-J. 145:165
Na^+/K^+–ATPase
–, a novel type of cell–cell cooperation between epithelial cells, Contreras, R.G., Lázaro, A., Bolivar, J.J., Flores–Maldonado, C., Sánchez, S.H., González–Mariscal, L., García–Villegas, M.R., Valdés, J., Cereijido, M. 145:305
–, evidence for coupling between Na^+ pump activity and TEA-sensitive K^+ currents in *Xenopus laevis* oocytes, Huang, H., St.-Jean, H., Coady, M.J., Lapointe, J.-Y. 143:29
–, inhibition of Na^+-pump expression by impairment of protein glycosylation is independent of the reduced sodium entry into the cell, Pedemonte, C.H. 147:223
–, transcriptional control of sodium transport in tight epithelia by adrenal steroids, Verrey, F. 144:93
–, ouabain resistance of the epithelial cell line (Ma104) is not due to lack of affinity of its pumps for the drug, Contreras, R.G., Lázaro, A., Mújica, A., González–Mariscal, L., Valdés, J., García–Villegas, M.R., Cereijido, M. 145:295
–, synergistic action of vasopressin and aldosterone on basolateral Na^+–K^+–ATPase in the cortical collecting duct, Coutry, N., Farman, N., Bonvalet, J.P., Blot–Chabaud, M. 145:99
–, the expression of Na^+/K^+-ATPase β-subunit cRNA injected into *Xenopus* oocytes is affected by coinjection with α-subunit cRNA, Ueno, S., Takeda, K., Noguchi, S., Izumi, F., Kawamura, M. 148:51
Na/K pump
–, sequential potassium binding at the extracellular side of the Na,K pump, Bühler, R., Apell, J.-J. 145:165
Na^+/K^+ pump
–, ouabain resistance of the epithelial cell line (Ma104) is not due to lack of affinity of its pumps for the drug, Contreras, R.G., Lázaro, A., Mújica, A., González–Mariscal, L., Valdés, J., García–Villegas, M.R., Cereijido, M. 145:295
Na/K/Cl cotransport
–, cellular mechanisms in activation of Na–K–Cl cotransport in nasal gland acinar cells of guinea pigs, Ikeda, K., Wu, D., Takasaka, T. 146:307
–, evidence for Na–K–Cl cotransport in alveolar epithelial cells: effect of phorbol ester and osmotic stress, Clerici, C., Couette, S., Loiseau, A., Herman, P., Amiel, C. 147:295
–, phylogenetic, structural and functional Characteristics of the Na–K–Cl cotransporter family, Park, J.H., Saier, M.H., Jr. 149:161
$Na^+/K^+/Cl$ cotransport
–, role of F-actin in the activation of Na^+–K^+–Cl^- cotransport by forskolin and vasopressin in mouse kidney cultured thick ascending limb cells, Wu, M.S., Bens, M., Cluzeaud, F., Vandewalle, A. 142:323
$Na^+/K^+/2Cl^-$ cotransport
–, regulatory volume increase in rat lacrimal gland acinar cells, Douglas, I.J., Brown, P.D. 150:209
Na^+/Mg^{2+} exchange
–, sodium transport through the amiloride-sensitive Na–Mg pathway of hamster red cells, Xu, W., Willis, J.S. 141:277
Na^+/*myo*–inositol cotransport
–, kinetics and specificity of the renal Na^+/*myo*–inositol cotransporter expressed in *Xenopus* oocytes, Hager, K., Kwon, H.M., Loo, D.D.F., Handler, J.S., Wright, E.M. 143:103
Na/Pi cotransport
–, functional expression of rat renal Na/Pi-cotransport (NaPi-2) in Sf9 cells by the baculovirus system, Fucentese, M., Winterhalter, K., Murer, H., Biber, J. 144:43
NaCl transport
–, cytoskeletal disruption in A6 kidney cells: impact on endo/exocytosis and NaCl transport regulation by antidiuretic hormone, Verrey, F., Groscurth, P., Bolliger, U. 145:193
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159
β-NAD^+–NS^+ channel
–, the effects of pyridine nucleotides on the activity of a calcium-activated nonselective cation channel in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 142:299
Nanovid
–, tracking movements of lipids and Thy1 molecules in the plasmalemma of living fibroblasts by fluorescence video microscopy with nanometer scale precision, Hicks, B.W., Angelides, K.J. 144:231

Nasal gland
–, cellular mechanisms in activation of Na–K–Cl cotransport in nasal gland acinar cells of guinea pigs, Ikeda, K., Wu, D., Takasaka, T. 146:307
Nerve axon
–, quaternary ammonium ion blockade of I_K in nerve axons revisited. open channel block *vs.* state independent block, Clay, J.R. 147:23
Neuroblastoma cells
–, sodium channels in cultured neuroblastoma cells grown in high glucose or L-fucose, Wachtel, R.E., Kraske, S.A., Yorek, M.A. 145:187
Neuroblastoma x glioma hybrid cells
–, modulation of neuronal calcium channels by arachidonic acid and related substances, Schmitt, H., Meves, H. 145:233
Neurons
–, discrete and reversible vacuole-like dilations induced by osmomechnical perturbation of neurons, Reuzeau, C., Mills, L.R., Harris, J.A., Morris, C.E. 145:33
–, responses of neurons to extreme osmomechanical stress, Wan, X., Harris, J.A., Morris, C.E. 145:21
Neurotransmitter release
–, molecular mechanisms in exocytosis, Edwardson, J.M., Marciniak, S.J. 146:113
Neurotransmitters
–, amino acid current through anion channels in cultured human glial cells, Roy, G. 147:35
–, neurotransmitter release at fast synapses, Parnas, H., Parnas, I. 142:267
NH_4Cl
–, differential regulation of membrane potential and conductance via intra- and extracellular pH in fused proximal tubular cells of frog kidney, Belachgar, F., Hulin, P., Planelles, G., Anagnostopoulos, T. 143:123
Ninhydrin
–, arginyl residues are involved in the transport of Fe^{2+} through the plasma membrane of the mammalian reticulocyte, González–Sepúlveda, M., Núñez, M.T. 141:225
Nitrate-induced acidification
–, role of vacuolar adenosine triphosphatase in the regulation of cytosolic pH in hepatocytes, Wadsworth, S.J., van Rossum, G.D.V. 142:21
Nitrellopsis obtusa
–, D_2O-induced ion channel activation in *Characeae* at low ionic strength, Andjus, P.R., Kataev, A.A., Alexandrov, A.A., Vucelic, D., Berestovsky, G.N. 142:43
–, patch clamp study of the voltage-dependent anion channel in the thylakoid membrane, Pottosin, I.I., Schönknecht, G. 148:143
nnr variants
–, differential expression of sodium channels and nicotinic acetylcholine receptor channels in nnr variants of the PC12 pheochromocytoma cell line, Fanger, G.R., Brennan, C., Henderson, L.P., Gardner, P.D., Maue, R.A. 144:71
NO_{-3} transport
–, NO_{-3} transport across the plasma membrane of *Arabidopsis thaliana* root hairs: kinetic control by pH and membrane voltage, Meharg, A.A., Blatt, M.R. 145:49
Nonpigmented ciliary epithelial cells
–, association of ClC-3 channel with Cl^- transport by human nonpigmented ciliary epithelial cells, Coca–Prados, M., Sánchez–Torres, J., Peterson–Yantorno, K., Civan, M.M. 150:197
–, cGMP modulates transport across the ciliary epithelium, Carré, D.A., Civan, M.M. 146:293
Northern blot analysis
–, amiloride-sensitive sodium channels in confluent M-1 mouse cortical collecting duct cells, Letz, B., Ackermann, A., Canessa, C.M., Rossier, B.C., Korbmacher, C. 148:127
Nuclear lipid metabolism
–, nuclear lipid metabolism in NEST: nuclear envelope signal transduction, Raben, D.M., Jarpe, M.B., Leach, K.L. 142:1
Nuclear pore complex
–, patch clamp and atomic force microscopy demonstrate TATA-binding protein (TBP) interactions with the nuclear pore complex, Bustamante, J.O., Liepins, A., Prendergast, R.A., Hanover, J.A., Oberleithner, H. 146:263
–, patch clamp detection of transcription factor translocation along the nuclear pore complex channel, Bustamante, J.O., Oberleithner, H., Hanover, J.A., Liepins, A. 146:253
–, the ion channel behavior of the nuclear pore complex, Bustamante, J.O., Hanover, J.A., Liepins, A. 146:239
5′-Nucleotidase
–, reconstitution of 5′-nucleotidase of bull seminal plasma in spin-labeled liposomes, Fini, C., Thuong, V.D., Aliante, M., Floridi, A., Cannistraro, S. 142:137
Nucleotide regulation
–, nucleotide regulation of a calcium-activated cation channel in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 141:101
Nucleotides
–, modulation of the serotonin-activated K^+ channel by G protein subunits and nucleotides in rat hippocampal neurons, Oh, U., Ho, Y.-K., Kim, D. 147:241
–, the effects of pyridine nucleotides on the activity of a calcium-activated nonselective cation channel in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 142:299
Nystatin
–, correlation of open cell-attached and excised patch clamp techniques, Filipovic, D., Hayslett, J.P. 148:79
–, hydrochlorothiazide enhances the apical Cl^- backflux in rabbit gallbladder epithelium: radiochemical analysis, Cremaschi, D., Porta, C. 141:29
Octyl glucoside
–, reconstitution of a passive Ca^{2+}-transport pathway from the basolateral plasma membrane of rat parotid gland acinar cells, Lockwich, T., Chauthaiwale, J., Ambudkar, S.V., Ambudkar, I.S. 148:277
Oleate
–, specificities of red cell membrane sites transporting three long chain fatty acids, Bojesen, I.N., Bojesen, E. 149:257
Oleic acid
–, cell swelling activates separate taurine and chloride channels in Ehrlich mouse ascites tumor cells, Lambert, I.H., Hoffmann, E.K. 142:289
Olfaction
–, guanine nucleotides modulate steady-state inactivation of voltage-gated sodium channels in frog olfactory receptor neurons, Pun, R.Y.K., Kleene, S.J., Gesteland, R.C. 142:103
Olfactory receptor neurons
–, the permeation of organic cations through cAMP-gated channels in mammalian olfactory receptor neurons, Balasubramanian, S., Lynch, J.W., Barry, P.H. 146:177
Oligopeptide transport
–, oligopeptide transport by epithelial cells, Meredith, D., Boyd, C.A.R. 145:1
Open channel
–, computing the field in proteins and channels, Eisenberg, R.S. 150:1

Open channel block
–, quaternary ammonium ion blockade of I_K in nerve axons revisited. open channel block *vs.* state independent block, Clay, J.R. 147:23
–, sodium current inhibition by internal calcium: a combination of open-channel block and surface charge screening?, Zamponi, G.W., French, R.J. 147:1
Open probability
–, characteristics of $GABA_A$ channels in rat dentate gyrus, Birnir, B., Everitt, A.B., Gage, P.W. 142:93
Open reading frames
–, phylogenetic, structural and functional Characteristics of the Na–K–Cl cotransporter family, Park, J.H., Saier, M.H., Jr. 149:161
Open state kinetics
–, distinct modes of blockade in cardiac ATP-sensitive K^+ channels suggest multiple targets for inhibitory drug molecules, Benz, I., Kohlhardt, M. 142:309
–, thermodynamically specific gating kinetics of cardiac mammalian $K^+_{(ATP)}$ channels in a physiological environment near 37°C, Haverkampf, K., Benz, I., Kohlhardt, M. 146:85
Optical monitoring
–, evaluation of optimal voltage-sensitive dyes for optical monitoring of embryonic neural activity, Momose–Sato, Y., Sato, K., Sakai, T., Hirota, A., Masutani, K., Kamino, K. 144:167
Organic anions
–, reconstitution of hepatic uricase in planar lipid bilayer reveals a functional organic anion channel, Leal–Pinto, E., London, R.D., Knorr, B.A., Abramson, R.G. 146:123
Organic cations
–, the permeation of organic cations through cAMP-gated channels in mammalian olfactory receptor neurons, Balasubramanian, S., Lynch, J.W., Barry, P.H. 146:177
Osmolyte channel
–, anion-selectivity of the swelling-activated osmolyte channel in eel erythrocytes, Lewis, R.A., Bursell, J.D.H., Kirk, K. 149:103
Osmomechanical stress
–, discrete and reversible vacuole-like dilations induced by osmomechnical perturbation of neurons, Reuzeau, C., Mills, L.R., Harris, J.A., Morris, C.E. 145:33
–, responses of neurons to extreme osmomechanical stress, Wan, X., Harris, J.A., Morris, C.E. 145:21
Osmotic pressure
–, characterization of mechanosensitive channels in *Escherichia coli* cytoplasmic membrane by whole-cell patch clamp recording, Cui, C., Smith, D.O., Adler, J. 144:31
Osmotic shock
–, discrete and reversible vacuole-like dilations induced by osmomechnical perturbation of neurons, Reuzeau, C., Mills, L.R., Harris, J.A., Morris, C.E. 145:33
–, responses of neurons to extreme osmomechanical stress, Wan, X., Harris, J.A., Morris, C.E. 145:21
Osmotic stress
–, evidence for Na–K–Cl cotransport in alveolar epithelial cells: effect of phorbol ester and osmotic stress, Clerici, C., Couette. S., Loiseau, A., Herman, P., Amiel, C. 147:295
Osteoblast bone cells
–, activation of maxi-K channels by parathyroid hormone and prostaglandin E_2 in human osteoblast bone cells, Moreau, R., Hurst, A.M., Lapointe, J.-Y., Lajeunesse, D. 150:175
Osteoblast cells
–, NaF potentiates a K^+-selective ion channel in G292 osteoblastic cells, Gofa, A., Davidson, R.M. 149:211
Osteosarcoma cells (SaOS-2)
–, activation of maxi-K channels by parathyroid hormone and prostaglandin E_2 in human osteoblast bone cells, Moreau, R., Hurst, A.M., Lapointe, J.-Y., Lajeunesse, D. 150:175
Ouabain
–, a novel type of cell–cell cooperation between epithelial cells, Contreras, R.G., Lázaro, A., Bolivar, J.J., Flores–Maldonado, C., Sánchez, S.H., González–Mariscal, L., García–Villegas, M.R., Valdés, J., Cereijido, M. 145:305
–, effects of voltage clamping on epithelial cell composition in toad urinary bladder studied with x-ray microanalysis, Bowler, J.M., McLaughlin, C.W., Butt, A.G., Purves, R.D., Macknight, A.D.C 145:175
–, ouabain resistance of the epithelial cell line (Ma104) is not due to lack of affinity of its pumps for the drug, Contreras, R.G., Lázaro, A., Mújica, A., González–Mariscal, L., Valdés, J., García–Villegas, M.R., Cereijido, M. 145:295
–, role of vacuolar adenosine triphosphatase in the regulation of cytosolic pH in hepatocytes, Wadsworth, S.J., van Rossum, G.D.V. 142:21
Ouabain binding
–, synergistic action of vasopressin and aldosterone on basolateral Na^+–K^+–ATPase in the cortical collecting duct, Coutry, N., Farman, N., Bonvalet, J.P., Blot–Chabaud, M. 145:99
Outer membrane
–, oriented channel insertion reveals the motion of a transmembrane beta strand during voltage gating of VDAC, Zizi, M., Thomas, L., Blachly–Dyson, E., Forte, M., Colombini, M. 144:121
Outward current
–, a voltage-dependent and pH-sensitive proton current in *Rana esculenta* oocytes, Humez, S., Fournier, F., Guilbault, P. 147:207
Outward K^+ currents
–, properties of voltage-gated potassium currents of microglia differentiated with granulocyte/macrophage colony-stimulating factor, Eder, C., Fischer, H.-G., Hadding, U., Heinemann, U. 147:137
Outward rectification
–, Characteristics of $GABA_A$ channels in rat dentate gyrus, Birnir, B., Everitt, A.B., Gage, P.W. 142:93
–, protein kinase A-regulated Cl^- channel in ML-1 hematopoietic myeloblasts, Xu, B., Lu, L. 142:65
P state
–, patch clamp analysis of the dominant plasma membrane K^+ channel in root cell protoplasts of *Plantago media* L. Its significance for the P and K state, Vogelzang, S.A., Prins, H.B.A. 141:113
P-glycoprotein
–, drug-transport and volume-regulated chloride channel functions in human erythroleukemia cells: relation to expression level of p-glycoprotein, Viana, F., Van Acker, K., De Greef, C., Eggermont, J., Raeymaekers, L., Droogmans, G., Nilius, B. 145:87
–, the biology of the p-glycoproteins, Leveille–Webster, C.R., Arias, I.M. 143:89
Pacemaker cells
–, sodium currents in toad cardiac pacemaker cells, Ju, Y.-K., Saint, D.A., Hirst, G.D.S., Gage, P.W. 145:119
Palmitate
–, different arachidonate and palmitate binding capacities of the human red cell membrane, Bojesen, I.N., Bojesen, E. 142:113
–, specificities of red cell membrane sites transporting three long chain fatty acids, Bojesen, I.N., Bojesen, E. 149:257
Pancreatic β cell
–, estimating and eliminating junctional current in coupled cell populations by leak subtraction. a computational study, Sherman, A., Xu, L., Stokes, C.L. 143:79
–, magnitude and modulation of pancreatic β-cell gap junction electrical conductance *in situ*, Mears, D., Sheppard, N.F., Jr., Atwater, I., Rojas, E. 146:163

–, single-microelectrode voltage clamp measurements of pancreatic (-cell membrane ionic currents *in situ*, Rojas, E., Stokes, C.L., Mears, D., Atwater, I. 143:65
Pancreatic duct cells
–, volume-activated chloride currents in pancreatic duct cells, Verdon, B., Winpenny, J.P., Whitfield, K.J., Argent, B.E., Gray, M.A. 147:173
Paracellular channel
–, the paracellular channel for water secretion in the upper segment of the Malpighian tubule of *Rhodnius prolixus*, Sofía Hernández, C., González, E., Whittembury, G. 148:233
Paramecium
–, functional reconstitution of ion channels from *Paramecium* cortex into artificial liposomes, Zhou, X.-L., Chan, C.W.M., Saimi, Y., Kung, C. 144:199
–, lysozome acts as a chemorepellant and secretagogue in *Paramecium* by activating a novel receptor-operated Ca^{++} conductance, Hennessey, T.M., Kim, M.Y., Satir, B.H. 148:13
–, *Paramecium* Na^+ channels activated by Ca^{2+}–calmodulin: calmodulin is the Ca^{2+} sensor in the channel gating mechanism, Saimi, Y., Ling, K.-Y. 144:257
Paramecium tetraurelia
–, veratridine triggers exocytosis in *Paramecium* cells by activating somatic Ca channels, Plattner, H., Braun, C., Klauke, N., Länge, S. 142:229
Paraneoplastic neurological disorders
–, voltage-dependent sodium channels in human small-cell lung cancer cells: role in action potentials and inhibition by Lambet–Eaton Syndrome IgG, Blandino, J.K.W., Viglione, M.P., Bradley, W.A., Oie, H.K., Kim, Y.I. 143:153
Parathyroid hormone
–, activation of maxi-K channels by parathyroid hormone and prostaglandin E_2 in human osteoblast bone cells, Moreau, R., Hurst, A.M., Lapointe, J.-Y., Lajeunesse, D. 150:175
Partial coupling
–, reaction kinetics of the vacuolar H^+-pumping ATPase in *Beta vulgaris*, Davies, J.M., Sanders, D., Gradmann, D. 150:231
Partition coefficient
–, phospholipid surface density determines the partitioning and permeability of acetic acid in DMPC:cholesterol bilayers, Xiang, T.-X., Anderson, B.D. 148:157
Patch clamp
–, a calcium-activated and nucleotide-sensitive nonselective cation channel in M-1 mouse cortical collecting duct cells, Korbmacher, C., Volk, T., Segal, A.S., Boulpaep, E.L., Frömter, E. 146:29
–, a nonselective high conductance channel in bovine pigmented ciliary epithelial cells, Mitchell, C.H., Jacob, T.J.C. 150:105
–, a novel, volume-correlated Cl^- conductance in marginal cells dissociated from the stria vascularis of gerbils, Takeuchi, S., Irimajiri, A. 150:47
–, a tetraethylammonium-insensitive inward rectifier K^+ channel in Müller cells of the turtle (*Pseudemys scripta elegans*) retina, Le Dain, A.C., Anderton, P.J., Martin, D.K., Millar, T.J. 141:239
–, activation of maxi-K channels by parathyroid hormone and prostaglandin E_2 in human osteoblast bone cells, Moreau, R., Hurst, A.M., Lapointe, J.-Y., Lajeunesse, D. 150:175
–, amiloride-sensitive sodium channels in confluent M-1 mouse cortical collecting duct cells, Letz, B., Ackermann, A., Canessa, C.M., Rossier, B.C., Korbmacher, C. 148:127
–, amino acid current through anion channels in cultured human glial cells, Roy, G. 147:35
–, basolateral K channel activated by carbachol in the epithelial cell line T_{84}, Tabcharani, J.A., Harris, R.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:241
–, calcium sensitivity of the plasmalemmal delayed rectifier potassium current suggests that calcium influx in pulvinar protoplasts from *Mimosa pudica* L. can be revealed by hyperpolarization, Stoeckel, H., Takeda, K. 146:201
–, cGMP modulates transport across the ciliary epithelium, Carré, D.A., Civan, M.M. 146:293
–, characterization of the acetylcholine-sensitive muscarinic K^+ channel in isolated feline atrial and ventricular myocytes, Koumi, S.i., Sato, R., Hayakawa, H. 145:143
–, characterization of the G protein coupling of a glucagon receptor to the K_{ATP} channel in insulin-secreting cells, Ribalet, B., Ciani, S. 142:395
–, characterization of the G protein coupling of SRIF and β-adrenergic receptors to the maxi K_{Ca} channel in insulin-secreting cells, Ribalet, B., Eddlestone, G.T. 148:111
–, characterization of whole cell chloride conductances in a mouse inner medullary collecting duct cell line mIMCD-3, Shindo, M., Simmons, N.L., Gray, M.A. 149:21
–, chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule, Tauc, M., Bidet, M., Poujeol, P. 150:255
–, Cl^- and K^+ channel currents during the action potential in *Chara*. Simultaneous recording of membrane voltage and patch currents, Homann, U., Thiel, G. 141:297
–, control of the amiloride-sensitive Na^+ current in salivary duct cells by extracellular sodium, Komwatana, P., Dinudom, A., Young, J.A., Cook, D.I. 150:133
–, correlation of open cell-attached and excised patch clamp techniques, Filipovic, D., Hayslett, J.P. 148:79
–, differential expression of sodium channels and nicotinic acetylcholine receptor channels in nnr variants of the PC12 pheochromocytoma cell line, Fanger, G.R., Brennan, C., Henderson, L.P., Gardner, P.D., Maue, R.A. 144:71
–, exogenous GABA persistently opens Cl^- channels in cultured embryonic rat thalamic neurons, Liu, Q.Y., Vautrin, J., Tang, K.M., Barker, J.L. 145:279
–, extracellular ATP activates both Ca^{2+}- and cAMP-dependent Cl^- conductances in rat epididymal cells, Chan, H.C., Zhou, W.L., Wong, P.Y.D. 147:185
–, Hodgkin–Huxley analysis of a gcac1 anion channel in the plasma membrane of guard cells, Kolb, H.-A., Marten, I., Hedrich, R 146:273
–, human macrophages contain a stretch-sensitive potassium channel that is activated by adherence and cytokines, Martin, D.K., Bootcov, M.R., Campbell, T.J., French, P.W., Breit, S.N. 147:305
–, hypotonically activated chloride current in HSG cells, Fatherazi, S., Izutsu, K.T., Wellner, R.B., Belton, C.M. 142:181
–, inhibition of Ca^{2+}-dependent Cl^- channels from secretory epithelial cells by low internal pH, Arreola, J., Melvin, J.E., Begenisich, T. 147:95
–, ion channels in the plasma membrane of protoplasts from the halophytic angiosperm *Zostera muelleri*, Garrill, A., Tyerman, S.D., Findlay, G.P. 142:381
–, kinetic analysis of two simultaneously activated K^+ currents in root cell protoplasts of *Plantago media L.*, Vogelzang, S.A., Prins, H.B.A. 146:59
–, lumenal calcium modulates unitary conductance and gating of a plant vacuolar calcium release channel, Johannes, E., Sanders, D. 146:211
–, maxi K^+ channels on human vas deferens epithelial cells, Sohma, Y., Harris, A., Wardle, C.J.C., Gray, M.A., Argent, B.E. 141:69
–, modulation of the inwardly rectifying K^+ channel in isolated human atrial myocytes by α_1-adrenergic stimulation, Sato, R., Koumi, S.-i. 148:185

–, NaF potentiates a K^+-selective ion channel in G292 osteoblastic cells, Gofa, A., Davidson, R.M. 149:211
–, nucleotide regulation of a calcium-activated cation channel in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 141:101
Prins, H.B.A. 141:113
–, *Paramecium* Na^+ channels activated by Ca^{2+}–calmodulin: calmodulin is the Ca^{2+} sensor in the channel gating mechanism, Saimi, Y., Ling, K.-Y. 144:257
–, patch clamp analysis of the dominant plasma membrane K^+ channel in root cell protoplasts of *Plantago media* L. Its significance for the P and K state, Vogelzang, S.A.,
–, patch clamp and atomic force microscopy demonstrate TATA-binding protein (TBP) interactions with the nuclear pore complex, Bustamante, J.O., Liepins, A., Prendergast, R.A., Hanover, J.A., Oberleithner, H. 146:263
–, patch clamp detection of transcription factor translocation along the nuclear pore complex channel, Bustamante, J.O., Oberleithner, H., Hanover, J.A., Liepins, A. 146:253
–, patch clamp study of the voltage-dependent anion channel in the thylakoid membrane, Pottosin, I.I., Schönknecht, G. 148:143
–, permeability increase induced by *Escherichia coli* hemolysin A in human macrophages is due to the formation of ionic pores: a patch clamp characterization, Menestrina, G., Pederzolli, C., Dalla Serra, M., Bregante, M., Gambale, F. 149:113
–, potassium currents in cultured rabbit retinal pigment epithelial cells, Tao, Q., Rafuse, P.E., Kelly, M.E.M. 141:123
–, properties of the K^+ inward rectifier in the plasma membrane of xylem parenchyma cells from barley roots: effects of TEA^+, Ca^{2+}, Ba^{2+}, and La^{3+}, Wegner, L.H., De Boer, A.H., Raschke, K. 142: 363
–, protein kinase A-regulated Cl^- channel in ML-1 hematopoietic myeloblasts, Xu, B., Lu, L. 142:65
–, regulation by GTP of a Ca^{2+}-activated K^+ channel in the apical membrane of rabbit cortical collecting duct cells, Suzuki, M., Takahashi, K., Sakai, O. 141:43
–, selectivity of ATP-activated GTP-dependent Ca^{2+}-permeable channels in rat macrophage plasma membrane, Naumov, A.P., Kaznacheyeva, E.V., Kuryshev, Y.A., Mozhayeva, G.N. 148:91
–, small-conductance chloride channels in human peripheral T lymphocytes, Schumacher, P.A., Sakellaropoulos, G., Phipps, D.J., Schlichter, L.C. 145:217
–, small inward rectifying K^+ channels in coleoptiles: inhibition by external Ca^{2+} and function in cell elongation, Thiel, G., Brüdern, A., Gradmann, D. 149:9
–, sodium channels in cultured neuroblastoma cells grown in high glucose or L-fucose, Wachtel, R.E., Kraske, S.A., Yorek, M.A. 145:187
–, SR47063, a potent channel opener, activates K_{ATP} and a time-dependent current likely due to potassium accumulation, Tourneur, Y., Marion, A., Gautier, P. 142:337
–, *Staphylococcus aureus* alpha-toxin-induced pores: channel-like behavior in lipid bilayers and patch clamped cells, Korchev, Y.E., Alder, G.M., Bakhramov, A., Bashford, C.L., Joomun, B.S., Sviderskaya, E.V., Usherwood, P.N.R., Pasternak, C.A. 143:143
–, the effect of intracellular Ca^{2+} on GABA-activated currents in cerebellar granule cells in culture, Martina, M., Kilic, G., Cherubini, E. 142:209
–, the ion channel behavior of the nuclear pore complex, Bustamante, J.O., Hanover, J.A., Liepins, A. 146:239
–, the transient outward current of isolated bovine adrenal zona fasciculata cells: comparison between standard and perforated patch recording methods, Bilbaut, A., Chorvatova, A., Ojeda, C., Rougier, O. 149:233
–, voltage-dependent sodium currents recorded from dissociated rat taste cells, Herness, M.S., Sun, X.-D. 146:73
–, volume-activated chloride currents in pancreatic duct cells, Verdon, B., Winpenny, J.P., Whitfield, K.J., Argent, B.E., Gray, M.A. 147:173
Pattern formation
–, spatial organization of transport domains and subdomain formation in the plasma membrane of *Chara corallina*, Fisahn, J., Lucas, W.J. 147:275
PC12 cells
–, differential expression of sodium channels and nicotinic acetylcholine receptor channels in nnr variants of the PC12 pheochromocytoma cell line, Fanger, G.R., Brennan, C., Henderson, L.P., Gardner, P.D., Maue, R.A. 144:71
PepT1
–, oligopeptide transport by epithelial cells, Meredith, D., Boyd, C.A.R. 145:1
PepT2
–, oligopeptide transport by epithelial cells, Meredith, D., Boyd, C.A.R. 145:1
Perforated outside-out vesicles
–, cell membrane patches are supported by proteoglycans, Olesen, S.-P. 144:245
Perfusion
–, modeling the current–voltage Characteristics of *Chara* membranes: I. the effect of ATP removal and zero turgor, Beilby, M.J., Walker, N.A. 149:89
Permeability
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41
–, determination of the Na permeability of the tight junctions of MDCK cells by fluorescence microscopy, Kovbasnjuk, O., Chatton, J.-Y., Friauf, W.S., Spring, K.R. 148:223
–, effect of antipeptide antibodies directed against three domains of connexin43 on the gap junctional permeability of cultured heart cells, Bastide, B., Jarry–Guichard, T., Briand, J.P., Délèze, J., Gros, D. 150:243
–, ionic permeabilities induced by *Bacillus thuringiensis* in Sf9 cells, Vachon, V., Paradis, M.-J., Marsolais, M., Schwartz, J.-L., Laprade, R. 148:57
–, optical methods to measure membrane transport processes, Verkman, A.S. 148:99
–, permeability increase induced by *Escherichia coli* hemolysin A in human macrophages is due to the formation of ionic pores: a patch clamp characterization, Menestrina, G., Pederzolli, C., Dalla Serra, M., Bregante, M., Gambale, F. 149:113
–, the permeation of organic cations through cAMP-gated channels in mammalian olfactory receptor neurons, Balasubramanian, S., Lynch, J.W., Barry, P.H. 146:177
Permeability coefficient
–, phospholipid surface density determines the partitioning and permeability of acetic acid in DMPC:cholesterol bilayers, Xiang, T.-X., Anderson, B.D. 148:157
Permeation
–, lumenal calcium modulates unitary conductance and gating of a plant vacuolar calcium release channel, Johannes, E., Sanders, D. 146:211
–, the K^+ channel in the plasma membrane of rye roots has a multiple ion residency pore, White, P.J., Ridout, M. 143:37
Pertussis toxin (PTX)
–, characterization of the G protein coupling of SRIF and β-adren-

ergic receptors to the maxi K_{Ca} channel in insulin-secreting cells, Ribalet, B., Eddlestone, G.T. 148:111

pH
–, a voltage-dependent and pH-sensitive proton current in *Rama esculenta* oocytes, Humez, S., Fournier, F., Guilbault, P. 147:207
–, ATP, pH and Mg^{2+} modulate a cation current in *Beta vulgaris* vacuoles: a possible shunt conductance for the vacuolar H^+-ATPase, Davies, J.M., Sanders, D. 145:75
–, differential regulation of Na^+/H^+ exchange and H^+–ATPase by pH and HCO_{-3} in kidney proximal tubules, Soleimani, M., Bookstein, C., Singh, G., Rao, M.C., Chang, E.B., Bastani, B. 144:209
–, extracellular pH modulates the Ca^{2+} current activated by depletion of intracellular Ca^{2+} stores in human macrophages, Malayev, A., Nelson, D.J. 146:101
–, ion transport across the early chick embryo: II. Characterization and pH sensitivity of the transembryonic short-circuit current, Abriel, H., Katz, U., Kucera, P. 141:159
–, parameters affecting fusion between liposomes and synaptosomes. role of proteins, lipid peroxidation, pH and temperature, Almeida, M.T., Ramalho–Santos, J., Oliveira, C.R., Pedroso de Lima, M.C. 142:217
–, pH- and voltage-dependent conductances in toad skin, Lacaz–Vieira, F. 148:1
–, role of vacuolar adenosine triphosphatase in the regulation of cytosolic pH in hepatocytes, Wadsworth, S.J., van Rossum, G.D.V. 142:21
–, the pH-sensitivity of transepithelial K^+ transport in vestibular dark cells, Wangemann, P., Liu, J., Shiga, N. 147:255
–, voltage-activated hydrogen ion currents. DeCoursey, T.E., Cherny, V.V. 141:203

pH activation
–, reconstitution of the influenza virus M_2 ion channel in lipid bilayers, Tosteson, M.T., Pinto, L.H., Holsinger, L.J., Lamb, R.A. 142:117

Phalloidin
–, modulation of a volume-regulated chloride current by F-actin, Levitan, I., Almonte, C., Mollard, P., Garber, S.S. 147:283

Phenylglucosides
–, phenylglucosides and the Na^+/glucose cotransporter (SGLT1): analysis of interactions, Lostao, M.P., Hirayama, B.A., Loo, D.D.F., Wright, E.M. 142:161

Phenylglyoxal
–, arginyl residues are involved in the transport of Fe^{2+} through the plasma membrane of the mammalian reticulocyte, González–Sepúlveda, M., Núñez, M.T. 141:225

Pheothiazine
–, divalent cation channels activated by phenothiazines in membrane of rat ventricular myocytes, Lefevre, T., Coraboeuf, E., Ghazi, A., Coulombe, A. 147:147

Phlorizin
–, ion transport across the early chick embryo: II. Characterization and pH sensitivity of the transembryonic short-circuit current, Abriel, H., Katz, U., Kucera, P. 141:159

Phorbol ester
–, evidence for Na–K–Cl cotransport in alveolar epithelial cells: effect of phorbol ester and osmotic stress, Clerici, C., Couette, S., Loiseau, A., Herman, P., Amiel, C. 147:295

Phosphatidic acid
–, modeling degranulation with liposomes: effect of lipid composition on membrane fusion, Brock, T.G., Nagaprakash, K., Margolis, D.I., Smolen, J.E. 141:139

Phosphatidylethanolamine
–, import of phosphatidylethanolamine for the assembly of rat brain mitochondrial membranes, Camici, O., Corazzi, L. 148:169

Phosphatidylserine decarboxylase
–, import of phosphatidylethanolamine for the assembly of rat brain mitochondrial membranes, Camici, O., Corazzi, L. 148:169

Phosphoinositides
–, nuclear lipid metabolism in NEST: nuclear envelope signal transduction, Raben, D.M., Jarpe, M.B., Leach, K.L. 142:1

Phospholamban
–, examination of the role of phosphorylation and phospholamban in the regulation of the cardiac sarcoplasmic reticulum of Cl^- channel, Decrouy, A., Juteau, M., Rousseau, E. 146:315

Phospholipase C
–, expression of potassium channels in epithelial cells depends on calcium-activated cell–cell contacts, Talavera, D., Ponce, A., Fiorentino, R., González–Mariscal, L., Contreras, R.G., Sánchez, S.H., García–Villegas, M.R., Valdés, J., Cereijido, M. 143:219

Phospholipase C activation
–, lysophosphatidic acid induces inositol phosphate and calcium signals in exocrine cells from the avian nasal salt gland, Hildebrandt, J.-P. 144:49

Phospholipid bilayers
–, triton channels are sensitive to divalent cations and protons, Rostovtseva, T.K., Bashford, C.L., Lev, A.A., Pasternak, C.A. 141:83

Phospholipid headgroup size
–, lipid–ion channel interactions: increasing phospholipid headgroup size but not ordering acyl chains alters reconstituted channel behavior, Chang, H.M., Reitstetter, R., Gruener, R. 145:13

Phospholipid transport
–, import of phosphatidylethanolamine for the assembly of rat brain mitochondrial membranes, Camici, O., Corazzi, L. 148:169

Phospholipids
–, a fusogenic protein from rat brain microsomal membranes: partial purification and reconstitution into liposomes, Rakowska, M., Zborowski, J., Corazzi, L. 142:35
–, membrane fatty acid composition of tissues is related to body mass of mammals, Couture, P., Hulbert, A.J. 148:27
–, phospholipid surface density determines the partitioning and permeability of acetic acid in DMPC:cholesterol bilayers, Xiang, T.-X., Anderson, B.D. 148:157
–, transport of K^+ and other cations across phospholipid membranes by nonesterified fatty acids, Sharpe, M.A, Cooper, C.E., Wrigglesworth, J.M. 141:21

Phosphorylation
–, examination of the role of phosphorylation and phospholamban in the regulation of the cardiac sarcoplasmic reticulum of Cl^- channel, Decrouy, A., Juteau, M., Rousseau, E. 146:315
–, phosphorylation is involved in the regulation of the taurine influx via the β-system in Ehrlich ascites tumor cells, Mollerup, J., Lambert, I.H. 150:73
–, shrinkage-induced activation of the Na^+/H^+ exchanger in Ehrlich ascites tumor cells: mechanisms involved in the activation and a role for the exchanger in cell volume regulation, Pedersen, S.F., Kramhøft, B., Jørgensen, N.K., Hoffmann, E.K. 149:141
–, structure and function of amiloride-sensitive Na^+ channels, Benos, D.J., Awayda, M.S., Ismailov, I.I., Johnson, J.P. 143:1

Photoaffinity labeling
–, extracellular ATP binding proteins as potential receptors in mucociliary epithelium: characterization using [^{32}P]3′-O-(4-Benzoyl)benzoyl ATP, a photoaffinity label, Gheber, L., Priel, Z., Aflalo, C., Shoshan–Barmatz, V. 147:83

Phylogenies
–, phylogenetic, structural and functional characteristics of the Na–K–Cl cotransporter family, Park, J.H., Saier, M.H., Jr. 149:161

pI_{Cln}
–, association of ClC-3 channel with Cl^- transport by human non-

pigmented ciliary epithelial cells, Coca–Prados, M., Sánchez–Torres, J., Peterson–Yantorno, K., Civan, M.M. 150:197

Pituitary
–, an inactivating inward-rectifying K current present in prolactin cells from the pituitary of lactating rats, Corrette, B.J., Bauer, C.K., Schwarz, J.R. 150:185
–, large-conductance calcium-activated potassium channels of cultured rat melanotrophs, Kehl, S.J., Wong, K. 150:219

Planar lipid bilayer
–, associated proteins and renal epithelial Na^+ channel function, Ismailov, I.I., Berdiev, B.K., Bradford, A.L., Awayda, M.S., Fuller, C.M., Benos, D.J. 149:123
–, characterization of a chloride channel reconstituted from cardiac sarcoplasmic reticulum, Townsend, C., Rosenberg, R.L. 147:121
–, characterization of a large conductance, cation-selective channel from sea urchin eggs that is sensitive to sulfhydryl reducing agents, Lii, T., Lee, H.C., Gleason, F.K., Levitt, D.G. 150:27
–, effects of cysteine modification on the activity of the cGMP-gated channel from retinal rods, Serre, V., Ildefonse, M., Bennett, N. 146:145
–, electrical currents generated by a partially purified Na/Ca exchanger from lobster muscle reconstituted into liposomes and adsorbed on black lipid membranes: activation by photolysis of caged Ca^{2+}, Eisenrauch, A., Juhaszova, M., Ellis–Davies, G.C.R., Kaplan, J.H., Bamberg, E., Blaustein, M.P. 145:151
–, ion channels formed by NB, an influenza B virus protein, Sunstrom, N.A., Premkumar, L.S., Premkumar, A., Ewart, G., Cox, G.B., Gage, P.W. 150:127
–, lipids in biological membrane fusion, Chernomordik, L., Kozlov, M.M., Zimmerberg, J. 146:1
–, low conductance states of a single ion channel are not 'closed', Korchev, Y.E., Bashford, C.L., Alder, G.M., Kasianowicz, J.J., Pasternak, C.A. 147:233
–, properties of voltage-gated ion channels formed by syringomycin E in planar lipid bilayers, Feigin, A.M., Takemoto, J.Y., Wangspa, R., Teeter, J.H., Brand, J.G. 149:41
–, reconstitution of hepatic uricase in planar lipid bilayer reveals a functional organic anion channel, Leal–Pinto, E., London, R.D., Knorr, B.A., Abramson, R.G. 146:123
–, reconstitution of the influenza virus M_2 ion channel in lipid bilayers, Tosteson, M.T., Pinto, L.H., Holsinger, L.J., Lamb, R.A. 142:117
–, *Staphylococcus aureus* alpha-toxin-induced pores: channel-like behavior in lipid bilayers and patch clamped cells, Korchev, Y.E., Alder, G.M., Bakhramov, A., Bashford, C.L., Joomun, B.S., Sviderskaya, E.V., Usherwood, P.N.R., Pasternak, C.A. 143:143
–, structure and function of amiloride-sensitive Na^+ channels, Benos, D.J., Awayda, M.S., Ismailov, I.I., Johnson, J.P. 143:1
–, the K^+ channel in the plasma membrane of rye roots has a multiple ion residency pore, White, P.J., Ridout, M. 143:37
–, triton channels are sensitive to divalent cations and protons, Rostovtseva, T.K., Bashford, C.L., Lev, A.A., Pasternak, C.A. 141:83

Plant membrane
–, transport and dynamics of molecules dissolved in maize root cortex membranes, Svetek, J., Furtula, V., Nemec, M., Nothnagel, E.A., Schara, M. 143:19

Plantago media
–, kinetic analysis of two simultaneously activated K^+ currents in root cell protoplasts of *Plantago media L.*, Vogelzang, S.A., Prins, H.B.A. 146:59
–, patch clamp analysis of the dominant plasma membrane K^+ channel in root cell protoplasts of *Plantago media* L. Its significance for the P and K state, Vogelzang, S.A., Prins, H.B.A. 141:113

Plasma membrane
–, a method for determining the unitary functional capacity of cloned channels and transporters expressed in *Xenopus laevis* oocytes, Zampighi, G.A., Kreman, M., Boorer, K.J., Loo, D.D.F., Bezanilla, F., Chandy, G., Hall, J.E., Wright, E.M. 148:65
–, arginyl residues are involved in the transport of Fe^{2+} through the plasma membrane of the mammalian reticulocyte, González–Sepúlveda, M., Núñez, M.T. 141:225
–, DNA, protein, and plasma membrane incorporation by arrested mammalian cells, Sukhorukov, V.L., Djuzenova, C.S., Arnold, W.M., Zimmermann, U. 142:77
–, Hodgkin–Huxley analysis of a gcac1 anion channel in the plasma membrane of guard cells, Kolb, H.-A., Marten, I., Hedrich, R 146:273
–, ion channels in the plasma membrane of protoplasts from the halophytic angiosperm *Zostera muelleri,* Garrill, A., Tyerman, S.D., Findlay, G.P. 142:381
–, NO_{-3} transport across the plasma membrane of *Arabidopsis thaliana* root hairs: kinetic control by pH and membrane voltage, Meharg, A.A., Blatt, M.R. 145:49
–, patch clamp analysis of the dominant plasma membrane K^+ channel in root cell protoplasts of *Plantago media* L. Its significance for the P and K state, Vogelzang, S.A., Prins, H.B.A. 141:113
–, permeabilization of the plasma membrane of L1210 mouse leukemia cells using lithotripter shock waves, Gambihler, S., Delius, M., Ellwart, J.W. 141:267
–, properties of the K^+ inward rectifier in the plasma membrane of xylem parenchyma cells from barley roots: effects of TEA^+, Ca^{2+}, Ba^{2+}, and La^{3+}, Wegner, L.H., De Boer, A.H., Raschke, K. 142:363
–, reconstitution of a passive Ca^{2+}-transport pathway from the basolateral plasma membrane of rat parotid gland acinar cells, Lockwich, T., Chauthaiwale, J., Ambudkar, S.V., Ambudkar, I.S. 148:277
–, spatial organization of transport domains and subdomain formation in the plasma membrane of *Chara corallina,* Fisahn, J., Lucas, W.J. 147:275
–, the K^+ channel in the plasma membrane of rye roots has a multiple ion residency pore, White, P.J., Ridout, M. 143:37
–, tracking movements of lipids and Thy1 molecules in the plasma-lemma of living fibroblasts by fluorescence video microscopy with nanometer scale precision, Hicks, B.W., Angelides, K.J. 144:231

Plasma osmolarity
–, chloride transport activation by plasma osmolarity during rapid adaptation to high salinity of *Fundulus heteroclitus,* Zadunaisky, J.A., Cardona, S., Au, L., Roberts, D.M., Fisher, E., Lowenstein, B., Cragoe, E.J., Jr., Spring, K.R. 143:207

Polyethylene glycol
–, electrically induced fusion of mammalian cells in the presence of polyethylene glycol, Stoicheva, N.G., Hui, S.W. 141:177
–, pore formation by *S. aureus* α-toxin in liposomes and planar lipid bilayers: effects of nonelectrolytes, Bashford, C.L., Alder, G.M., Fulford, L.G., Korchev, Y.E., Kovacs, E., MacKinnon, A., Pederzolli, C., Pasternak, C.A. 150:37

Polymer exclusion method
–, low conductance states of a single ion channel are not 'closed', Korchev, Y.E., Bashford, C.L., Alder, G.M., Kasianowicz, J.J., Pasternak, C.A. 147:233

Polymerase chain reaction
–, gating mechanism of the cloned inward rectifier potassium channel from mouse heart, Ishihara, K., Hiraoka, M. 142:55

Polyunsaturation
–, membrane fatty acid composition of tissues is related to body mass of mammals, Couture, P., Hulbert, A.J. 148:27

Porcine heart
–, characterization of a chloride channel reconstituted from cardiac sarcoplasmic reticulum, Townsend, C., Rosenberg, R.L. 147:121
Pore formation
–, permeability increase induced by *Escherichia coli* hemolysin A in human macrophages is due to the formation of ionic pores: a patch clamp characterization, Menestrina, G., Pederzolli, C., Dalla Serra, M., Bregante, M., Gambale, F. 149:113
–, pore formation by *S. aureus* α-toxin in liposomes and planar lipid bilayers: effects of nonelectrolytes, Bashford, C.L., Alder, G.M., Fulford, L.G., Korchev, Y.E., Kovacs, E., MacKinnon, A., Pederzolli, C., Pasternak, C.A. 150:37
Porin-type β-barrel fold
–, predictive evidence for a porin-type β-barrel fold in CHIP28 and oather members of the MIP family. a restricted-pore model common to water channels and facilitators, Fischbarg, J., Li, J., Cheung, M., Czegledy, F., Iserovich, P., Kuang, K. 143:177
Potassium accumulation
–, SR47063, a potent channel opener, activates K_{ATP} and a time-dependent current likely due to potassium accumulation, Tourneur, Y., Marion, A., Gautier, P. 142:337
Potassium channel
–, a heterogeneous electrophysiological profile of bone marrow-derived mast cells, Kuno, M., Shibata, T., Kawawaki, J., Kyogoku, I. 143:115
–, basolateral K channel activated by carbachol in the epithelial cell line T_{84}, Tabcharani, J.A., Harris, R.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:241
–, gating mechanism of the cloned inward rectifier potassium channel from mouse heart, Ishihara, K., Hiraoka, M. 142:55
–, large-conductance calcium-activated potassium channels of cultured rat melanotrophs, Kehl, S.J., Wong, K. 150:219
–, modifications of current properties by expression of a foreign potassium channel gene in *Xenopus* embryonic cells, Spruce, A.E., Moody, W.J. 148:255
–, NaF potentiates a K^+-selective ion channel in G292 osteoblastic cells, Gofa, A., Davidson, R.M. 149:211
–, regulation of an inwardly rectifying K channel in the T_{84} epithelial cell line by calcium, nucleotides, and kinases, Tabcharani, J.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:255
–, sodium channel functioning based on an octagonal structure model, Sato, C., Matsumoto, G. 147:45
Potassium conductance
–, responses of neurons to extreme osmomechanical stress, Wan, X., Harris, J.A., Morris, C.E. 145:21
Potassium current
–, an inactivating inward-rectifying K current present in prolactin cells from the pituitary of lactating rats, Corrette, B.J., Bauer, C.K., Schwarz, J.R. 150:185
–, calcium sensitivity of the plasmalemmal delayed rectifier potassium current suggests that calcium influx in pulvinar protoplasts from *Mimosa pudica* L. can be revealed by hyperpolarization, Stoeckel, H., Takeda, K. 146:201
–, potassium currents in cultured rabbit retinal pigment epithelial cells, Tao, Q., Rafuse, P.E., Kelly, M.E.M. 141:123
–, the inwardly rectifying potassium current of embryonic chick hepatocytes, Hill, C.E., Pon, D.C. 144:249
Potassium efflux system
–, effect of mutation of potassium-efflux system, *kefA*, on mechanosensitive channels in the cytoplasmic membrane of *Escherichia coli*, Cui, C., Adler, J. 150:143
Potassium ion binding
–, sequential potassium binding at the extracellular side of the Na,K pump, Bühler, R., Apell, J.-J. 145:165
Potassium ion channel
–, a tetraethylammonium-insensitive inward rectifier K^+ channel in Müller cells of the turtle (*Pseudemys scripta elegans*) retina, Le Dain, A.C., Anderton, P.J., Martin, D.K., Millar, T.J. 141:239
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
–, cGMP modulates transport across the ciliary epithelium, Carré, D.A., Civan, M.M. 146:293
–, Cl^- and K^+ channel currents during the action potential in *Chara*. Simultaneous recording of membrane voltage and patch currents, Homann, U., Thiel, G. 141:297
–, DIDS increases K^+ secretion through an I_{sK} channel in apical membrane of vestibular dark cell epithelium of gerbil, Shen, Z., Liu, J., Marcus, D.C., Shiga, N., Wangemann, P. 146:283
–, direct control of a large conductance K^+-selective channel by G-proteins in adrenal chromaffin granule membranes, Arispe, N., De Mazancourt, P., Rojas, E. 147:109
–, distinct modes of blockade in cardiac ATP-sensitive K^+ channels suggest multiple targets for inhibitory drug molecules, Benz, I., Kohlhardt, M. 142:309
–, evidence for coupling between Na^+ pump activity and TEA-sensitive K^+ currents in *Xenopus laevis* oocytes, Huang, H., St.-Jean, H., Coady, M.J., Lapointe, J.-Y. 143:29
–, expression of potassium channels in epithelial cells depends on calcium-activated cell–cell contacts, Talavera, D., Ponce, A., Fiorentino, R., González–Mariscal, L., Contreras, R.G., Sánchez, S.H., García–Villegas, M.R., Valdés, J., Cereijido, M. 143:219
–, human macrophages contain a stretch-sensitive potassium channel that is activated by adherence and cytokines, Martin, D.K., Bootcov, M.R., Campbell, T.J., French, P.W., Breit, S.N. 147:305
–, ion channels in the plasma membrane of protoplasts from the halophytic angiosperm *Zostera muelleri*, Garrill, A., Tyerman, S.D., Findlay, G.P. 142:381
–, modulation of the inwardly rectifying K^+ channel in isolated human atrial myocytes by α_1-adrenergic stimulation, Sato, R., Koumi, S.-i. 148:185
–, modulation of the serotonin-activated K^+ channel by G protein subunits and nucleotides in rat hippocampal neurons, Oh, U., Ho, Y.-K., Kim, D. 147:241
–, patch clamp analysis of the dominant plasma membrane K^+ channel in root cell protoplasts of *Plantago media* L. Its significance for the P and K state, Vogelzang, S.A., Prins, H.B.A. 141:113
–, properties of the K^+ inward rectifier in the plasma membrane of xylem parenchyma cells from barley roots: effects of TEA^+, Ca^{2+}, Ba^{2+}, and La^{3+}, Wegner, L.H., De Boer, A.H., Raschke, K. 142:363
–, quaternary ammonium ion blockade of I_K in nerve axons revisited. open channel block vs. state independent block, Clay, J.R. 147:23
–, single-channel analysis of a delayed rectifier K^+ channel in *Xenopus* myelinated nerve, Koh, D.-S., Vogel, W. 149:221
–, small inward rectifying K^+ channels in coleoptiles: inhibition by external Ca^{2+} and function in cell elongation, Thiel, G., Brüdern, A., Gradmann, D. 149:9
–, the K^+ channel in the plasma membrane of rye roots has a multiple ion residency pore, White, P.J., Ridout, M. 143:37
Potassium ion conductance
–, the ACh-induced whole-cell currents in sheep parotid secretory cells. Do BK channels really carry the ACh-evoked whole-cell K^+ current? Hayashi, T., Hirono, C., Young, J.A., Cook, D.I. 144:157
Potassium ion current
–, hypotonically activated chloride current in HSG cells, Fatherazi, S., Izutsu, K.T., Wellner, R.B., Belton, C.M. 142:181

–, kinetic analysis of two simultaneously activated K^+ currents in root cell protoplasts of *Plantago media L.*, Vogelzang, S.A., Prins, H.B.A. 146:59

–, properties of voltage-gated potassium currents of microglia differentiated with granulocyte/macrophage colony-stimulating factor, Eder, C., Fischer, H.-G., Hadding, U., Heinemann, U. 147:137

–, single-microelectrode voltage clamp measurements of pancreatic (-cell membrane ionic currents *in situ*, Rojas, E., Stokes, C.L., Mears, D., Atwater, I. 143:65

Potassium ion flux

–, DIDS increases K^+ secretion through an I_{sK} channel in apical membrane of vestibular dark cell epithelium of gerbil, Shen, Z., Liu, J., Marcus, D.C., Shiga, N., Wangemann, P. 146:283

–, rate of activation and deactivation of K:Cl cotransport by changes in cell volume in hemoglobin SS, CC and AA red cells, Canessa, M., Romero, J.R., Lawrence, C., Nagel, R.L., Fabry, M.E. 142: 349

Potassium ion permeability

–, ionic mechanisms involved in the regulation of insulin secretion by muscarinic agonists, Bordin, S., Boschero, A.C., Carneiro, E.M., Atwater, I. 148:177

–, thermodynamically specific gating kinetics of cardiac mammalian $K^+_{(ATP)}$ channels in a physiological environment near 37°C, Haverkampf, K., Benz, I., Kohlhardt, M. 146:85

Potassium ion secretion

–, hypo-osmotic challenge stimulates transepithelial K^+ secretion and activates apical I_{sK} channel in vestibular dark cells, Wangemann, P., Liu, J., Shen, Z., Shipley, A., Marcus, D.C. 147:263

–, maxi K^+ channels on human vas deferens epithelial cells, Sohma, Y., Harris, A., Wardle, C.J.C., Gray, M.A., Argent, B.E. 141:69

Potassium ion transport

–, hypo-osmotic challenge stimulates transepithelial K^+ secretion and activates apical I_{sK} channel in vestibular dark cells, Wangemann, P., Liu, J., Shen, Z., Shipley, A., Marcus, D.C. 147:263

–, the pH-sensitivity of transepithelial K^+ transport in vestibular dark cells, Wangemann, P., Liu, J., Shiga, N. 147:255

–, transport of K^+ and other cations across phospholipid membranes by nonesterified fatty acids, Sharpe, M.A, Cooper, C.E., Wrigglesworth, J.M. 141:21

Potassium sensitivity

–, effect of mutation of potassium-efflux system, *kefA*, on mechanosensitive channels in the cytoplasmic membrane of *Escherichia coli*, Cui, C., Adler, J. 150:143

Prolactin cells

–, an inactivating inward-rectifying K current present in prolactin cells from the pituitary of lactating rats, Corrette, B.J., Bauer, C.K., Schwarz, J.R. 150:185

L-Proline

–, an effect of Ca^{2+} on the intrinsic Cl^--conductance of rat kidney cortex brush border membrane vesicles, Vayro, S., Simmons, N.L. 150:163

Propionate–

–, the pH-sensitivity of transepithelial K^+ transport in vestibular dark cells, Wangemann, P., Liu, J., Shiga, N. 147:255

Prostaglandin E_2

–, activation of maxi-K channels by parathyroid hormone and prostaglandin E_2 in human osteoblast bone cells, Moreau, R., Hurst, A.M., Lapointe, J.-Y., Lajeunesse, D. 150:175

Protein glycosylation

–, inhibition of Na^+-pump expression by impairment of protein glycosylation is independent of the reduced sodium entry into the cell, Pedemonte, C.H. 147:223

Protein kinase

–, calcium-mobilizing agonists stimulate anion fluxes in cultured endothelial cells from human umbilical vein, White, C.R., Brock, T.A. 142:171

–, protein kinase A-regulated Cl^- channel in ML-1 hematopoietic myeloblasts, Xu, B., Lu, L. 142:65

–, regulation of an inwardly rectifying K channel in the T_{84} epithelial cell line by calcium, nucleotides, and kinases, Tabcharani, J.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:255

Protein kinase A

–, associated proteins and renal epithelial Na^+ channel function, Ismailov, I.I., Berdiev, B.K., Bradford, A.L., Awayda, M.S., Fuller, C.M., Benos, D.J. 149:123

–, chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule, Tauc, M., Bidet, M., Poujeol, P. 150:255

–, determination of the Na permeability of the tight junctions of MDCK cells by fluorescence microscopy, Kovbasnjuk, O., Chatton, J.-Y., Friauf, W.S., Spring, K.R. 148:223

–, phosphorylation is involved in the regulation of the taurine influx via the β-system in Ehrlich ascites tumor cells, Mollerup, J., Lambert, I.H. 150:73

–, renal cortical basolateral Na^+/HCO^-_3 cotransporter III. Evidence for a regulatory protein in the inhibitory effect of protein kinase A, Bernardo, A.A., Kear, F.T., Stim, J.A., Qiu, Y.Y., Ruiz, O.S., Weidman, H., Arruda, J.A.L. 145:67

Protein kinase C

–, association of ClC-3 channel with Cl^- transport by human nonpigmented ciliary epithelial cells, Coca–Prados, M., Sánchez–Torres, J., Peterson–Yantorno, K., Civan, M.M. 150:197

–, characterization of the G protein coupling of SRIF and β-adrenergic receptors to the maxi K_{Ca} channel in insulin-secreting cells, Ribalet, B., Eddlestone, G.T. 148:111

–, evidence for Na–K–Cl cotransport in alveolar epithelial cells: effect of phorbol ester and osmotic stress, Clerici, C., Couette, S., Loiseau, A., Herman, P., Amiel, C. 147:295

–, expression of potassium channels in epithelial cells depends on calcium-activated cell–cell contacts, Talavera, D., Ponce, A., Fiorentino, R., González–Mariscal, L., Contreras, R.G., Sánchez, S.H., García–Villegas, M.R., Valdés, J., Cereijido, M. 143:219

–, identification of isoforms of G proteins and PKC that colocalize with tight junctions, Dodane, V., Kachar, B. 149:199

–, modulation of the inwardly rectifying K^+ channel in isolated human atrial myocytes by α_1-adrenergic stimulation, Sato, R., Koumi, S.-i. 148:185

–, phosphorylation is involved in the regulation of the taurine influx via the β-system in Ehrlich ascites tumor cells, Mollerup, J., Lambert, I.H. 150:73

–, regulation of tight junction resistance in T_{84} monolayers by elevation in intracellular Ca^{2+}: a protein kinase C effect, Tai, Y.-H., Flick, J., Levine, S.A., Madara, J.L., Sharp, G.W.G., Donowitz, M. 149:71

–, shrinkage-induced activation of the Na^+/H^+ exchanger in Ehrlich ascites tumor cells: mechanisms involved in the activation and a role for the exchanger in cell volume regulation, Pedersen, S.F., Kramhøft, B., Jørgensen, N.K., Hoffmann, E.K. 149:141

–, volume-activated chloride currents in pancreatic duct cells, Verdon, B., Winpenny, J.P., Whitfield, K.J., Argent, B.E., Gray, M.A. 147:173

Protein kinase C activators

–, direct modulation of Na^+ currents by protein kinase C activators in mouse neuroblastoma cells, Renganathan, M., Godoy, C.M.G., Cukierman, S. 144:59

Protein phosphatases

–, an effect of Ca^{2+} on the intrinsic Cl^--conductance of rat kidney

cortex brush border membrane vesicles, Vayro, S., Simmons, N.L. 150:163
–, phosphorylation is involved in the regulation of the taurine influx via the β-system in Ehrlich ascites tumor cells, Mollerup, J., Lambert, I.H. 150:73
–, shrinkage-induced activation of the Na^+/H^+ exchanger in Ehrlich ascites tumor cells: mechanisms involved in the activation and a role for the exchanger in cell volume regulation, Pedersen, S.F., Kramhøft, B., Jørgensen, N.K., Hoffmann, E.K. 149:141
Protein phosphorylation
–, renal cortical basolateral Na^+/HCO_{-3} cotransporter III. Evidence for a regulatory protein in the inhibitory effect of protein kinase A, Bernardo, A.A., Kear, F.T., Stim, J.A., Qiu, Y.Y., Ruiz, O.S., Weidman, H., Arruda, J.A.L. 145:67
Protein translocation
–, how proteins cross the bacterial cytoplasmic membrane, Driessen, A.J.M. 142:145
Proteins
–, computing the field in proteins and channels, Eisenberg, R.S. 150:1
–, parameters affecting fusion between liposomes and synaptosomes. role of proteins, lipid peroxidation, pH and temperature, Almeida, M.T., Ramalho–Santos, J., Oliveira, C.R., Pedroso de Lima, M.C. 142:217
Proteoglycans
–, cell membrane patches are supported by proteoglycans, Olesen, S.-P. 144:245
Proteoliposomes
–, electrical currents generated by a partially purified Na/Ca exchanger from lobster muscle reconstituted into liposomes and adsorbed on black lipid membranes: activation by photolysis of caged Ca^{2+}, Eisenrauch, A., Juhaszova, M., Ellis–Davies, G.C.R., Kaplan, J.H., Bamberg, E., Blaustein, M.P. 145:151
–, reconstitution of a passive Ca^{2+}-transport pathway from the basolateral plasma membrane of rat parotid gland acinar cells, Lockwich, T., Chauthaiwale, J., Ambudkar, S.V., Ambudkar, I.S. 148: 277
Proton current
–, a voltage-dependent and pH-sensitive proton current in *Rama esculenta* oocytes, Humez, S., Fournier, F., Guilbault, P. 147:207
Protons
–, extracellular pH modulates the Ca^{2+} current activated by depletion of intracellular Ca^{2+} stores in human macrophages, Malayev, A., Nelson, D.J. 146:101
–, the role of the proton electrochemical gradient in the transepithelial absorption of amino acids by human intestinal Caco-2 cell monolayers, Thwaites, D.T., McEwan, G.T.A., Simmons, N.L. 145:245
–, triton channels are sensitive to divalent cations and protons, Rostovtseva, T.K., Bashford, C.L., Lev, A.A., Pasternak, C.A. 141:83
–, voltage-activated hydrogen ion currents, DeCoursey, T.E., Cherny, V.V. 141:203
Protoplast
–, calcium sensitivity of the plasmalemmal delayed rectifier potassium current suggests that calcium influx in pulvinar protoplasts from *Mimosa pudica* L. can be revealed by hyperpolarization, Stoeckel, H., Takeda, K. 146:201
–, characterization of mechanosensitive channels in *Escherichia coli* cytoplasmic membrane by whole-cell patch clamp recording, Cui, C., Smith, D.O., Adler, J. 144:31
–, ion channels in the plasma membrane of protoplasts from the halophytic angiosperm *Zostera muelleri,* Garrill, A., Tyerman, S.D., Findlay, G.P. 142:381
Proximal kidney tubule
–, differential regulation of membrane potential and conductance via intra- and extracellular pH in fused proximal tubular cells of frog kidney, Belachgar, F., Hulin, P., Planelles, G., Anagnostopoulos, T. 143:123
–, differential regulation of Na^+/H^+ exchange and H^+–ATPase by p?I and HCO_{-3} in kidney proximal tubules, Soleimani, M., Bookstein, C., Singh, G., Rao, M.C., Chang, E.B., Bastani, B. 144:209
–, the proximal straight tubule (PST) basolateral cell membrane water channel: selectivity characteristics, Gutiérrez, A.M., González, E., Echevarría, M., Hernández, C.S., Whittembury, G. 143:189
Pseudemys scripta elegans
–, a tetraethylammonium-insensitive inward rectifier K^+ channel in Müller cells of the turtle (*Pseudemys scripta elegans*) retina, Le Dain, A.C., Anderton, P.J., Martin, D.K., Millar, T.J. 141:239
Pulvinar
–, calcium sensitivity of the plasmalemmal delayed rectifier potassium current suggests that calcium influx in pulvinar protoplasts from *Mimosa pudica* L. can be revealed by hyperpolarization, Stoeckel, H., Takeda, K. 146:201
Purinoceptor
–, extracellular ATP binding proteins as potential receptors in mucociliary epithelium: characterization using [^{32}P]3′-O-(4-Benzoyl)benzoyl ATP, a photoaffinity label, Gheber, L., Priel, Z., Aflalo, C., Shoshan–Barmatz, V. 147:83
Pyridine nucleotides
–, the effects of pyridine nucleotides on the activity of a calcium-activated nonselective cation channel in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 142:299
Quaternary ammonium ions
–, quaternary ammonium ion blockade of I_K in nerve axons revisited. open channel block *vs.* state independent block, Clay, J.R. 147:23
Quench flow
–, use of $^{82}Br^-$ radiotracer to study transmembrane halide flux: the effect of a tranquilizing drug, chlordiazepoxide on channel opening of a $GABA_A$ receptor, Cash, D.J., Serfözö, P., Zinn, K. 145: 257
Quinidine
–, quinine and quinidine inhibit and reveal heterogeneity of K–Cl cotransport in low K sheep erythrocytes, Adragna, N.C., Lauf, P.K. 142:195
Quinine
–, quinine and quinidine inhibit and reveal heterogeneity of K–Cl cotransport in low K sheep erythrocytes, Adragna, N.C., Lauf, P.K. 142:195
–, the ACh-induced whole-cell currents in sheep parotid secretory cells. Do BK channels really carry the ACh-evoked whole-cell K^+ current? Hayashi, T., Hirono, C., Young, J.A., Cook, D.I. 144:157
Rabbit colon
–, inhibition of high-conductance, calcium-activated potassium channels of rabbit colon epithelium by magnesium, Wachter, C., Turnheim, K. 150:175
–, short-chain fatty acid (SCFA) volume regulation in proximal and distal rabbit colon is different, Sellin, J., Shelat, H. 150:83
Rabbit corneal epithelial cells
–, calcium entry in rabbit corneal epithelial cells: evidence for a nonvoltage dependent pathway, Rich, A., Rae, J.L. 144:177
Rabbit cortical collecting duct cells
–, regulation by GTP of a Ca^{2+}-activated K^+ channel in the apical membrane of rabbit cortical collecting duct cells, Suzuki, M., Takahashi, K., Sakai, O. 141:43
Rabbit distal convoluted tubule
–, chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule, Tauc, M., Bidet, M., Poujeol, P. 150:255

Rabbit gallbladder epithelium
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159
–, hydrochlorothiazide enhances the apical Cl^- backflux in rabbit gallbladder epithelium: radiochemical analysis, Cremaschi, D., Porta, C. 141:29
Rabbit intestine
–, relationship of alcohol-induced changes in Mg^{2+}–ATPase activity of rabbit intestinal brush border membrane with changes in fluidity of its lipid bilayer, Kitagawa, S., Sugaya, Y., Nishizawa, M., Hirata, H. 146:193
Rabbit kidney
–, renal cortical basolateral Na^+/HCO^-_3 cotransporter III. Evidence for a regulatory protein in the inhibitory effect of protein kinase A, Bernardo, A.A., Kear, F.T., Stim, J.A., Qiu, Y.Y., Ruiz, O.S., Weidman, H., Arruda, J.A.L. 145:67
Rabbit rectum
–, water pathways across a reconstituted epithelial barrier formed by Caco-2 cells: effects of medium hypertonicity, Parisi, M., Pisam, M., Calamita, G., Gobin, R., Toriano, R., Bourguet, J. 143:237
Rabbit red cells
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
Rabbit retinal pigment epithelial cells
–, potassium currents in cultured rabbit retinal pigment epithelial cells, Tao, Q., Rafuse, P.E., Kelly, M.E.M. 141:123
Rabbit skeletal muscle
–, cytoplasmic Ca^{2+} inhibits the ryanodine receptor from cardiac muscle, Laver, D.R., Roden, L.D., Ahern, G.P., Eager, K.R., Junankar, P.R., Dulhunty, A.F. 147:7
Rana esculenta oocytes
–, a voltage-dependent and pH-sensitive proton current in *Rama esculenta* oocytes, Humez, S., Fournier, F., Guilbault, P. 147:207
Rat brain
–, a fusogenic protein from rat brain microsomal membranes: partial purification and reconstitution into liposomes, Rakowska, M., Zborowski, J., Corazzi, L. 142:35
–, import of phosphatidylethanolamine for the assembly of rat brain mitochondrial membranes, Camici, O., Corazzi, L. 148:169
–, parameters affecting fusion between liposomes and synaptosomes. role of proteins, lipid peroxidation, pH and temperature, Almeida, M.T., Ramalho–Santos, J., Oliveira, C.R., Pedroso de Lima, M.C. 142:217
Rat cardiocytes
–, thermodynamically specific gating kinetics of cardiac mammalian $K^+_{(ATP)}$ channels in a physiological environment near 37°C, Haverkampf, K., Benz, I., Kohlhardt, M. 146:85
Rat cerebellum
–, the effect of intracellular Ca^{2+} on GABA-activated currents in cerebellar granule cells in culture, Martina, M., Kilic, G., Cherubini, E. 142:209
Rat cortical distal tubule
–, secretion of HCO^-_3/OH^- in cortical distal tubule of the rat, Fernandez, R., Malnic, G. 143:227
Rat dentate gyrus
–, characteristics of $GABA_A$ channels in rat dentate gyrus, Birnir, B., Everitt, A.B., Gage, P.W. 142:93
Rat distal colon
–, apical membrane Cl^-butyrate exchange: mechanism of short chain fatty acid stimulation of active chloride absorption in rat distal colon, Rajendran, V.M., Binder, H.J. 141:51
Rat epididymal cells
–, extracellular ATP activates both Ca^{2+}- and cAMP-dependent Cl^- conductances in rat epididymal cells, Chan, H.C., Zhou, W.L., Wong, P.Y.D. 147:185
Rat fetal brain
–, a chloride channel reconstituted from fetal rat brain growth cones, DeBin, J.A., Wood, M.R., Pfenninger, K.H., Strichartz, G.R. 141: 7
Rat heart
–, distinct modes of blockade in cardiac ATP-sensitive K^+ channels suggest multiple targets for inhibitory drug molecules, Benz, I., Kohlhardt, M. 142:309
–, effect of antipeptide antibodies directed against three domains of connexin43 on the gap junctional permeability of cultured heart cells, Bastide, B., Jarry–Guichard, T., Briand, J.P., Délèze, J., Gros, D. 150:243
Rat hippocampal neurons
–, modulation of the serotonin-activated K^+ channel by G protein subunits and nucleotides in rat hippocampal neurons, Oh, U., Ho, Y.-K., Kim, D. 147:241
Rat insulinoma cell line (CRI-G1)
–, nucleotide regulation of a calcium-activated cation channel in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 141:101
–, regulation of calcium-activated nonselective cation channel activity by cyclic nucleotides in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 145:267
–, the effects of pyridine nucleotides on the activity of a calcium-activated nonselective cation channel in the rat insulinoma cell line, CRI-G1, Reale, V., Hales, C.N., Ashford, M.L.J. 142:299
Rat kidney
–, functional expression of rat renal Na/P_i-cotransport (NaPi-2) in Sf9 cells by the baculovirus system, Fucentese, M., Winterhalter, K., Murer, H., Biber, J. 144:43
–, the AQP2 water channel: effect of vasopressin treatment, microtubule disruption, and distribution in neonatal rats, Sabolic, I., Katsura, T., Verbavatz, J.-M., Brown, D. 143:165; Erratum 145: 107
Rat kidney cortex
–, an effect of Ca^{2+} on the intrinsic Cl^--conductance of rat kidney cortex brush border membrane vesicles, Vayro, S., Simmons, N.L. 150:163
Rat lacrimal gland
–, Ca^{2+}-activated K^+ channels are involved in regulatory volume decrease in acinar cells isolated from the rat lacrimal gland, Park, K.-P., Beck, J.S., Douglas, I.J., Brown, P.D. 141:193
–, regulatory volume increase in rat lacrimal gland acinar cells, Douglas, I.J., Brown, P.D. 150:209
Rat macrophages
–, selectivity of ATP-activated GTP-dependent Ca^{2+}-permeable channels in rat macrophage plasma membrane, Naumov, A.P., Kaznacheyeva, E.V., Kuryshev, Y.A., Mozhayeva, G.N. 148:91
Rat melanotrophs
–, large-conductance calcium-activated potassium channels of cultured rat melanotrophs, Kehl, S.J., Wong, K. 150:219
Rat pancreatic acinar cells
–, characterization of two different Ca^{2+} uptake and IP_3-sensitive Ca^{2+} release mechanisms in microsomal Ca^{2+} pools of rat pancreatic acinar cells, Ozawa, T., Thévenod, F., Schulz, I. 144:111
Rat parotid acinar cells
–, inhibition of Ca^{2+}-dependent Cl^- channels from secretory epithe-

lial cells by low internal pH, Arreola, J., Melvin, J.E., Begenisich, T. 147:95
–, reconstitution of a passive Ca^{2+}-transport pathway from the basolateral plasma membrane of rat parotid gland acinar cells, Lockwich, T., Chauthaiwale, J., Ambudkar, S.V., Ambudkar, I.S. 148: 277
–, temperature-dependent modification of divalent cation flux in the rat parotid gland basolateral membrane, Lockwith, T.P., Kim, I.H., Ambudkar, I.S. 141:289
Rat skeletal muscles
–, Ca^{2+} modulation of sarcoplasmic reticulum Ca^{2+} release in rat skeletal muscle fibers, Delbono, O. 146:91
Rat thalamic neurons
–, exogenous GABA persistently opens Cl^- channels in cultured embryonic rat thalamic neurons, Liu, Q.Y., Vautrin, J., Tang, K.M., Barker, J.L. 145:279
Rat ventricular myocytes
–, divalent cation channels activated by phenothiazines in membrane of rat ventricular myocytes, Lefevre, T., Coraboeuf, E., Ghazi, A., Coulombe, A. 147:147
rBAT protein
–, rBAT is an amino acid exchanger with variable stoichiometry, Coady, M.J., Chen, X.-Z., Lapointe, J.-Y. 149:1
Reaction kinetics
–, NO_{-3} transport across the plasma membrane of *Arabidopsis thaliana* root hairs: kinetic control by pH and membrane voltage, Meharg, A.A., Blatt, M.R. 145:49
–, reaction kinetics of the vacuolar H^+-pumping ATPase in *Beta vulgaris*, Davies, J.M., Sanders, D., Gradmann, D. 150:231
Receptors
–, lysozome acts as a chemorepellant and secretagogue in *Paramecium* by activating a novel receptor-operated Ca^{++} conductance, Hennessey, T.M., Kim, M.Y., Satir, B.H. 148:13
–, single taste stimuli elicit either increases or decreases in intracellular calcium in isolated catfish taste cells, Zviman, M.M., Restrepo, D., Teeter, J.H. 149:81
Reconstitution
–, a fusogenic protein from rat brain microsomal membranes: partial purification and reconstitution into liposomes, Rakowska, M., Zborowski, J., Corazzi, L. 142:35
–, reconstitution of 5′-nucleotidase of bull seminal plasma in spin-labeled liposomes, Fini, C., Thuong, V.D., Aliante, M., Floridi, A., Cannistraro, S. 142:137
–, reconstitution of a passive Ca^{2+}-transport pathway from the basolateral plasma membrane of rat parotid gland acinar cells, Lockwich, T., Chauthaiwale, J., Ambudkar, S.V., Ambudkar, I.S. 148: 277
–, reconstitution of hepatic uricase in planar lipid bilayer reveals a functional organic anion channel, Leal–Pinto, E., London, R.D., Knorr, B.A., Abramson, R.G. 146:123
–, reconstitution of the influenza virus M_2 ion channel in lipid bilayers, Tosteson, M.T., Pinto, L.H., Holsinger, L.J., Lamb, R.A. 142:117
Red blood cells
–, different arachidonate and palmitate binding capacities of the human red cell membrane, Bojesen, I.N., Bojesen, E. 142:113
–, quinine and quinidine inhibit and reveal heterogeneity of K–Cl cotransport in low K sheep erythrocytes, Adragna, N.C., Lauf, P.K. 142:195
–, rate of activation and deactivation of K:Cl cotransport by changes in cell volume in hemoglobin SS, CC and AA red cells, Canessa, M., Romero, J.R., Lawrence, C., Nagel, R.L., Fabry, M.E. 142: 349
–, sodium transport through the amiloride-sensitive Na–Mg pathway of hamster red cells, Xu, W., Willis, J.S. 141:277
–, specificities of red cell membrane sites transporting three long chain fatty acids, Bojesen, I.N., Bojesen, E. 149:257
Regulatory protein
–, renal cortical basolateral Na^+/HCO_{-3} cotransporter III. Evidence for a regulatory protein in the inhibitory effect of protein kinase A, Bernardo, A.A., Kear, F.T., Stim, J.A., Qiu, Y.Y., Ruiz, O.S., Weidman, H., Arruda, J.A.L. 145:67
Regulatory volume decrease
–, association of ClC-3 channel with Cl^- transport by human nonpigmented ciliary epithelial cells, Coca–Prados, M., Sánchez–Torres, J., Peterson–Yantorno, K., Civan, M.M. 150:197
–, Ca^{2+}-activated K^+ channels are involved in regulatory volume decrease in acinar cells isolated from the rat lacrimal gland, Park, K.-P., Beck, J.S., Douglas, I.J., Brown, P.D. 141:193
–, cell swelling activates separate taurine and chloride channels in Ehrlich mouse ascites tumor cells, Lambert, I.H., Hoffmann, E.K. 142:289
–, hypo-osmotic challenge stimulates transepithelial K^+ secretion and activates apical I_{sK} channel in vestibular dark cells, Wangemann, P., Liu, J., Shen, Z., Shipley, A., Marcus, D.C. 147:263
–, hypotonically activated chloride current in HSG cells, Fatherazi, S., Izutsu, K.T., Wellner, R.B., Belton, C.M. 142:181
–, mechanisms of cell volume regulation in the proximal segment of the Malpighian tubule of *Rhodnius neglectus*, Arenstein, I.R., Caruso–Neves, C., Onuchic, L.F., Lopes, A.G. 146:47
–, shrinkage-induced activation of the Na^+/H^+ exchanger in Ehrlich ascites tumor cells: mechanisms involved in the activation and a role for the exchanger in cell volume regulation, Pedersen, S.F., Kramhøft, B., Jørgensen, N.K., Hoffmann, E.K. 149:141
Regulatory volume increase
–, mechanisms of cell volume regulation in the proximal segment of the Malpighian tubule of *Rhodnius neglectus*, Arenstein, I.R., Caruso–Neves, C., Onuchic, L.F., Lopes, A.G. 146:47
–, regulatory volume increase in rat lacrimal gland acinar cells, Douglas, I.J., Brown, P.D. 150:209
–, shrinkage-induced activation of the Na^+/H^+ exchanger in Ehrlich ascites tumor cells: mechanisms involved in the activation and a role for the exchanger in cell volume regulation, Pedersen, S.F., Kramhøft, B., Jørgensen, N.K., Hoffmann, E.K. 149:141
Renal cells
–, lateral mobility of Na,K-ATPase and membrane lipids in renal cells. importance of cytoskeletal integrity, Paller, M.S. 142:127
Renal epithelial cell line
–, amiloride-sensitive sodium channels in confluent M-1 mouse cortical collecting duct cells, Letz, B., Ackermann, A., Canessa, C.M., Rossier, B.C., Korbmacher, C. 148:127
Renal tubule
–, regulation by GTP of a Ca^{2+}-activated K^+ channel in the apical membrane of rabbit cortical collecting duct cells, Suzuki, M., Takahashi, K., Sakai, O. 141:43
Reticulocyte-sealed ghosts
–, arginyl residues are involved in the transport of Fe^{2+} through the plasma membrane of the mammalian reticulocyte, González–Sepúlveda, M., Núñez, M.T. 141:225
Rhodamine–dextran
–, discrete and reversible vacuole-like dilations induced by osmomechnical perturbation of neurons, Reuzeau, C., Mills, L.R., Harris, J.A., Morris, C.E. 145:33
Rhodnius prolixus
–, the paracellular channel for water secretion in the upper segment of the Malpighian tubule of *Rhodnius prolixus*, Sofía Hernández, C., González, E., Whittembury, G. 148:233

Root cell protoplasts
–, patch clamp analysis of the dominant plasma membrane K^+ channel in root cell protoplasts of *Plantago media* L. Its significance for the P and K state, Vogelzang, S.A., Prins, H.B.A. 141:113
Root cells
–, kinetic analysis of two simultaneously activated K^+ currents in root cell protoplasts of *Plantago media L.*, Vogelzang, S.A., Prins, H.B.A. 146:59
Rubidium uptake
–, synergistic action of vasopressin and aldosterone on basolateral Na^+–K^+–ATPase in the cortical collecting duct, Coutry, N., Farman, N., Bonvalet, J.P., Blot–Chabaud, M. 145:99
Rubidium-86 influx
–, evidence for Na–K–Cl cotransport in alveolar epithelial cells: effect of phorbol ester and osmotic stress, Clerici, C., Couette, S., Loiseau, A., Herman, P., Amiel, C. 147:295
Ryanodine receptor
–, calcium and inositol trisphosphate receptors, Taylor, C.W., Traynor, D. 145:109
–, cytoplasmic Ca^{2+} inhibits the ryanodine receptor from cardiac muscle, Laver, D.R., Roden, L.D., Ahern, G.P., Eager, K.R., Junankar, P.R., Dulhunty, A.F. 147:7
–, endogenous, Ca^{2+}-dependent cysteine–protease cleaves specifically the ryanodine receptor/Ca^{2+} release channel in skeletal muscle, Shoshan-Barmatz, V., Weil, S., Meyer, H., Varsanyi, M., Heilmeyer, L.M.G. 142:281
–, the gating of the sheep skeletal sarcoplasmic reticulum Ca^{2+}-release channel is regulated by luminal Ca^{2+}, Sitsapesan, R., Williams, A.J. 146:133
–, the inositol 1,4,5-trisphosphate ($InsP_3$) receptor, Bezprozvanny, I., Ehrlich, B.E. 145:205
Rye (*Secale cereale* L.)
–, the K^+ channel in the plasma membrane of rye roots has a multiple ion residency pore, White, P.J., Ridout, M. 143:37
Salivary duct cells
–, control of the amiloride-sensitive Na^+ current in salivary duct cells by extracellular sodium, Komwatana, P., Dinudom, A., Young, J.A., Cook, D.I. 150:133
Salt acclimation
–, distribution of mRNA encoding the FA-CHIP water channel in amphibian tissues: effects of salt adaptation, Abrami, L., Capurro, C., Ibarra, C., Parisi, M., Buhler, J.-M., Ripoche, P. 143:199
SAO AE1 mutation
–, overexpression of AE1 Prague, but not of AE1 SAO, inhibits wild-type AE1 trafficking in *Xenopus* oocytes, Chernova, M.N., Jarolim, P., Palek, J., Alper, S.L. 148:203
Sarcoplasmic reticulum
–, Ca^{2+} modulation of sarcoplasmic reticulum Ca^{2+} release in rat skeletal muscle fibers, Delbono, O. 146:91
–, characterization of a chloride channel reconstituted from cardiac sarcoplasmic reticulum, Townsend, C., Rosenberg, R.L. 147:121
–, cytoplasmic Ca^{2+} inhibits the ryanodine receptor from cardiac muscle, Laver, D.R., Roden, L.D., Ahern, G.P., Eager, K.R., Junankar, P.R., Dulhunty, A.F. 147:7
–, endogenous, Ca^{2+}-dependent cysteine–protease cleaves specifically the ryanodine receptor/Ca^{2+} release channel in skeletal muscle, Shoshan-Barmatz, V., Weil, S., Meyer, H., Varsanyi, M., Heilmeyer, L.M.G. 142:281
–, examination of the role of phosphorylation and phospholamban in the regulation of the cardiac sarcoplasmic reticulum of Cl^- channel, Decrouy, A., Juteau, M., Rousseau, E. 146:315
–, the gating of the sheep skeletal sarcoplasmic reticulum Ca^{2+}-release channel is regulated by luminal Ca^{2+}, Sitsapesan, R., Williams, A.J. 146:133
SBFO
–, determination of the Na permeability of the tight junctions of MDCK cells by fluorescence microscopy, Kovbasnjuk, O., Chatton, J.-Y., Friauf, W.S., Spring, K.R. 148:223
SCN–
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159
–, hydrochlorothiazide enhances the apical Cl^- backflux in rabbit gallbladder epithelium: radiochemical analysis, Cremaschi, D., Porta, C. 141:29
Scyllatoxin
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
Sea urchin eggs
–, characterization of a large conductance, cation-selective channel from sea urchin eggs that is sensitive to sulfhydryl reducing agents, Lii, T., Lee, H.C., Gleason, F.K., Levitt, D.G. 150:27
Seagrass
–, ion channels in the plasma membrane of protoplasts from the halophytic angiosperm *Zostera muelleri,* Garrill, A., Tyerman, S.D., Findlay, G.P. 142:381
Seal success rate
–, cell membrane patches are supported by proteoglycans, Olesen, S.-P. 144:245
sec genes
–, how proteins cross the bacterial cytoplasmic membrane, Driessen, A.J.M. 142:145
Secretagogue
–, lysozome acts as a chemorepellant and secretagogue in *Paramecium* by activating a novel receptor-operated Ca^{++} conductance, Hennessey, T.M., Kim, M.Y., Satir, B.H. 148:13
–, veratridine triggers exocytosis in *Paramecium* cells by activating somatic Ca channels, Plattner, H., Braun, C., Klauke, N., Länge, S. 142:229
Secretory epithelial cells
–, inhibition of Ca^{2+}-dependent Cl^- channels from secretory epithelial cells by low internal pH, Arreola, J., Melvin, J.E., Begenisich, T. 147:95
Selectivity
–, lumenal calcium modulates unitary conductance and gating of a plant vacuolar calcium release channel, Johannes, E., Sanders, D. 146:211
Selectivity filter
–, monovalent amidiniums block calcium channels in chick sensory neurons, Mironov, S.L. 141:231
–, the proximal straight tubule (PST) basolateral cell membrane water channel: selectivity Characteristics, Gutiérrez, A.M., González, E., Echevarría, M., Hernández, C.S., Whittembury, G. 143:189
Semiconductors
–, computing the field in proteins and channels, Eisenberg, R.S. 150:1
Seminal plasma
–, reconstitution of 5′-nucleotidase of bull seminal plasma in spin-labeled liposomes, Fini, C., Thuong, V.D., Aliante, M., Floridi, A., Cannistraro, S. 142:137
Sensory transduction
–, voltage-dependent sodium currents recorded from dissociated rat taste cells, Herness, M.S., Sun, X.-D. 146:73
Sequential binding

–, sequential potassium binding at the extracellular side of the Na,K pump, Bühler, R., Apell, J.-J. 145:165
Serotonin
–, modulation of the serotonin-activated K^+ channel by G protein subunits and nucleotides in rat hippocampal neurons, Oh, U., Ho, Y.-K., Kim, D. 147:241
Sertoli cells
–, influence of the molecular structure of steroids on their ability to interrupt gap junctional communication, Hervé, J.C., Pluciennik, F., Verrecchia, F., Bastide, B., Delage, B., Joffre, M., Délèze, J. 149:179
–, reversible interruption of gap junctional communication by testosterone propionate in cultured Sertoli cells and cardiac myocytes, Pluciennik, F., Verrecchia, F., Bastide, B., Hervé, J.C., Joffre, M., Délèze, J. 149:169
Sf9 cells
–, functional expression of rat renal Na/P_i-cotransport (NaPi-2) in Sf9 cells by the baculovirus system, Fucentese, M., Winterhalter, K., Murer, H., Biber, J. 144:43
–, ionic permeabilities induced by *Bacillus thuringiensis* in Sf9 cells, Vachon, V., Paradis, M.-J., Marsolais, M., Schwartz, J.-L., Laprade, R. 148:57
–, rapid desensitization of $\alpha_1\beta_1$ $GABA_A$ receptors expressed in Sf9 cells under optimized conditions, Birnir, B., Tierney, M.L., Pillai, N.P., Cox, G.B., Gage, P.W. 148:193
SGLT1
–, phenylglucosides and the Na^+/glucose cotransporter (SGLT1): analysis of interactions, Lostao, M.P., Hirayama, B.A., Loo, D.D.F., Wright, E.M. 143:161
Shaker K^+ channel
–, a method for determining the unitary functional capacity of cloned channels and transporters expressed in *Xenopus laevis* oocytes, Zampighi, G.A., Kreman, M., Boorer, K.J., Loo, D.D.F., Bezanilla, F., Chandy, G., Hall, J.E., Wright, E.M. 148:65
Sheep erythrocytes
–, quinine and quinidine inhibit and reveal heterogeneity of K–Cl cotransport in low K sheep erythrocytes, Adragna, N.C., Lauf, P.K. 142:195
Sheep heart
–, examination of the role of phosphorylation and phospholamban in the regulation of the cardiac sarcoplasmic reticulum of Cl^- channel, Decrouy, A., Juteau, M., Rousseau, E. 146:315
–, cytoplasmic Ca^{2+} inhibits the ryanodine receptor from cardiac muscle, Laver, D.R., Roden, L.D., Ahern, G.P., Eager, K.R., Junankar, P.R., Dulhunty, A.F. 147:7
Sheep parotid secretory cells
–, the ACh-induced whole-cell currents in sheep parotid secretory cells. Do BK channels really carry the ACh-evoked whole-cell K^+ current? Hayashi, T., Hirono, C., Young, J.A., Cook, D.I. 144:157
Short chain fatty acids
–, apical membrane Cl^-butyrate exchange: mechanism of short chain fatty acid stimulation of active chloride absorption in rat distal colon, Rajendran, V.M., Binder, H.J. 141:51
–, short-chain fatty acid (SCFA) volume regulation in proximal and distal rabbit colon is different, Sellin, J., Shelat, H. 150:83
Short circuit current (I_{sc})
–, basolateral K channel activated by carbachol in the epithelial cell line T_{84}, Tabcharani, J.A., Harris, R.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:241
–, cell Cl and transepithelial Na transport in toad urinary bladder, Butt, A.G., McLaughlin, C.W., Bowler, J.M., Purves, R.D., Macknight, A.D.C. 142:9
–, hypo-osmotic challenge stimulates transepithelial K^+ secretion and activates apical I_{sK} channel in vestibular dark cells, Wangemann, P., Liu, J., Shen, Z., Shipley, A., Marcus, D.C. 147:263
–, the pH-sensitivity of transepithelial K^+ transport in vestibular dark cells, Wangemann, P., Liu, J., Shiga, N. 147:255
Signal transduction
–, calcium-mobilizing agonists stimulate anion fluxes in cultured endothelial cells from human umbilical vein, White, C.R., Brock, T.A. 142:171
–, lysophosphatidic acid induces inositol phosphate and calcium signals in exocrine cells from the avian nasal salt gland, Hildebrandt, J.-P. 144:49
–, nuclear lipid metabolism in NEST: nuclear envelope signal transduction, Raben, D.M., Jarpe, M.B., Leach, K.L. 142:1
–, patch clamp and atomic force microscopy demonstrate TATA-binding protein (TBP) interactions with the nuclear pore complex, Bustamante, J.O., Liepins, A., Prendergast, R.A., Hanover, J.A., Oberleithner, H. 146:263
–, patch clamp detection of transcription factor translocation along the nuclear pore complex channel, Bustamante, J.O., Oberleithner, H., Hanover, J.A., Liepins, A. 146:253
–, sphingolipid metabolites: members of a new class of lipid second messengers, Spiegel, S., Milstein, S. 146:225
–, the ion channel behavior of the nuclear pore complex, Bustamante, J.O., Hanover, J.A., Liepins, A. 146:239
Simple carrier model
–, modeling facilitative sugar transporters: transitions between single and double ligand occupancy of multiconformational channel models explain anomalous kinetics, Hernández, J.A., Fischbarg, J., Vera, J.C. 149:57
Single channel
–, the inwardly rectifying potassium current of embryonic chick hepatocytes, Hill, C.E., Pon, D.C. 144:249
Single channel analysis
–, single-channel analysis of a delayed rectifier K^+ channel in *Xenopus* myelinated nerve, Koh, D.-S., Vogel, W. 149:221
Single channel blocking
–, characterization of a chloride channel reconstituted from cardiac sarcoplasmic reticulum, Townsend, C., Rosenberg, R.L. 147:121
Single channel current
–, the effect of intracellular Ca^{2+} on GABA-activated currents in cerebellar granule cells in culture, Martina, M., Kilic, G., Cherubini, E. 142:209
Single fibers
–, rundown and reactivation of ATP-sensitive potassium channels (K_{ATP}) in mouse skeletal muscle, Hussain, M., Wareham, A.C. 141:257
Single particle tracking
–, tracking movements of lipids and Thy1 molecules in the plasmalemma of living fibroblasts by fluorescence video microscopy with nanometer scale precision, Hicks, B.W., Angelides, K.J. 144:231
SITS
–, a chloride channel reconstituted from fetal rat brain growth cones, DeBin, J.A., Wood, M.R., Pfenninger, K.H., Strichartz, G.R. 141:7
–, cell Cl and transepithelial Na transport in toad urinary bladder, Butt, A.G., McLaughlin, C.W., Bowler, J.M., Purves, R.D., Macknight, A.D.C. 142:9
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159
–, hydrochlorothiazide enhances the apical Cl^- backflux in rabbit

gallbladder epithelium: radiochemical analysis, Cremaschi, D., Porta, C. 141:29
–, ion transport across the early chick embryo: II. Characterization and pH sensitivity of the transembryonic short-circuit current, Abriel, H., Katz, U., Kucera, P. 141:159
–, secretion of HCO_3^-/OH^- in cortical distal tubule of the rat, Fernandez, R., Malnic, G. 143:227
Skeletal muscle
–, chloride currents in skeletal muscles of *Bufo arenarum*, Bertrán, G., Kotsias, B.A. 149:249
–, rundown and reactivation of ATP-sensitive potassium channels (K_{ATP}) in mouse skeletal muscle, Hussain, M., Wareham, A.C. 141:257
–, the gating of the sheep skeletal sarcoplasmic reticulum Ca^{2+}-release channel is regulated by luminal Ca^{2+}, Sitsapesan, R., Williams, A.J. 146:133
–, the voltage dependence of depolarization-induced calcium release is isolated skeletal muscle triads, Kramer, J.W., Corbett, A.M. 144:217
Skeletal muscle fibers
–, excitation-calcium release uncoupling in aged single human skeletal muscle fibers, Delbono, O., O'Rourke, K.S., Ettinger, W.H. 148:211
Skeletal muscle membrane
–, a voltage-sensitive cation channel present in clusters in lobster skeletal muscle membrane, Worden, M.K., Rahamimoff, R., Kravitz, E.A. 141:167
Small-cell lung cancer cells
–, voltage-dependent sodium channels in human small-cell lung cancer cells: role in action potentials and inhibition by Lambet–Eaton Syndrome IgG, Blandino, J.K.W., Viglione, M.P., Bradley, W.A., Oie, H.K., Kim, Y.I. 143:153
Small-conductance chloride channels
–, small-conductance chloride channels in human peripheral T lymphocytes, Schumacher, P.A., Sakellaropoulos, G., Phipps, D.J., Schlichter, L.C. 145:217
Sodium
–, apical membrane sodium and chloride entry during osmotic swelling of renal (A6) epithelial cells, Crowe W.E., Ehrenfeld, J., Brochiero, E., Wills, N.K. 144:81
Sodium channel
–, amiloride-sensitive apical membrane sodium channels of everted *Ambystoma* collecting tubule, Stoner, L.C., Enbretson, B.G., Viggiano, S.C., Benos, D.J., Smith, P.R. 144:147
–, differential expression of sodium channels and nicotinic acetylcholine receptor channels in nnr variants of the PC12 pheochromocytoma cell line, Fanger, G.R., Brennan, C., Henderson, L.P., Gardner, P.D., Maue, R.A. 144:71
–, sodium channel functioning based on an octagonal structure model, Sato, C., Matsumoto, G. 147:45
–, voltage-dependent sodium channels in human small-cell lung cancer cells: role in action potentials and inhibition by Lambet–Eaton Syndrome IgG, Blandino, J.K.W., Viglione, M.P., Bradley, W.A., Oie, H.K., Kim, Y.I. 143:153
Sodium current
–, effects of cysteine modification on the activity of the cGMP-gated channel from retinal rods, Serre, V., Ildefonse, M., Bennett, N. 146:145
–, sodium current inhibition by internal calcium: a combination of open-channel block and surface charge screening?, Zamponi, G.W., French, R.J. 147:1
–, sodium currents in toad cardiac pacemaker cells, Ju, Y.-K., Saint, D.A., Hirst, G.D.S., Gage, P.W. 145:119
–, voltage-dependent sodium currents recorded from dissociated rat taste cells, Herness, M.S., Sun, X.-D. 146:73
Sodium fluoride
–, NaF potentiates a K^+-selective ion channel in G292 osteoblastic cells, Gofa, A., Davidson, R.M. 149:211
Sodium ion channel
–, amiloride-sensitive sodium channels in confluent M-1 mouse cortical collecting duct cells, Letz, B., Ackermann, A., Canessa, C.M., Rossier, B.C., Korbmacher, C. 148:127
–, associated proteins and renal epithelial Na^+ channel function, Ismailov, I.I., Berdiev, B.K., Bradford, A.L., Awayda, M.S., Fuller, C.M., Benos, D.J. 149:123
–, correlation of open cell-attached and excised patch clamp techniques, Filipovic, D., Hayslett, J.P. 148:79
–, direct modulation of Na^+ currents by protein kinase C activators in mouse neuroblastoma cells, Renganathan, M., Godoy, C.M.G., Cukierman, S. 144:59
–, effects of vasopressin and aldosterone on the lateral mobility of epithelial Na^+ channels in A6 renal epithelial cells, Smith, P.R., Stoner, L.C., Viggiano, S.C., Angelides, K.J., Benos, D.J. 147:195
–, guanine nucleotides modulate steady-state inactivation of voltage-gated sodium channels in frog olfactory receptor neurons, Pun, R.Y.K., Kleene, S.J., Gesteland, R.C. 142:103
–, sodium channels in cultured neuroblastoma cells grown in high glucose or L-fucose, Wachtel, R.E., Kraske, S.A., Yorek, M.A. 145:187
–, structure and function of amiloride-sensitive Na^+ channels, Benos, D.J., Awayda, M.S., Ismailov, I.I., Johnson, J.P. 143:1
–, transcriptional control of sodium transport in tight epithelia by adrenal steroids, Verrey, F. 144:93
Sodium ion current
–, control of the amiloride-sensitive Na^+ current in salivary duct cells by extracellular sodium, Komwatana, P., Dinudom, A., Young, J.A., Cook, D.I. 150:133
Sodium ion pump
–, cGMP modulates transport across the ciliary epithelium, Carré, D.A., Civan, M.M. 146:293
–, inhibition of Na^+-pump expression by impairment of protein glycosylation is independent of the reduced sodium entry into the cell, Pedemonte, C.H. 147:223
Sodium ion transport
–, inhibition of Na^+-pump expression by impairment of protein glycosylation is independent of the reduced sodium entry into the cell, Pedemonte, C.H. 147:223
–, sodium transport through the amiloride-sensitive Na–Mg pathway of hamster red cells, Xu, W., Willis, J.S. 141:277
–, the sodium concentration of lateral intercellular spaces (Letter), Naftalin, RJ., Pedley, K.C. 147:105
–, the sodium concentration of the lateral intercellular spaces of MDCK cells: a microspectrofluorimetric study, Chatton, J.-Y., Spring, K.R. 144:11
Sodium permeability
–, determination of the Na permeability of the tight junctions of MDCK cells by fluorescence microscopy, Kovbasnjuk, O., Chatton, J.-Y., Friauf, W.S., Spring, K.R. 148:223
Sodium transport
–, cell Cl and transepithelial Na transport in toad urinary bladder, Butt, A.G., McLaughlin, C.W., Bowler, J.M., Purves, R.D., Macknight, A.D.C. 142:9
–, evidence for Na–K–Cl cotransport in alveolar epithelial cells: effect of phorbol ester and osmotic stress, Clerici, C., Couette, S., Loiseau, A., Herman, P., Amiel, C. 147:295
–, transcriptional control of sodium transport in tight epithelia by adrenal steroids, Verrey, F. 144:93

Somatic cells
–, veratridine triggers exocytosis in *Paramecium* cells by activating somatic Ca channels, Plattner, H., Braun, C., Klauke, N., Länge, S. 142:229
Somatostatin-releasing inhibitory factor (SRIF)
–, characterization of the G protein coupling of SRIF and β-adrenergic receptors to the maxi K_{Ca} channel in insulin-secreting cells, Ribalet, B., Eddlestone, G.T. 148:111
Spatial organization
–, spatial organization of transport domains and subdomain formation in the plasma membrane of *Chara corallina*, Fisahn, J., Lucas, W.J. 147:275
Sphingolipid metabolites
–, sphingolipid metabolites: members of a new class of lipid second messengers, Spiegel, S., Milstein, S. 146:225
Sphingosine
–, modulation of neuronal calcium channels by arachidonic acid and related substances, Schmitt, H., Meves, H. 145:233
–, sphingolipid metabolites: members of a new class of lipid second messengers, Spiegel, S., Milstein, S. 146:225
Spodoptera frugiperda
–, ionic permeabilities induced by *Bacillus thuringiensis* in Sf9 cells, Vachon, V., Paradis, M.-J., Marsolais, M., Schwartz, J.-L., Laprade, R. 148:57
SPQ fluorescence
–, chloride currents activated by calcitonin and cAMP in primary cultures of rabbit distal convoluted tubule, Tauc, M., Bidet, M., Poujeol, P. 150:255
Squid sodium channel
–, sodium channel functioning based on an octagonal structure model, Sato, C., Matsumoto, G. 147:45
SR47063
–, SR47063, a potent channel opener, activates K_{ATP} and a time-dependent current likely due to potassium accumulation, Tourneur, Y., Marion, A., Gautier, P. 142:337
Staphylococcus aureus
–, low conductance states of a single ion channel are not 'closed', Korchev, Y.E., Bashford, C.L., Alder, G.M., Kasianowicz, J.J., Pasternak, C.A. 147:233
–, *Staphylococcus aureus* alpha-toxin-induced pores: channel-like behavior in lipid bilayers and patch clamped cells, Korchev, Y.E., Alder, G.M., Bakhramov, A., Bashford, C.L., Joomun, B.S., Sviderskaya, E.V., Usherwood, P.N.R., Pasternak, C.A. 143:143
Steroids
–, influence of the molecular structure of steroids on their ability to interrupt gap junctional communication, Hervé, J.C., Pluciennik, F., Verrecchia, F., Bastide, B., Delage, B., Joffre, M., Délèze, J. 149:179
Stichodactyla toxin
–, Ca^{2+}-activated K^+ channels of human and rabbit erythrocytes display distinctive patterns of inhibition by venom peptide toxins, Brugnara, C., Armsby, C.C., De Franceschi, L., Crest, M., Martin Euclaire, M.-F., Alper, S.L. 147:71
Stilbene disulfonic acid (DIDS)
–, anion-selectivity of the swelling-activated osmolyte channel in eel erythrocytes, Lewis, R.A., Bursell, J.D.H., Kirk, K. 149:103
Stoichiometry
–, rBAT is an amino acid exchanger with variable stoichiometry, Coady, M.J., Chen, X.-Z., Lapointe, J.-Y. 149:1
Streptococcus aureus
–, pore formation by *S. aureus* α-toxin in liposomes and planar lipid bilayers: effects of nonelectrolytes, Bashford, C.L., Alder, G.M., Fulford, L.G., Korchev, Y.E., Kovacs, E., MacKinnon, A., Pederzolli, C., Pasternak, C.A. 150:37
Strophanthidin
–, ouabain resistance of the epithelial cell line (Ma104) is not due to lack of affinity of its pumps for the drug, Contreras, R.G., Lázaro, A., Mújica, A., González–Mariscal, L., Valdés, J., García–Villegas, M.R., Cereijido, M. 145:295
Structure model
–, sodium channel functioning based on an octagonal structure model, Sato, C., Matsumoto, G. 147:45
Sugar transporters
–, modeling facilitative sugar transporters: transitions between single and double ligand occupancy of multiconformational channel models explain anomalous kinetics, Hernández, J.A., Fischbarg, J., Vera, J.C. 149:57
Sugars
–, phenylglucosides and the Na^+/glucose cotransporter (SGLT1): analysis of interactions, Lostao, M.P., Hirayama, B.A., Loo, D.D.F., Wright, E.M. 142:161
Sulfhydryl reagent
–, characterization of a large conductance, cation-selective channel from sea urchin eggs that is sensitive to sulfhydryl reducing agents, Lii, T., Lee, H.C., Gleason, F.K., Levitt, D.G. 150:27
–, effects of cysteine modification on the activity of the cGMP-gated channel from retinal rods, Serre, V., Ildefonse, M., Bennett, N. 146:145
Sulfonamide derivatives
–, distinct modes of blockade in cardiac ATP-sensitive K^+ channels suggest multiple targets for inhibitory drug molecules, Benz, I., Kohlhardt, M. 142:309
Sulfonylureas
–, distinct modes of blockade in cardiac ATP-sensitive K^+ channels suggest multiple targets for inhibitory drug molecules, Benz, I., Kohlhardt, M. 142:309
Surface charge screening
–, sodium current inhibition by internal calcium: a combination of open-channel block and surface charge screening?, Zamponi, G.W., French, R.J. 147:1
Surface density
–, phospholipid surface density determines the partitioning and permeability of acetic acid in DMPC:cholesterol bilayers, Xiang, T.-X., Anderson, B.D. 148:157
Synaptosomes
–, parameters affecting fusion between liposomes and synaptosomes. role of proteins, lipid peroxidation, pH and temperature, Almeida, M.T., Ramalho–Santos, J., Oliveira, C.R., Pedroso de Lima, M.C. 142:217
Synechococcus sp.
–, phylogenetic, structural and functional Characteristics of the Na–K–Cl cotransporter family, Park, J.H., Saier, M.H., Jr. 149:161
Syringomycin E
–, properties of voltage-gated ion channels formed by syringomycin E in planar lipid bilayers, Feigin, A.M., Takemoto, J.Y., Wangspa, R., Teeter, J.H., Brand, J.G. 149:41
System y^+L
–, amino acid transport system y^+L of human erythrocytes: specificity and cation dependence of the translocation step, Angelo, S., Devés, R. 141:183
T lymphocytes
–, calcium-dependent enhancement of depletion -activated calcium current in Jurkat T lymphocytes, Christian, E.P., Spence, K.T., Togo, J.A., Dargis, P.G., Patel, J. 150:63
–, heart and T-lymphocyte cell surfaces both exhibit positive cooperativity in binding a membrane-lytic toxin, Stevens–Truss, R., Messer, W.S., Jr., Hinman, C.L. 150:113
–, small-conductance chloride channels in human peripheral T lym-

phocytes, Schumacher, P.A., Sakellaropoulos, G., Phipps, D.J., Schlichter, L.C. 145:217
T84 cells
–, basolateral K channel activated by carbachol in the epithelial cell line T_{84}, Tabcharani, J.A., Harris, R.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:241
–, inhibition of Ca^{2+}-dependent Cl^- channels from secretory epithelial cells by low internal pH, Arreola, J., Melvin, J.E., Begenisich, T. 147:95
–, regulation of an inwardly rectifying K channel in the T_{84} epithelial cell line by calcium, nucleotides, and kinases, Tabcharani, J.A., Boucher, A., Eng, J.W.L., Hanrahan, J.W. 142:255
T84 monolayers
–, regulation of tight junction resistance in T_{84} monolayers by elevation in intracellular Ca^{2+}: a protein kinase C effect, Tai, Y.-H., Flick, J., Levine, S.A., Madara, J.L., Sharp, G.W.G., Donowitz, M. 149:71
Tamm–Horsfall protein
–, transfection alters ion transport in MDCK cells, Kaji, D.M., Bates, J., Goyzueta, J.D., Prasadan, K., Yu, H., Kumar, S. 149:49
Taste cells
–, single taste stimuli elicit either increases or decreases in intracellular calcium in isolated catfish taste cells, Zviman, M.M., Restrepo, D., Teeter, J.H. 149:81
Taste receptor cells
–, voltage-dependent sodium currents recorded from dissociated rat taste cells, Herness, M.S., Sun, X.-D. 146:73
TATA-binding protein
–, patch clamp and atomic force microscopy demonstrate TATA-binding protein (TBP) interactions with the nuclear pore complex, Bustamante, J.O., Liepins, A., Prendergast, R.A., Hanover, J.A., Oberleithner, H. 146:263
Taurine
–, cell swelling activates separate taurine and chloride channels in Ehrlich mouse ascites tumor cells, Lambert, I.H., Hoffmann, E.K. 142:289
Taurine influx
–, phosphorylation is involved in the regulation of the taurine influx via the β-system in Ehrlich ascites tumor cells, Mollerup, J., Lambert, I.H. 150:73
Taurine transport
–, anion-selectivity of the swelling-activated osmolyte channel in eel erythrocytes, Lewis, R.A., Bursell, J.D.H., Kirk, K. 149:103
Temperature dependence
–, parameters affecting fusion between liposomes and synaptosomes. role of proteins, lipid peroxidation, pH and temperature, Almeida, M.T., Ramalho–Santos, J., Oliveira, C.R., Pedroso de Lima, M.C. 142:217
Temperature stress
–, transport and dynamics of molecules dissolved in maize root cortex membranes, Svetek, J., Furtula, V., Nemec, M., Nothnagel, E.A., Schara, M. 143:19
Terminal cisternae
–, the voltage dependence of depolarization-induced calcium release is isolated skeletal muscle triads, Kramer, J.W., Corbett, A.M. 144:217
Testosterone esters
–, influence of the molecular structure of steroids on their ability to interrupt gap junctional communication, Hervé, J.C., Pluciennik, F., Verrecchia, F., Bastide, B., Delage, B., Joffre, M., Délèze, J. 149:179
–, reversible interruption of gap junctional communication by testosterone propionate in cultured Sertoli cells and cardiac myocytes, Pluciennik, F., Verrecchia, F., Bastide, B., Hervé, J.C., Joffre, M., Délèze, J. 149:169
Tetradecyltrimethylammonium
–, modulation of neuronal calcium channels by arachidonic acid and related substances, Schmitt, H., Meves, H. 145:233
Tetraethylammonium (TEA)
–, a tetraethylammonium-insensitive inward rectifier K^+ channel in Müller cells of the turtle (*Pseudemys scripta elegans*) retina, Le Dain, A.C., Anderton, P.J., Martin, D.K., Millar, T.J. 141:239
–, Ca^{2+}-activated K^+ channels are involved in regulatory volume decrease in acinar cells isolated from the rat lacrimal gland, Park, K.-P., Beck, J.S., Douglas, I.J., Brown, P.D. 141:193
–, evidence for coupling between Na^+ pump activity and TEA-sensitive K^+ currents in *Xenopus laevis* oocytes, Huang, H., St.-Jean, H., Coady, M.J., Lapointe, J.-Y. 143:29
–, large-conductance calcium-activated potassium channels of cultured rat melanotrophs, Kehl, S.J., Wong, K. 150:219
–, properties of the K^+ inward rectifier in the plasma membrane of xylem parenchyma cells from barley roots: effects of TEA^+, Ca^{2+}, Ba^{2+}, and La^{3+}, Wegner, L.H., De Boer, A.H., Raschke, K. 142:363
–, quaternary ammonium ion blockade of I_K in nerve axons revisited. open channel block *vs.* state independent block, Clay, J.R. 147:23
–, the ACh-induced whole-cell currents in sheep parotid secretory cells. Do BK channels really carry the ACh-evoked whole-cell K^+ current? Hayashi, T., Hirono, C., Young, J.A., Cook, D.I. 144:157
–, two types of A-channels in Lymnaea neurons, Alekseev, S.I., ZI_{sK}in, M.C. 146:327
Tetrodotoxin
–, voltage-dependent sodium currents recorded from dissociated rat taste cells, Herness, M.S., Sun, X.-D. 146:73
Thapsigargin
–, characterization of two different Ca^{2+} uptake and IP3-sensitive Ca^{2+} release mechanisms in microsomal Ca^{2+} pools of rat pancreatic acinar cells, Ozawa, T., Thévenod, F., Schulz, I. 144:111
–, extracellular pH modulates the Ca^{2+} current activated by depletion of intracellular Ca^{2+} stores in human macrophages, Malayev, A., Nelson, D.J. 146:101
–, specific inhibitors of intracellular Ca^{2+} transport ATPases, Inesi, G., Sagara, Y. 141:1
Thick ascending limb cells
–, role of F-actin in the activation of Na^+–K^+–Cl^- cotransport by forskolin and vasopressin in mouse kidney cultured thick ascending limb cells, Wu, M.S., Bens, M., Cluzeaud, F., Vandewalle, A. 142:323
Thioredoxin
–, characterization of a large conductance, cation-selective channel from sea urchin eggs that is sensitive to sulfhydryl reducing agents, Lii, T., Lee, H.C., Gleason, F.K., Levitt, D.G. 150:27
Thrombin
–, calcium-mobilizing agonists stimulate anion fluxes in cultured endothelial cells from human umbilical vein, White, C.R., Brock, T.A. 142:171
Thylakoid membrane
–, patch clamp study of the voltage-dependent anion channel in the thylakoid membrane, Pottosin, I.I., Schönknecht, G. 148:143
Thyroid hormones
–, differential effect of triiodothyronine and thyroxine on the liposomal membrane in liquid–crystalline and gel state, Farías, R.N., Chehin, R.N., Rintoul, M.R., Morero, R.D. 143:135
–, differential effect of triiodothyronine and thyroxine on liposomes containing cholesterol: physiological speculations, Chehin, R.N., Rintoul, M.R., Morero, R.D., Farias, R.N. 147:217
Thyrotropin-releasing hormone

–, an inactivating inward-rectifying K current present in prolactin cells from the pituitary of lactating rats, Corrette, B.J., Bauer, C.K., Schwarz, J.R. 150:185
Thyroxine
–, differential effect of triiodothyronine and thyroxine on the liposomal membrane in liquid–crystalline and gel state, Farías, R.N., Chehin, R.N., Rintoul, M.R., Morero, R.D. 143:135
–, differential effect of triiodothyronine and thyroxine on liposomes containing cholesterol: physiological speculations, Chehin, R.N., Rintoul, M.R., Morero, R.D., Farias, R.N. 147:217
Tight epithelia
–, transcriptional control of sodium transport in tight epithelia by adrenal steroids, Verrey, F. 144:93
Tight junctions
–, determination of the Na permeability of the tight junctions of MDCK cells by fluorescence microscopy, Kovbasnjuk, O., Chatton, J.-Y., Friauf, W.S., Spring, K.R. 148:223
–, identification of isoforms of G proteins and PKC that colocalize with tight junctions, Dodane, V., Kachar, B. 149:199
–, regulation of tight junction resistance in T_{84} monolayers by elevation in intracellular Ca^{2+}: a protein kinase C effect, Tai, Y.-H., Flick, J., Levine, S.A., Madara, J.L., Sharp, G.W.G., Donowitz, M. 149:71
Time-dependent current
–, SR47063, a potent channel opener, activates K_{ATP} and a time-dependent current likely due to potassium accumulation, Tourneur, Y., Marion, A., Gautier, P. 142:337
Tissue culture
–, the sodium concentration of lateral intercellular spaces (Letter), Naftalin, RJ., Pedley, K.C. 147:105
–, the sodium concentration of the lateral intercellular spaces of MDCK cells: a microspectrofluorimetric study, Chatton, J.-Y., Spring, K.R. 144:11
Toad cardiac cells
–, sodium currents in toad cardiac pacemaker cells, Ju, Y.-K., Saint, D.A., Hirst, G.D.S., Gage, P.W. 145:119
Toad muscles
–, chloride currents in skeletal muscles of *Bufo arenarum*, Bertrán, G., Kotsias, B.A. 149:249
Toad skin
–, pH- and voltage-dependent conductances in toad skin, Lacaz–Vieira, F. 148:1
Toad urinary bladder
–, cell Cl and transepithelial Na transport in toad urinary bladder, Butt, A.G., McLaughlin, C.W., Bowler, J.M., Purves, R.D., Macknight, A.D.C. 142:9
–, effects of voltage clamping on epithelial cell composition in toad urinary bladder studied with x-ray microanalysis, Bowler, J.M., McLaughlin, C.W., Butt, A.G., Purves, R.D., Macknight, A.D.C 145:175
Transcription factor
–, patch clamp detection of transcription factor translocation along the nuclear pore complex channel, Bustamante, J.O., Oberleithner, H., Hanover, J.A., Liepins, A. 146:253
Transducin
–, modulation of the serotonin-activated K^+ channel by G protein subunits and nucleotides in rat hippocampal neurons, Oh, U., Ho, Y.-K., Kim, D. 147:241
Transduction
–, transduction of chemostimuli by the type I carotid body cell, Peers, C., Buckler, K.J. 144:1
Transfection
–, transfection alters ion transport in MDCK cells, Kaji, D.M., Bates, J., Goyzueta, J.D., Prasadan, K., Yu, H., Kumar, S. 149:49
Translocase
–, how proteins cross the bacterial cytoplasmic membrane, Driessen, A.J.M. 142:145
Transmembrane halide flux
–, use of $^{82}Br^-$ radiotracer to study transmembrane halide flux: the effect of a tranquilizing drug, chlordiazepoxide on channel opening of a $GABA_A$ receptor, Cash, D.J., Serfözö, P., Zinn, K. 145: 257
Transport domain
–, spatial organization of transport domains and subdomain formation in the plasma membrane of *Chara corallina*, Fisahn, J., Lucas, W.J. 147:275
Transport proteins
–, phylogenetic, structural and functional Characteristics of the Na–K–Cl cotransporter family, Park, J.H., Saier, M.H., Jr. 149:161
Transport sites specificities
–, specificities of red cell membrane sites transporting three long chain fatty acids, Bojesen, I.N., Bojesen, E. 149:257
Transporter
–, rBAT is an amino acid exchanger with variable stoichiometry, Coady, M.J., Chen, X.-Z., Lapointe, J.-Y. 149:1
Transription factor
–, patch clamp and atomic force microscopy demonstrate TATA-binding protein (TBP) interactions with the nuclear pore complex, Bustamante, J.O., Liepins, A., Prendergast, R.A., Hanover, J.A., Oberleithner, H. 146:263
Triads
–, the voltage dependence of depolarization-induced calcium release is isolated skeletal muscle triads, Kramer, J.W., Corbett, A.M. 144:217
Trifluoperazine
–, divalent cation channels activated by phenothiazines in membrane of rat ventricular myocytes, Lefevre, T., Coraboeuf, E., Ghazi, A., Coulombe, A. 147:147
Triiodothyronine
–, differential effect of triiodothyronine and thyroxine on the liposomal membrane in liquid–crystalline and gel state, Farías, R.N., Chehin, R.N., Rintoul, M.R., Morero, R.D. 143:135
–, differential effect of triiodothyronine and thyroxine on liposomes containing cholesterol: physiological speculations, Chehin, R.N., Rintoul, M.R., Morero, R.D., Farias, R.N. 147:217
Triton X-100
–, triton channels are sensitive to divalent cations and protons, Rostovtseva, T.K., Bashford, C.L., Lev, A.A., Pasternak, C.A. 141:83
Trypsin digestion
–, renal cortical basolateral Na^+/HCO^-_3 cotransporter III. Evidence for a regulatory protein in the inhibitory effect of protein kinase A, Bernardo, A.A., Kear, F.T., Stim, J.A., Qiu, Y.Y., Ruiz, O.S., Weidman, H., Arruda, J.A.L. 145:67
Tumor cells
–, permeabilization of the plasma membrane of L1210 mouse leukemia cells using lithotripter shock waves, Gambihler, S., Delius, M., Ellwart, J.W. 141:267
Tunicamycin
–, inhibition of Na^+-pump expression by impairment of protein glycosylation is independent of the reduced sodium entry into the cell, Pedemonte, C.H. 147:223
Turtle retina
–, a tetraethylammonium-insensitive inward rectifier K^+ channel in Müller cells of the turtle (*Pseudemys scripta elegans*) retina, Le Dain, A.C., Anderton, P.J., Martin, D.K., Millar, T.J. 141:239
Urate
–, reconstitution of hepatic uricase in planar lipid bilayer reveals a

functional organic anion channel, Leal–Pinto, E., London, R.D., Knorr, B.A., Abramson, R.G. 146:123

Urea
–, preparation, characterization, and structure of half gap junctional layers split with urea and EGTA, Ghoshroy, S., Goodenough, D.A., Sosinsky, G.E. 146:15

Uricase
–, reconstitution of hepatic uricase in planar lipid bilayer reveals a functional organic anion channel, Leal–Pinto, E., London, R.D., Knorr, B.A., Abramson, R.G. 146:123

Uromodulin
–, transfection alters ion transport in MDCK cells, Kaji, D.M., Bates, J., Goyzueta, J.D., Prasadan, K., Yu, H., Kumar, S. 149:49

Ussing conditions
–, ion transport across the early chick embryo: II. Characterization and pH sensitivity of the transembryonic short-circuit current, Abriel, H., Katz, U., Kucera, P. 141:159
–, ion transport across the early chick embryo: I. Electrical measurements, ionic fluxes and regional heterogeneity, Kucera, P., Abriel, H., Katz, U. 141:149

Vacuolar ATP
–, role of vacuolar adenosine triphosphatase in the regulation of cytosolic pH in hepatocytes, Wadsworth, S.J., van Rossum, G.D.V. 142:21

Vacuolar H^+–ATPase
–, reaction kinetics of the vacuolar H^+-pumping ATPase in *Beta vulgaris*, Davies, J.M., Sanders, D., Gradmann, D. 150:231

Vacuole-like dilations
–, discrete and reversible vacuole-like dilations induced by osmomechnical perturbation of neurons, Reuzeau, C., Mills, L.R., Harris, J.A., Morris, C.E. 145:33

Vanadate
–, characterization of two different Ca^{2+} uptake and IP3-sensitive Ca^{2+} release mechanisms in microsomal Ca^{2+} pools of rat pancreatic acinar cells, Ozawa, T., Thévenod, F., Schulz, I. 144:111

Vasopressin
–, aquaporin–CHIP-related protein in frog urinary bladder: localization by confocal microscopy, Calamita, G., Mola, M.G., Gounon, P., Jouve, M., Bourguet, J., Svelto, M. 143:267
–, effects of vasopressin and aldosterone on the lateral mobility of epithelial Na^+ channels in A6 renal epithelial cells, Smith, P.R., Stoner, L.C., Viggiano, S.C., Angelides, K.J., Benos, D.J. 147:195
–, effects of voltage clamping on epithelial cell composition in toad urinary bladder studied with x-ray microanalysis, Bowler, J.M., McLaughlin, C.W., Butt, A.G., Purves, R.D., Macknight, A.D.C 145:175
–, role of F-actin in the activation of Na^+–K^+–Cl^- cotransport by forskolin and vasopressin in mouse kidney cultured thick ascending limb cells, Wu, M.S., Bens, M., Cluzeaud, F., Vandewalle, A. 142:323
–, synergistic action of vasopressin and aldosterone on basolateral Na^+–K^+–ATPase in the cortical collecting duct, Coutry, N., Farman, N., Bonvalet, J.P., Blot–Chabaud, M. 145:99
–, the AQP2 water channel: effect of vasopressin treatment, microtubule disruption, and distribution in neonatal rats, Sabolic, I., Katsura, T., Verbavatz, J.-M., Brown, D. 143:165; Erratum 145: 107

VDAC
–, oriented channel insertion reveals the motion of a transmembrane beta strand during voltage gating of VDAC, Zizi, M., Thomas, L., Blachly–Dyson, E., Forte, M., Colombini, M. 144:121

Verapamil
–, distinct modes of blockade in cardiac ATP-sensitive K^+ channels suggest multiple targets for inhibitory drug molecules, Benz, I., Kohlhardt, M. 142:309
–, hydrochlorothiazide action on the apical Cl^-, Ca^{2+} and K^+ conductances in rabbit gallbladder epithelium. presence of an apamin-sensitive, Ca^{2+}-activated K^+ conductance, Cremaschi, D., Vallin, P., Porta, C. 147:159
–, the ACh-induced whole-cell currents in sheep parotid secretory cells. Do BK channels really carry the ACh-evoked whole-cell K^+ current? Hayashi, T., Hirono, C., Young, J.A., Cook, D.I. 144:157

Veratridine
–, veratridine triggers exocytosis in *Paramecium* cells by activating somatic Ca channels, Plattner, H., Braun, C., Klauke, N., Länge, S. 142:229

Vesicle formation
–, cell membrane patches are supported by proteoglycans, Olesen, S.-P. 144:245

Vestibular dark cells
–, DIDS increases K^+ secretion through an I_{sK} channel in apical membrane of vestibular dark cell epithelium of gerbil, Shen, Z., Liu, J., Marcus, D.C., Shiga, N., Wangemann, P. 146:283
–, hypo-osmotic challenge stimulates transepithelial K^+ secretion and activates apical I_{sK} channel in vestibular dark cells, Wangemann, P., Liu, J., Shen, Z., Shipley, A., Marcus, D.C. 147:263
–, the pH-sensitivity of transepithelial K^+ transport in vestibular dark cells, Wangemann, P., Liu, J., Shiga, N. 147:255

Vibrating probe
–, DIDS increases K^+ secretion through an I_{sK} channel in apical membrane of vestibular dark cell epithelium of gerbil, Shen, Z., Liu, J., Marcus, D.C., Shiga, N., Wangemann, P. 146:283

Vicia faba
–, Hodgkin–Huxley analysis of a gcac1 anion channel in the plasma membrane of guard cells, Kolb, H.-A., Marten, I., Hedrich, R 146:273

Video microscopy
–, tracking movements of lipids and Thy1 molecules in the plasmalemma of living fibroblasts by fluorescence video microscopy with nanometer scale precision, Hicks, B.W., Angelides, K.J. 144: 231

Virus protein
–, ion channels formed by NB, an influenza B virus protein, Sunstrom, N.A., Premkumar, L.S., Premkumar, A., Ewart, G., Cox, G.B., Gage, P.W. 150:127

Voltage-activated H^+ currents
–, voltage-activated hydrogen ion currents, DeCoursey, T.E., Cherny, V.V. 141:203

Voltage clamp
–, a voltage-dependent and pH-sensitive proton current in *Rama esculenta* oocytes, Humez, S., Fournier, F., Guilbault, P. 147:207
–, chloride currents in skeletal muscles of *Bufo arenarum*, Bertrán, G., Kotsias, B.A. 149:249
–, D_2O-induced ion channel activation in *Characeae* at low ionic strength, Andjus, P.R., Kataev, A.A., Alexandrov, A.A., Vucelic, D., Berestovsky, G.N. 142:43
–, effects of voltage clamping on epithelial cell composition in toad urinary bladder studied with x-ray microanalysis, Bowler, J.M., McLaughlin, C.W., Butt, A.G., Purves, R.D., Macknight, A.D.C 145:175
–, excitation-calcium release uncoupling in aged single human skeletal muscle fibers, Delbono, O., O'Rourke, K.S., Ettinger, W.H. 148:211
–, magnitude and modulation of pancreatic β-cell gap junction electrical conductance *in situ*, Mears, D., Sheppard, N.F., Jr., Atwater, I., Rojas, E. 146:163
–, NO^-_3 transport across the plasma membrane of *Arabidopsis*

thaliana root hairs: kinetic control by pH and membrane voltage, Meharg, A.A., Blatt, M.R. 145:49
Voltage-clamping coupled cell populations
–, estimating and eliminating junctional current in coupled cell populations by leak subtraction. a computational study, Sherman, A., Xu, L., Stokes, C.L. 143:79
Voltage dependence
–, pH- and voltage-dependent conductances in toad skin, Lacaz–Vieira, F. 148:1
–, the voltage dependence of depolarization-induced calcium release is isolated skeletal muscle triads, Kramer, J.W., Corbett, A.M. 144:217
Voltage-dependent anion channel
–, patch clamp study of the voltage-dependent anion channel in the thylakoid membrane, Pottosin, I.I., Schönknecht, G. 148:143
Voltage-dependent K^+ current
–, potassium currents in cultured rabbit retinal pigment epithelial cells, Tao, Q., Rafuse, P.E., Kelly, M.E.M. 141:123
Voltage-dependent kinetics
–, Hodgkin–Huxley analysis of a gcac1 anion channel in the plasma membrane of guard cells, Kolb, H.-A., Marten, I., Hedrich, R 146:273
Voltage-dependent proton current
–, a voltage-dependent and pH-sensitive proton current in *Rama esculenta* oocytes, Humez, S., Fournier, F., Guilbault, P. 147:207
Voltage-dependent sodium current
–, guanine nucleotides modulate steady-state inactivation of voltage-gated sodium channels in frog olfactory receptor neurons, Pun, R.Y.K., Kleene, S.J., Gesteland, R.C. 142:103
–, voltage-dependent sodium currents recorded from dissociated rat taste cells, Herness, M.S., Sun, X.-D. 146:73
Voltage-gated membrane currents
–, single-microelectrode voltage clamp measurements of pancreatic β-cell membrane ionic currents *in situ*, Rojas, E., Stokes, C.L., Mears, D., Atwater, I. 143:65
Voltage-gated sodium channels
–, voltage-dependent sodium channels in human small-cell lung cancer cells: role in action potentials and inhibition by Lambet–Eaton Syndrome IgG, Blandino, J.K.W., Viglione, M.P., Bradley, W.A., Oie, H.K., Kim, Y.I. 143:153
Voltage gating
–, guanine nucleotides modulate steady-state inactivation of voltage-gated sodium channels in frog olfactory receptor neurons, Pun, R.Y.K., Kleene, S.J., Gesteland, R.C. 142:103
–, large-conductance calcium-activated potassium channels of cultured rat melanotrophs, Kehl, S.J., Wong, K. 150:219
–, lumenal calcium modulates unitary conductance and gating of a plant vacuolar calcium release channel, Johannes, E., Sanders, D. 146:211
–, oriented channel insertion reveals the motion of a transmembrane beta strand during voltage gating of VDAC, Zizi, M., Thomas, L., Blachly–Dyson, E., Forte, M., Colombini, M. 144:121
–, properties of voltage-gated ion channels formed by syringomycin E in planar lipid bilayers, Feigin, A.M., Takemoto, J.Y., Wangspa, R., Teeter, J.H., Brand, J.G. 149:41
Voltage sensor
–, oriented channel insertion reveals the motion of a transmembrane beta strand during voltage gating of VDAC, Zizi, M., Thomas, L., Blachly–Dyson, E., Forte, M., Colombini, M. 144:121
Voltage-sensitive cation channel
–, a voltage-sensitive cation channel present in clusters in lobster skeletal muscle membrane, Worden, M.K., Rahamimoff, R., Kravitz, E.A. 141:167
Voltage-sensitive dyes
–, evaluation of optimal voltage-sensitive dyes for optical monitoring of embryonic neural activity, Momose–Sato, Y., Sato, K., Sakai, T., Hirota, A., Masutani, K., Kamino, K. 144:167
Volume-activated Cl^- channel
–, volume-activated chloride currents in pancreatic duct cells, Verdon, B., Winpenny, J.P., Whitfield, K.J., Argent, B.E., Gray, M.A. 147:173
Volume-activated Cl^- currents
–, characterization of volume-activated chloride currents in endothelial cells from bovine pulmonary artery, Szücs, G., Buyse, G., Eggermont, J., Droogmans, G., Nilius, B. 149:189
–, drug-transport and volume-regulated chloride channel functions in human erythroleukemia cells: relation to expression level of p-glycoprotein, Viana, F., Van Acker, K., De Greef, C., Eggermont, J., Raeymaekers, L., Droogmans, G., Nilius, B. 145:87
Volume-regulated Cl^- current
–, modulation of a volume-regulated chloride current by F-actin, Levitan, I., Almonte, C., Mollard, P., Garber, S.S. 147:283
Volume regulation
–, amino acid current through anion channels in cultured human glial cells, Roy, G. 147:35
–, anion-selectivity of the swelling-activated osmolyte channel in eel erythrocytes, Lewis, R.A., Bursell, J.D.H., Kirk, K. 149:103
–, drug-transport and volume-regulated chloride channel functions in human erythroleukemia cells: relation to expression level of p-glycoprotein, Viana, F., Van Acker, K., De Greef, C., Eggermont, J., Raeymaekers, L., Droogmans, G., Nilius, B. 145:87
–, hypo-osmotic challenge stimulates transepithelial K^+ secretion and activates apical I_{sK} channel in vestibular dark cells, Wangemann, P., Liu, J., Shen, Z., Shipley, A., Marcus, D.C. 147:263
–, shrinkage-induced activation of the Na^+/H^+ exchanger in Ehrlich ascites tumor cells: mechanisms involved in the activation and a role for the exchanger in cell volume regulation, Pedersen, S.F., Kramhøft, B., Jørgensen, N.K., Hoffmann, E.K. 149:141
Washout technique
–, hydrochlorothiazide enhances the apical Cl^- backflux in rabbit gallbladder epithelium: radiochemical analysis, Cremaschi, D., Porta, C. 141:29
Waste organic anions
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41
Water channel
–, aquaporin–CHIP-related protein in frog urinary bladder: localization by confocal microscopy, Calamita, G., Mola, M.G., Gounon, P., Jouve, M., Bourguet, J., Svelto, M. 143:267
–, distribution of mRNA encoding the FA-CHIP water channel in amphibian tissues: effects of salt adaptation, Abrami, L., Capurro, C., Ibarra, C., Parisi, M., Buhler, J.-M., Ripoche, P. 143:199
–, predictive evidence for a porin-type β-barrel fold in CHIP28 and oather members of the MIP family. a restricted-pore model common to water channels and facilitators, Fischbarg, J., Li, J., Cheung, M., Czegledy, F., Iserovich, P., Kuang, K. 143:177
–, the AQP2 water channel: effect of vasopressin treatment, microtubule disruption, and distribution in neonatal rats, Sabolic, I., Katsura, T., Verbavatz, J.-M., Brown, D. 143:165; Erratum 145: 107
–, the proximal straight tubule (PST) basolateral cell membrane water channel: selectivity characteristics, Gutiérrez, A.M., González, E., Echevarría, M., Hernández, C.S., Whittembury, G. 143:189
Water permeability
–, chloride-activated water permeability in the frog corneal epithelium, Candia, O.A., Zamudio, A.C. 1243:259

–, distribution of mRNA encoding the FA-CHIP water channel in amphibian tissues: effects of salt adaptation, Abrami, L., Capurro, C., Ibarra, C., Parisi, M., Buhler, J.-M., Ripoche, P. 143:199
–, ion binding constants for gramicidin A obtained from water permeability measurements, Wang, K.-W., Tripathi, S., Hladky, S.B. 143:247
–, water pathways across a reconstituted epithelial barrier formed by Caco-2 cells: effects of medium hypertonicity, Parisi, M., Pisam, M., Calamita, G., Gobin, R., Toriano, R., Bourguet, J. 143:237
Water pore sizes
–, the proximal straight tubule (PST) basolateral cell membrane water channel: selectivity Characteristics, Gutiérrez, A.M., González, E., Echevarría, M., Hernández, C.S., Whittembury, G. 143:189
Water transport
–, optical methods to measure membrane transport processes, Verkman, A.S. 148:99
–, the paracellular channel for water secretion in the upper segment of the Malpighian tubule of *Rhodnius prolixus,* Sofía Hernández, C., González, E., Whittembury, G. 148:233
Whole cell
–, cGMP modulates transport across the ciliary epithelium, Carré, D.A., Civan, M.M. 146:293
–, guanine nucleotides modulate steady-state inactivation of voltage-gated sodium channels in frog olfactory receptor neurons, Pun, R.Y.K., Kleene, S.J., Gesteland, R.C. 142:103
–, inhibition of Ca^{2+}-dependent Cl^- channels from secretory epithelial cells by low internal pH, Arreola, J., Melvin, J.E., Begenisich, T. 147:95
–, the inwardly rectifying potassium current of embryonic chick hepatocytes, Hill, C.E., Pon, D.C. 144:249
–, the ACh-induced whole-cell currents in sheep parotid secretory cells. Do BK channels really carry the ACh-evoked whole-cell K^+ current? Hayashi, T., Hirono, C., Young, J.A., Cook, D.I. 144:157
Whole cell configuration
–, characterization of whole cell chloride conductances in a mouse inner medullary collecting duct cell line mIMCD-3, Shindo, M., Simmons, N.L., Gray, M.A. 149:21
Whole cell current
–, extracellular ATP activates both Ca^{2+}- and cAMP-dependent Cl^- conductances in rat epididymal cells, Chan, H.C., Zhou, W.L., Wong, P.Y.D. 147:185
–, hypotonically activated chloride current in HSG cells, Fatherazi, S., Izutsu, K.T., Wellner, R.B., Belton, C.M. 142:181
–, the effect of intracellular Ca^{2+} on GABA-activated currents in cerebellar granule cells in culture, Martina, M., Kilic, G., Cherubini, E. 142:209
Whole cell recording
–, characterization of mechanosensitive channels in *Escherichia coli* cytoplasmic membrane by whole-cell patch clamp recording, Cui, C., Smith, D.O., Adler, J. 144:31
–, small-conductance chloride channels in human peripheral T lymphocytes, Schumacher, P.A., Sakellaropoulos, G., Phipps, D.J., Schlichter, L.C. 145:217
–, SR47063, a potent channel opener, activates K_{ATP} and a time-dependent current likely due to potassium accumulation, Tourneur, Y., Marion, A., Gautier, P. 142:337
X-ray microanalysis
–, cell Cl and transepithelial Na transport in toad urinary bladder, Butt, A.G., McLaughlin, C.W., Bowler, J.M., Purves, R.D., Macknight, A.D.C. 142:9
–, effects of voltage clamping on epithelial cell composition in toad urinary bladder studied with x-ray microanalysis, Bowler, J.M., McLaughlin, C.W., Butt, A.G., Purves, R.D., Macknight, A.D.C 145:175
Xenobiotics
–, the biology of the p-glycoproteins, Leveille–Webster, C.R., Arias, I.M. 143:89
Xenopus embryos
–, modifications of current properties by expression of a foreign potassium channel gene in *Xenopus* embryonic cells, Spruce, A.E., Moody, W.J. 148:255
Xenopus myelinated nerve
–, single-channel analysis of a delayed rectifier K^+ channel in *Xenopus* myelinated nerve, Koh, D.-S., Vogel, W. 149:221
Xenopus oocytes
–, a Cl channel in *Ascaris suum* selectivity conducts dicarboxylic anion products of glucose fermentation and suggests a role in removal of waste organic anions, Valkanov, M.A., Martin, R.J. 148:41
–, a method for determining the unitary functional capacity of cloned channels and transporters expressed in *Xenopus laevis* oocytes, Zampighi, G.A., Kreman, M., Boorer, K.J., Loo, D.D.F., Bezanilla, F., Chandy, G., Hall, J.E., Wright, E.M. 148:65
–, amiloride-sensitive sodium channels in confluent M-1 mouse cortical collecting duct cells, Letz, B., Ackermann, A., Canessa, C.M., Rossier, B.C., Korbmacher, C. 148:127
–, effects of chlorotrifluoroethylene oligomer fatty acids on recombinant GABA receptors expressed in *Xenopus* oocytes, DelRaso, N.J., Huang, Y., Lu, L. 149:33
–, kinetics and specificity of the renal Na^+/*myo*–inositol cotransporter expressed in *Xenopus* oocytes, Hager, K., Kwon, H.M., Loo, D.D.F., Handler, J.S., Wright, E.M. 143:103
–, overexpression of AE1 Prague, but not of AE1 SAO, inhibits wild-type AE1 trafficking in *Xenopus* oocytes, Chernova, M.N., Jarolim, P., Palek, J., Alper, S.L. 148:203
–, phenylglucosides and the Na^+/glucose cotransporter (SGLT1): analysis of interactions, Lostao, M.P., Hirayama, B.A., Loo, D.D.F., Wright, E.M. 142:161
–, the Ca^{2+}-induced leak current in *Xenopus* oocytes is indeed mediated through a Cl^- channel, Weber, W.-M., Liebold, K.M., Reifarth, F.W., Clauss, W. 148:263
Xylem parenchyma cell
–, properties of the K^+ inward rectifier in the plasma membrane of xylem parenchyma cells from barley roots: effects of TEA^+, Ca^{2+}, Ba^{2+}, and La^{3+}, Wegner, L.H., De Boer, A.H., Raschke, K. 142:363
β-D-Xyloside
–, cell membrane patches are supported by proteoglycans, Olesen, S.-P. 144:245
Zea mays
–, small inward rectifying K^+ channels in coleoptiles: inhibition by external Ca^{2+} and function in cell elongation, Thiel, G., Brüdern, A., Gradmann, D. 149:9
–, transport and dynamics of molecules dissolved in maize root cortex membranes, Svetek, J., Furtula, V., Nemec, M., Nothnagel, E.A., Schara, M. 143:19
Zinc
–, triton channels are sensitive to divalent cations and protons, Rostovtseva, T.K., Bashford, C.L., Lev, A.A., Pasternak, C.A. 141:83
Zostera meulleri
–, ion channels in the plasma membrane of protoplasts from the halophytic angiosperm *Zostera muelleri,* Garrill, A., Tyerman, S.D., Findlay, G.P. 142:381